



Handheld POS Terminal

(Model Number: POS-6000)







Specifications	
Operating System	Android 8.1.0
Architecture	ARM Cortex-A7 quad core 1.3GHz
Memory	8GD ROM + 1GB RAM
CPU	MT6580
Key	Power button (lock screen button) + Volume plus / minus button
Interface	Type-C USB, TF card slot, SIM card tray
Network	WIFI 802.11 a/b/g/n, Bluetooth 3.0/4.0, GSM 2G/3G , GPS
Communication Mode	Support Unicom 3G/2G, Mobile 2G, Telecom 2G
Display Screen	5.5 "HD, 1280X720, IPS
Camera	5 megapixels + Auto focus
Barcode Recognition	Rear camera scanning, support 1D/2D barcode scanning reading
Printer	



Printing Method	Direct Thermal Line
Paper Width	58mm
Effective Printing Width	48mm
Resolution	203dpi
Printing Speed	70mm/s
Electrical	
Power Adapter Voltage	Input: AC 100-240V, 50~60Hz 0.5A ; Output: DC 5V/2A
Battery	Removable lithium battery, 3.7V/5000mAh
Physical	
Product Dimension	211x87x60.5mm
Unit Weight	413g (with battery)
Pieces Per CTN	24 Pieces
CTN Dimension Size	51 x 51 x 32 cm
CTN Gross Weight	20kgs
Other Features	
Working Temperature	Working: 0 to 45 Degrees
Humidity	Working: 10%-80%
Multimedia	Support MIC / SPK ; Support video recording and play
Accessories	
USB Charging Cable	1 Piece
Power Adapter	DC 5V/2A
User Manual	1 Piece