



LED Ceiling Fan Light



CGE-2002

➤ Parameters

Blade Size : 52 inch



Motor power: AC 70W

Blades: Plywood 5pcs

LED light:48W LED

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-305

➤ Parameters

Blade Size : 42/48/52 inch


Motor power: AC 70W

Blades: Plywood 3pcs

LED light: 18W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-313

➤ Parameters

Blade Size : 42 inch



Motor power: AC 70W

Blades: Plywood 5pcs

LED light:24W LED

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-328

➤ Parameters

Blade Size :48 inch


Motor power: AC 70W

Blades: Plywood 3pcs

LED light:18W LED

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-333

➤ Parameters

Blade Size : 52 inch



Motor power: AC 70W

Blades: Plywood 5pcs

LED light: 18W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-002-A

➤ Parameters

Blade Size : 42/48/52 inch



Motor power: AC 70W

Blades: Iron 5pcs

LED light: 18W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-001-D

➤ Parameters

Blade Size : 52 inch



Motor power: AC 70W

Blades: Iron 5pcs

LED light: E27*5 pcs

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-001-E

➤ Parameters

Blade Size : 52 inch



Motor power: AC 70W

Blades: Iron 5pcs

LED light: E27*5 pcs

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-002-E

➤ Parameters

Blade Size :52 inch



Motor power: AC 70W

Blades: Iron 5pcs

LED light: E27*4 pcs

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-005-A

➤ Parameters

Blade Size : 52 inch


Motor power: AC 70W

Blades: Iron 5pcs

LED light: E27*3 pcs

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-C124

➤ Parameters

Blade Size : 48 inch



Motor power: AC 70W

Blades: Plywood 5pcs

LED light: E27*5 pcs

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-C119

➤ Parameters

Blade Size : 48 inch



Motor power: AC 70W

Blades: Plywood 5pcs

LED light: E27*5 pcs

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-C010

➤ Parameters

Blade Size : 48 inch



Motor power: AC 70W

Blades: Ply wood 5pcs

LED light: E27*5 pcs

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-403

➤ Parameters

Blade Size : 42 inch

Motor power: AC 70W

Blades: ABS 4pcs

LED light: 36W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-418

➤ Parameters

Blade Size : 42 inch

Motor power: AC 70W



Blades: ABS 4pcs

LED light: 36W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.

MOQ 50



CGE-422

➤ Parameters

Blade Size : 42 inch

Motor power: AC 70W



Blades: ABS 4pcs

LED light: 36W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.

MOQ 50





CGE-521B

➤ Parameters

Blade Size : 42 inch



Motor power: AC 70W

Blades: ABS 4pcs

LED light: 36W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-422D

➤ Parameters

Blade Size : 42 inch

Motor power: AC 70W


Blades: ABS 4pcs

LED light: 36W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.

MOQ 50



CGE-8083

➤ Parameters

Blade Size : 42 inch


Motor power: AC 70W

Blades: ABS 4pcs

LED light: 72W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-F8015

➤ Parameters

Blade Size : 42 inch



Motor power: AC 70W

Blades: ABS 4pcs

LED light: 72W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-8303

➤ Parameters

Blade Size : 36 inch /42 inch/ 52 inch



Motor power: AC 70W

Blades: ABS 4pcs

LED light: 48W/72W/96W

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-8206

➤ Parameters

Blade Size : 36 inch /42 inch/ 52 inch



Motor power: AC 70W

Blades: ABS 4pcs

LED light: 48W/72W/96W

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-8055

➤ Parameters

Blade Size : 42 inch



Motor power: AC 70W

Blades: ABS 4pcs

LED light: 72W

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-8055

➤ Parameters

Blade Size : 42 inch



Motor power: AC 70W

Blades: ABS 4pcs

LED light: 72W

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.



CGE-FSD42C-002

➤ Parameters

Blade Size : 42 inch


Motor power: AC 70W

Blades: ABS 4pcs

LED light: 72W

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.





CGE-512

➤ Parameters

Blade Size : 42 inch

Motor power: AC 70W



Blades: ABS 4pcs

LED light: 36W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.

MOQ 50





CGE-515

➤ Parameters

Blade Size : 42 inch

Motor power: AC 70W



Blades: ABS 4pcs

LED light: 36W LED

Voltage: 110V/220V 50/60Hz

Application : Widely used in homes, Hotel halls, restaurants, exhibition halls, workshops, offices, offices, waiting rooms, etc.

MOQ 50





CGE-516

➤ Parameters

Blade Size : 42 inch

Motor power: AC 70W



Blades: ABS 4pcs

Material: Crystal ,Plastic and Metal base

LED light: 36W LED

Voltage:110V/220V 50/60Hz

Application :Widely used in homes, Hotel halls,
restaurants, exhibition halls, workshops, offices,
offices, waiting rooms, etc.





CGE-FS001

➤ Parameters

Product size: $\phi 50 \times H24$ cm



Material: Iron、ABS、PC

LED light: 40W LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS002

➤ Parameters

Product size: $\phi 56 \times H23\text{cm}$



Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS003

➤ Parameters

Product size: $\phi 56 \times H23\text{cm}$



Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS004

➤ Parameters

Product size: $\phi 56 \times H23\text{cm}$



Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS005

➤ Parameters

Product size: $\phi 56 \times H23\text{cm}$



Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS006

➤ Parameters

Product size: $\phi 58 \times H20\text{cm}$



Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS007

➤ Parameters

Product size: $\phi 58 * H20\text{cm}$



Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS008

➤ Parameters

Product size: $\phi 58 * H20\text{cm}$


Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS009

➤ Parameters

Product size: $\phi 58$ *H20cm


Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS010

➤ Parameters

Product size: $\phi 58 * H20\text{cm}$


Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS011

➤ Parameters

Product size: $\phi 58 \times H20$ cm

Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS012

➤ Parameters

Product size: $\phi 58 \times H25\text{cm}$


Material: Iron、acrylic

LED light: 36W*2 LED

Voltage: 110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS013

➤ Parameters

Product size: L58*W58*H25cm



Material: Iron、 acrylic

LED light: 36W*2 LED

Voltage:110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS014

➤ Parameters

Product size: L58*W58*H25cm



Material: Iron、 acrylic

LED light: 36W*2 LED

Voltage:110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS015

➤ Parameters

Product size: L55*W55*H21cm



Material: Iron、 acrylic

LED light: 48W*2 LED

Voltage:110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





CGE-FS016

➤ Parameters

Product size: L58*W58*H21cm



Material: Iron、 acrylic

LED light: 36W*2 LED

Voltage:110V/220V 50/60Hz

Features: dimming, three speed regulation, timing

Application: widely used in hotels, restaurants, living rooms, bedrooms, study, dormitories, etc





Web site: <http://www.cgesz.com>



Contact: shelly Guo



E-mail: Guoshelly@cgesz.com



Tel: +86-0755-29781299



Whatsapp: +86 18926546715



Wechat: shelly18926546715