




HENGHUI STEEL 恒汇钢铁

Black/Painted Square & Rectangular Steel Tubes



SHS/RHS HOLLOW SECTION PIPE SIZE CHART			
Size (MM)	Thickness(MM)	Size (MM)	Thickness(MM)
10*10	0.5-1.5	15*10	0.6-1.0
12*12	0.6-1.5	20*10	0.6-1.0
15*15	0.6-1.5	15*30	0.6-1.0
16*16	0.6-1.5	25*12	0.6-1.0
19*19	0.6-1.8	40*20	0.6-3.0
20*20	0.6-2.0	38*19	0.6-3.0
25*25	1.0-2.75	50*25	0.6-3.0
30*30	1.0-2.75	60*30	1.0-3.75
32*32	1.0-3.0	50*30	1.0-3.75
35*35	1.0-3.0	60*40	1.5-3.75
38*38	1.0-3.0	75*25	1.5-3.75
40*40	1.0-3.5	75*50	1.5-5.75
45*45	1.0-5.0	80*40	1.5-5.75
50*50	1.0-5.0	100*50	2.0-6.0
55*55	1.0-5.0	100*60	2.0-6.0
60*60	1.0-6.0	100*75	2.0-6.0
63.5*63.5	1.0-6.0	120*60	3.0-6.0
70*70	1.5-6.0	120*80	3.0-6.0
75*75	1.5-6.0	125*50	3.0-6.0
80*80	2.0-6.0	125*75	3.0-6.0
89*89	2.0-6.0	150*50	3.0-6.0
90*90	2.0-6.0	150*75	3.0-6.0
100*100	2.3-6.0	150*100	4.0-12
120*120	4.0-6.0	160*80	4.0-6.0
125*125	4.0-6.0	175*100	4.0-12
150*150	4.0-6.0	200*100	4.0-12
200*200	4.0-8.0	200*150	4.0-12
250*250	6.0-12	250*150	5.0-12
300*300	6.0-12	300*200	5.0-12
400*400	6.0-12	400*200	5.0-12

Other size and thickness can be customized according to customer request.

Pre-Galvanized & Hot Dipped Galvanized Square / Rectangular Steel Tubes



Square/Rectangular Steel Pipes	Standard&	Specification	Standard	Main Application
Black,Oiled,Painted Hot dipped galvanized Pre-galvanized	EN10210\EN10219\EN10025-S235,S275,S355,S460-JRH,J0H,J2H,K2H,NH. ASTM A55\A501\A53-GrA,Gr B, Gr C,Gr D. JIS G3466-STKR400, STKR490 JIS G3444-STK400, STK500,STK490,STK540 GB/T13793\GB/T3091\GB/T6728 \GB/T3094-Q195,Q235,Q345,Q390,Q460-A,B,C,D. DIN17100\DIN2394-St37,St52	Size : Square 10x10-600x600mm WT : 0.5-25mm Rectangular : 10x15-800x1000mm WT : 0.5-25mm	GB ASTM DIN JIS EN	Ship Internal structure, Solar equipment, Steel structure, Auto parts, Buildings, furniture,etc