

Fiton

Fiton Industrial Development (shenzhen) Co., Ltd

Contact: Sansa Shi Phone/WhatsApp: +86 19355196227 Email: sansa@fitoncam.com

Specification for DC218T (touch screen)/DC218L (non-touch screen)



model		DC218T/ DC218L
Features		**Digital Camera (4K) **Digital camera (64 megapixels) **20 creative filter effects **16x efficient zoom **Autofocus **Webcam function **Dual 13MP front and rear sensor lenses ** Capacitive touch screen (optional)
Image resolution		64M(9200*6900);48M(8000*6000);36M(7936*4480 HD);24M(5600*4200);16M(4608*3456);12M(4000*3000);7M-Wide(3648*2048 HD);5M(2592*1944)
Video resolution		4K ULTRA HD -10FPS; 2.7K-30FPS; FULL HD-30FPS; HD-30FPS
Front image sensor Device	Pixel	13MP CMOS sensor (up to 64MP interpolated)
	size	1/3.06 inch
Rear Image Sensing Device	Pixel	13MP CMOS sensor (up to 64MP interpolated)
	size	1/3.06 inch
Lens parameters	Lenses type	5P
	Perspective	75 degrees
	parameter	Ff(F/2.2, f=3.37mm)

	Shooting distance	10CM--Infinity
Display	Display type	IPS HD
	Display size	2.8 inches
	Display resolution 640*480	
Battery	Battery Type	Lithium battery (NP-60)
	Battery capacity	1050MA/H 3.7V rechargeable lithium battery
	Battery life	Video recording: about 2.5 hours
Key Features	Autofocus support	
	PC Accessibility	Webcam
Fill light method	Native fill light type LED flash	
	External flash support	
File Format	photo	JPG
	video	AVI
Memory Card	Self-caching	256MB DDR3
	Machine capacity	Flash memory: N/A
	Maximum expansion capacity	External memory: Single card slot: TF card slot (up to 256GB), supports Class U1 card
interface	USB	Type-C USB
	HDMI	support
	MIC	support
	Memory Card	TF card slot (up to 256GB), supports Class U1 card
Action Menu	Selfie	Single shot/ 2 seconds timer/ 5 seconds timer/ 10 seconds timer
	Exposure Compensation	Manual: ±3.0EV
	focusing	16x digital zoom
	Sharpness	Strong/Standard/Soft
	Automatic shutdown	Off/1 minute/3 minutes/5 minutes
	Date Setting	Adjustable date stamp
	Image Quality	Best/Good/Normal
	White Balance	Auto/Daylight/Cloudy/Incandescent/Fluorescent
	Scene Mode	Auto/Night Scene/People/Landscape/Backlight/Sports/Party/Beach/High Sensitivity
	Fill Light Mode	switch

Computer Recommendations System Configuration	PC System	Win7/Win8/Win 10/Win11
	USB	Standard USB 2.0 port or higher
Shutter speed		1/10Sec-1/2650Sec
language		English, Traditional Chinese, Simplified Chinese, French, German, Italian, Portuguese, Spanish Irish, Russian, Japanese, Hebrew, Turkish, Dutch, Polish
Standard accessories		A user manual, a USB cable, a charger, a lithium battery, a lanyard, A lens cleaning cloth
Unit weight (including battery)		285g
Product size		126*65*74mm
Packing box size		Chinese packaging box: 180*155*90mm, English packaging box: 173*150*95mm, English packaging
Outer box size & packing specifications		box: 535*495*320MM, 30 sets, estimated 19.5KG