



58/80mm Printing Handheld Android POS Z93

Introduction

Z93 Android POS with 58mm and 80mm size printer&fingerprint collection module(optional), Android 12.0 operating system, 6.26 inch screen touch, super long standby battery capacity is 3600mAh/7.6V, 80mm thermal paper printer, 5MP rear camera(8MP/13MP optional), 2G/3G/4G/WiFi, Bluetooth communication, this fine workmanship and top quality machine is the best choice in the market.

Features

- Android 12.0 operating system: adopt the open android system, can let the user a simple and efficient development of the upper application.
- Serviceable range: apply chain supermarkets, restaurants, Parking system, Prepaid airtime top up, convenience stores, clothing store, premises, bakery, cashier, pay, enters sells saves the business management function.

Specifications

Operating System	Android 12.0
CPU	Quad Core Processor
CPU Clock Range	2.0GHz
RAM	2G DDR3 (3G optional)
FLASH	16 GB (32GB optional)
LCD Screen	6.26 inch
Display Resolution	720*1520
Backlight	LED
Touch Screen	Capacitive Five-Point Touch
Fingerprint collection module(optional)	Spatial resolution: 508 DPI Active sensor area: 12.8mm*18.0mm (In compliance with FBI,STQC)
SIM card bands	4G: FDD-LTE,TD-LTE 3G: WCDMA 2G: GSM,GPRS Hot spot Bluetooth
Voice call	Support
Data	Support
SMS&MMS	Support
WIFI Module	802.11a/b/g/n, 2.4G+5G
Bluetooth	Support BLE 5.0
GPS	Support
Rear Camera	Front: 2 Mega-pixel Back: 5 Mega-pixel (8MP/13MP optional)
Speaker	Support

Microphone	Support
Card Slot	1*SIM +1*PSAM (1*SIM optional)
Physical button	Power button x 1 Scan Engine button x 2
Dimension	240mm * 104mm * 64mm
Weight	480g
Battery	Lithium 7.6V/3600mAh
Power adapter	5V DC/2A
NFC reader	Support ISO / IEC 14443 A&B, Mifare, felica card, conform to EMV / PBOC PAYPASS standard(Optional)
Printer	Thermal Paper width: 80mm/58mm(Support two size)
	Label Paper width: 76mm/40mm(Support two size)
Standard Accessories	1pc power adaptor, 1pc User Manual, 1pc USB-type C cable, 1 roll 80mm thermal paper
Optional Accessories	Silicone case, Hand Belt, Fingerprint scanner, charging base
Temperature	Storage temperature: -10℃-60℃
	Working Temperature: 0℃-50℃
Certificate	CE, RoHS



Picture

