

4G+2K Cloud Dash Camera

Model: iSV-D7



Main Features:

- * 4G / 2K Cloud Dash Cam / Dual Channels
 - * 2K + 1080P, 30Fps / Super Night Vision
 - * Remote Live Video / GPS Tracking / DVR
 - * Remote Playback / Support App & PC Platform

 - * Support SOS Alarm / Parking Monitoring
 - * Support Collision Alarm / Anti-Theft Alarm
 - * Support Geo-Fence Alarm / Over-Speed Alarm
-

- ① 4G & WiFi Connection, 2K (2560x1440) Resolution
- ② 4G Module, ARM A53 1.2GHz(2 Core) IPU, Linux5.15 System
- ③ 4.0Mega Pixels Sensor Camera
- ④ H.265, 2K+1080P Dual Channel, 30Fps, MP4
- ⑤ Super Night Vision, with G-Sensor
- ⑥ Maximum Support 512GB SD Card
- ⑦ 4G+WiFi, Live Video Remotely by App or PC Platform
- ⑧ Ultra wide 148° View Angle captures more of the road around you
- ⑨ Enjoy Free GPS Tracking Services
- ⑩ Support Parking Monitor, Support Time-Lapse Record
- ⑪ Support Low Battery Protection
- ⑫ SOS Alarm, Collision Alarm, Anti-Theft Alarm, Geo-Fence Alarm, Over-Speed Alarm

Specification:

Model		iSV-D7
Hardware	4G Module	Europe / American Module
	IPU	ARM A53 1.2GHz(2 Core)
	Sensor	4.0Mega Pixels Sensor, Super Night Vision
	OS	Linux5.15 System
	RAM	LPDDR4 / 256MB RAM
	IPS Screen Size	No
Network / Data	4G/3G Network	LTE-FDD/LTE-TDD(4G), WCDMA(3G)
		FDD-LTE: B1/B3/B5/B7/B8/B20/B28, TDD-LTD: B38/B40/41
	Data Service	LTE, WCDMA, HSDPA, HSUPA
	GPS Location	GPS / GLONASS / BDS
	Wi-Fi	2.4G/5G, WLAN
Main Functions	DVR	H.265, 2K(Front)+1080P(Rear) with 30fps, Loop-Recording
	Super Night Vision	Support
	GPS Tracking	Support, App & PC Platform
	G-Sensor	Support
	Remote Monitoring	App & PC Platform, Remote Video and Remote Picture
	Playback	Support App playback with Wi-Fi and Remotely
	Live Streaming Video	Front-Car/Rear-Car Live Streaming Video Via APP or PC Platform
	Cameras	Front Camera: UHD 2K, Adjustable viewing angle 148°
		Rear Camera: 1080P, Viewing angle 140°
	Micro SD Card	Support Max 512GB
	Time-Lapse Record	Support, 8H / 12H / 24H / 48H Optional
	Low Battery Protection	Support

	Parking Monitoring	Support
	SOS Alarm	Support
	Collision Alarm	Support
	Anti-Theft Alarm	Support
	Geo-Fence Alarm	Support
	Over-Speed Alarm	Support
Others	Operating Temperature	-20℃~70℃
	Operating Humidity	0~90%, Non-Condensed
	Dimension(L*W*H)	112(L)*53(W)*40(H)mm