

4G LTE TDD Solar IP Camera
IPW-THF-949 / IP4-THF-459

Features:

- ◆ WiFi/4G LTE TDD Solar IP Camera.
- ◆ 5.0 Megapixel= 2592*1944.
- ◆ 6pcs Array IR LED,IR Distance 40M.
- ◆ Floodlight LED,Full Color Night Vision 40M.
- ◆ TF Card Max 128G,Two Way Audio.
- ◆ 2.8mm Fixed Lens+5-50mm 10X Zoom Lens.
- ◆ 9.0W Solar Panel.
- ◆ 6pcs 18650 Battery 15600mAh.
- ◆ IP66 Weatherproof Standard.
- ◆ Response Time:0.6S;Detection angle:120° .

Key Feature:

- WiFi/4G Networking Connecting:QR Code.
- Recording Mode:Alarm/Manual.
- PIR Detection,Voice call,Remote waking,Motion Waking.
- Outdoor Speed Dome IP Camera.
- White Plastic body with strong bracket.
- Built-in 2pcs efficient antennas WiFi/4G.
- Panoramic Show:Analog 3D & Auto Cruise;.
- Support IR cut filter with auto switch.
- 4G wireless remote monitoring,support for all 4G SIM card.
- Support Dual-Stream technology.
- Two-way Audio(AAC&G.726 Coding):-38dB Mic /Inside 3W*Speaker.
- Support Micro SD/SDHC/SDXC card, the maximum up to128G.
- Support SMART IR, P2P and cross-browser access.
- Mobile APP Name: UBOX.
- 9.0W Solar Panel,6pcs 18650 Battery 15600mAh.
- Power:Solar Panel+USB Power.
- Photographic distances:0-12Meters.
- Pan Rotation:355° ,Tilt Rotation:100° .



SHENZHEN JBE CCTV CO.,LTD

Item	Model Number	IPW-THF-949	IP4-THF-459
Parameter	Chip	Ingenic-T40N+GC4653	
	Operating system	Android, IOS	
	Sensor	1/2.7"progressive Sensor	
	Compressed format	H.265/H.264+	
	Pixel	5MP= 2592*1944	
Network	Wireless	WiFi(2.4G)	4G(Sim Card)
Alarm	Detect patterns	PIR + AI Humanoid Detection	
	Detect Distance	0~12M	
	Angle	110°+110°	
	Alarm	Real time mobile phone calling or push message	
Rotation	Angle	355°horizontal and 100°vertical	
	Rotate speed	55°/s horizontal and 40°/s vertical	
Night vision	Colorful night vision	0.00001LUX	
	Infrared	6pcs Array IR LED 40M	
	White light	Floodlight LED 40M	
Voice	Built-in speaker	3W	
	Built-in microphone	20 Meters	
Lens	focal length	Fixed 2.8mm+Zoom 5-50mm	
	Angle	110°+48°	
Storage	Video Mode	Alarm video/timing video/all-day video	
	Cloud storage	Cloud storage (alarm video)	
	Local storage	TF card (Max 128G)	
Power supply	Power supply mode	Mono-crystalline silicon Solar Panel+18650 batteries	
	Solar Power	9.0W	
	Battery Capacity	Support 6pcs 18650 batteries(15600MA)	
	Max Service Rating	4.5W	
	Standby power	0.003W	
Software	App	UBOX	
Others	Environment	Indoor/outdoor	
	Temperature	-30°~+60°	
	Humidity	0%~90%RH	
Package	Net weight	1.98KG/PC	
	Box Size	282*192*182mm	
	Packing quantity	6pcs	
	Gross Weight	12.5KG/CTN	
	Carton size	610*300*386mm	

SHENZHEN JBE CCTV CO.,LTD

www.jbecctv.cn

5/F,Workshop Building A,Tozia Industrial Park,Lezhujiao,

Huangmabu Community,Xixiang Street,Bao'an District,Shenzhen,Guangdong,China

Email:Sales@jbecctv.cn Tel:+86 0755 23037680

Product parameter

