



NINGBO TULIP INDUSTRIAL CO.,LTD

QUOTATION

No.255 Yindong south rd.,yinzhou economic development zone,zhanqi town,ningbo ,china

www.china-tulip.com

Contact person: jane tel:+86-13586575871 jane@china-tulip.com

Picture	Items	Materials	Voltage	Lumen	Dimension (mm)	RA	PF
	A60 6W	A60 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	540LM	φ60*108	>80	>0.5
	A60 7W	A60 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	630LM	φ60*108	>80	>0.5
	A60 8W	A60 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	720LM	φ60*108	>80	>0.5
	A60 9W	A60 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	810LM	φ60*108	>80	>0.5
	A60 10W	A60 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	900LM	φ60*108	>80	>0.5
	A60 11W	A60 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	990LM	φ60*112	>80	>0.5
	A60 12W	A60 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	1080LM	φ60*112	>80	>0.5
	A60 15W	A60 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	1350LM	φ60*120	>80	>0.5
	A60 17W	A60 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	1530LM	φ60*120	>80	>0.5
	A67 20W	A67 LED BULB Plastic with AL 3000K-6500K E27	100-130V/220-240V	1800LM	φ67*128	>80	>0.5
	G45 3W	G45 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	270LM	φ45*80	>80	>0.5
	G45 4W	G45 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	360LM	φ45*80	>80	>0.5
	G45 5W	G45 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	450LM	φ45*80	>80	>0.5
	G45 6W	G45 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	540LM	φ45*80	>80	>0.5
	G45 7W	G45 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	630LM	φ45*80	>80	>0.5
	G45 8W	G45 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	720LM	φ45*80	>80	>0.5
	G45 9W	G45 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	810LM	φ45*80	>80	>0.5
	C37 3W	C37 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	270LM	φ37*98	>80	>0.5
	C37 4W	C37 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	360LM	φ37*98	>80	>0.5
	C37 5W	C37 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	450LM	φ37*98	>80	>0.5
	C37 6W	C37 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	540LM	φ37*98	>80	>0.5
	C37 7W	C37 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	630LM	φ37*109	>80	>0.5
	C37 8W	C37 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	720LM	φ37*109	>80	>0.5
	C37 9W	C37 LED BULB Plastic with AL 3000K-6500K E14/E27	100-130V/220-240V	810LM	φ37*109	>80	>0.5
	GU10-3W-120D	GU10 LED BULB Plastic with AL 3000K-6500K 120D	100-130V/220-240V	240LM	φ50*56	>80	>0.5
	GU10-4W-120D	GU10 LED BULB Plastic with AL 3000K-6500K 120D	100-130V/220-240V	320LM	φ50*56	>80	>0.5
	GU10-5W-120D	GU10 LED BULB Plastic with AL 3000K-6500K 120D	100-130V/220-240V	400LM	φ50*56	>80	>0.5
	GU10-6W-120D	GU10 LED BULB Plastic with AL 3000K-6500K 120D	100-130V/220-240V	480LM	φ50*56	>80	>0.5
	GU10-7W-120D	GU10 LED BULB Plastic with AL 3000K-6500K 120D	100-130V/220-240V	560LM	φ50*56	>80	>0.5
	GU10-8W-120D	GU10 LED BULB Plastic with AL 3000K-6500K 120D	100-130V/220-240V	640LM	φ50*56	>80	>0.5
	GU10-9W-120D	GU10 LED BULB Plastic with AL 3000K-6500K 120D	100-130V/220-240V	720LM	φ50*56	>80	>0.5
	GU10-3W-38/60D	GU10 LED BULB Plastic with AL 3000K-6500K 38/60D	100-130V/220-240V	240LM	φ50*56	>80	>0.5
	GU10-4W-38/60D	GU10 LED BULB Plastic with AL 3000K-6500K 38/60D	100-130V/220-240V	320LM	φ50*56	>80	>0.5
	GU10-5W-38/60D	GU10 LED BULB Plastic with AL 3000K-6500K 38/60D	100-130V/220-240V	400LM	φ50*56	>80	>0.5
	GU10-6W-38/60D	GU10 LED BULB Plastic with AL 3000K-6500K 38/60D	100-130V/220-240V	480LM	φ50*56	>80	>0.5
	GU10-7W-38/60D	GU10 LED BULB Plastic with AL 3000K-6500K 38/60D	100-130V/220-240V	560LM	φ50*56	>80	>0.5
	GU10-8W-38/60D	GU10 LED BULB Plastic with AL 3000K-6500K 38/60D	100-130V/220-240V	640LM	φ50*56	>80	>0.5
	GU10-9W-38/60D	GU10 LED BULB Plastic with AL 3000K-6500K 38/60D	100-130V/220-240V	720LM	φ50*56	>80	>0.5
	GU10-5W-38/60D	GU10 LED BULB Plastic with AL 3000K-6500K 38/60D DIMMABLE	100-130V/220-240V	400LM	φ50*56	>80	>0.5
	GU10-7W-38/60D	GU10 LED BULB Plastic with AL 3000K-6500K 38/60D	100-130V/220-240V	560LM	φ50*56	>80	>0.5
	MR16-3W-120D	MR16 LED BULB Plastic with AL 3000K-6500K 120D	DC12V		φ50*56	>80	>0.5
	MR16-4W-120D	MR16 LED BULB Plastic with AL 3000K-6500K 120D	DC12V		φ50*56	>80	>0.5

	MR16-5W-120D	MR16 LED BULB Plastic with AL 3000K-6500K 120D	DC12V		φ50*56	>80	>0.5
	MR16-6W-120D	MR16 LED BULB Plastic with AL 3000K-6500K 120D	DC12V		φ50*56	>80	>0.5
	MR16-3W-38/60D	MR16 LED BULB Plastic with AL 3000K-6500K 38/60D	DC12V		φ50*56	>80	>0.5
	MR16-4W-38/60D	MR16 LED BULB Plastic with AL 3000K-6500K 38/60D	DC12V		φ50*56	>80	>0.5
	MR16-5W-38/60D	MR16 LED BULB Plastic with AL 3000K-6500K 38/60D	DC12V		φ50*56	>80	>0.5
	MR16-6W-38/60D	MR16 LED BULB Plastic with AL 3000K-6500K 38/60D	DC12V		φ50*56	>80	>0.5
	TP-N80-20W	T LED BULB AL ONLY 3000K-6500K E27	100-130V/220-240V	1800LM	φ80*148	>80	>0.5
	TP-N100-30W	T LED BULB AL ONLY 3000K-6500K E27	100-130V/220-240V	2700LM	φ100*183	>80	>0.5
	TP-N120-40W	T LED BULB AL ONLY 3000K-6500K E27	100-130V/220-240V	3600LM	φ120*210	>80	>0.5
	TP-N150-50W	T LED BULB AL ONLY 3000K-6500K E27	100-130V/220-240V	4500LM	φ150*260	>80	>0.5
	TP-N150-60W	T LED BULB AL ONLY 3000K-6500K E27	100-130V/220-240V	5400LM	φ150*260	>80	>0.5
	TP-N150-80W	T LED BULB AL ONLY 3000K-6500K E27	100-130V/220-240V	7200LM	φ150*260	>80	>0.5
	T60-10W	T LED BULB PLASTIC WITH AL 3000K-6500K E27	100-130V/220-240V	780LM	φ60*118	>80	>0.5
	T70-15W	T LED BULB PLASTIC WITH AL 3000K-6500K E27	100-130V/220-240V	1350lm	φ70*130	>80	>0.5
	TP-T80-20W	T LED BULB PLASTIC WITH AL 3000K-6500K E27	100-130V/220-240V	1860lm	φ80*138	>80	>0.5
	TP-T100-30W	T LED BULB PLASTIC WITH AL 3000K-6500K E27	100-130V/220-240V	2700lm	φ100*185	>80	>0.5
	TP-T120-40W	T LED BULB PLASTIC WITH AL 3000K-6500K E27	100-130V/220-240V	3600lm	φ120*213	>80	>0.5
	TP-T140-50W	T LED BULB PLASTIC WITH AL 3000K-6500K E27	100-130V/220-240V	4500lm	φ140*245	>80	>0.5
	TP207-2U-T3-4W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	320lm	φ38*118	>80	>0.5
	TP207-2U-T3-6W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	480lm	φ38*128	>80	>0.5
	TP207-2U-T3-8W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	650lm	φ38*133	>80	>0.5
	TP207-2U-T3-9W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	750lm	φ38*133	>80	>0.5
	TP333-3U-T3-9W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	780lm	φ42*134	>80	>0.5
	TP333-3U-T3-12W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	1050lm	φ42*165	>80	>0.5
	TP427-4U-T3-15W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	1280lm	φ47*150	>80	>0.5
	TP427-4U-T3-19W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	1600lm	φ47*165	>80	>0.5
	TP490-4U-T4-23W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	2000lm	φ58*171	>80	>0.5
	TP439-4U-T4-30W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	2600lm	φ58*230	>80	>0.5
	TP491-4U-T5-36W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	3300lm	φ72*255mm	>80	>0.5
	TP406B-LED-5W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	430lm	Φ38*112	>80	>0.5
	TP406B-LED-7W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	600lm	Φ38*117	>80	>0.5
	TP408T-LED-9W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	780lm	Φ49*125	>80	>0.5
	TP408T-LED-12W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	1100lm	Φ49*139	>80	>0.5
	TP408T-LED-13W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	1200lm	Φ49*139	>80	>0.5

	TP407-LED-15W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	1350lm	Φ60*155	>80	>0.5
	TP407-LED-18W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	1600lm	Φ60*155	>80	>0.5
	TP407-LED-20W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	1800lm	Φ60*164	>80	>0.5
	TP-Lotus-27W	PBT+Glass 3000K-6500K E27/E14	100-130V/220-240V	2500lm	φ75*233	>80	>0.5
	TP-PLC-2U-11W	PBT+Glass 3000K-6500K G24d-3	100-130V/220-240V	990lm	φ34*140	>80	>0.5
	TP-PLC-2U-12W	PBT+Glass 3000K-6500K G24d-3	100-130V/220-240V	1080lm	φ34*150	>80	>0.5
	TP-PLC-2U-15W	PBT+Glass 3000K-6500K G24d-3	100-130V/220-240V	1350lm	φ34*170	>80	>0.5
	TP-G80-10W	GLOBE LED BULB plastic with AL 3000K-6500K E27	100-130V/220-240V	900lm	φ80*116	>80	>0.5
	TP-G95-12W	GLOBE LED BULB plastic with AL 3000K-6500K E27	100-130V/220-240V	1080lm	φ95*138	>80	>0.5
	TP-G95-15W	GLOBE LED BULB plastic with AL 3000K-6500K E27	100-130V/220-240V	1200lm	φ95*139	>80	>0.5
	TP-G120-18W	GLOBE LED BULB plastic with AL 3000K-6500K E27	100-130V/220-240V	1440lm	φ120*155	>80	>0.5
	TP-G120-20W	GLOBE LED BULB plastic with AL 3000K-6500K E27	100-130V/220-240V	1600lm	φ120*155	>80	>0.5
	TP-PAR20-8W	PAR LED plastic with AL 3000K-6500K E27	100-130V/220-240V	680lm	φ63*83	>80	>0.5
	TP-PAR30-12W	PAR LED plastic with AL 3000K-6500K E27	100-130V/220-240V	1020lm	φ95*97	>80	>0.5
	TP-PAR38-18W	PAR LED plastic with AL 3000K-6500K E27	100-130V/220-240V	1530lm	φ122*125	>80	>0.5
	TP-PAR20-8W	PAR LED plastic with AL 3000K-6500K E27	185-264V	680lm	φ63*83	>80	>0.5
	TP-PAR30-12W	PAR LED plastic with AL 3000K-6500K E27	185-264V	1020lm	φ95*97	>80	>0.5
	TP-PAR38-18W	PAR LED plastic with AL 3000K-6500K E27	185-264V	1530lm	φ122*125	>80	>0.5
	R39 5W	R39 LED BULB Plastic with AL 3000k-6500k E14	100-130V/220-240V	450LM	φ39*68	>80	>0.5
	R50 7W	R50 LED BULB Plastic with AL 3000k-6500k E14	100-130V/220-240V	630LM	φ50*88	>80	>0.5
	R63 9W	R63 LED BULB Plastic with AL 3000k-6500k E27	100-130V/220-240V	810LM	φ63*103	>80	>0.5
	R80 12W	R80 LED BULB Plastic with AL 3000k-6500k E27	100-130V/220-240V	1080LM	φ80*113	>80	>0.5
	R90 15W	R90 LED BULB Plastic with AL 3000k-6500k E27	100-130V/220-240V	1350LM	φ90*125	>80	>0.5
	T28-6W- E27	MINI-T LED BULB plastic with AL 3000k/4000k/6000k E27 PF>0.5 RA>80	100-130V/220-240V	533.7	Φ28*81.5mm	>80	>0.5
	T37-9W-E27	MINI-T LED BULB plastic with AL 3000k/4000k/6000k E27 PF>0.5 RA>80	100-130V/220-240V	878.2	Φ37*121.5mm	>80	>0.5
	T44-12W-E27	MINI-T LED BULB plastic with AL 3000k/4000k/6000k E27 PF>0.5 RA>80	100-130V/220-240V	1134	Φ44*109mm	>80	>0.5
	T50-15W- E27	MINI-T LED BULB plastic with AL 3000k/4000k/6000k E27 PF>0.5 RA>80	100-130V/220-240V	1596	Φ50*144.5mm	>80	>0.5
	T70-18W-E27	MINI-T LED BULB plastic with AL 3000k/4000k/6000k E27 PF>0.5 RA>80	100-130V/220-240V	1800	70*206MM	>80	>0.5
	TP-A60-WIFI- RGB+WW+CW- 9W	Control way: Mobile & invoice Smart model:WIFI   *Works with Amazon Alexa and Google Assistant for voice control remote access *Color changing and tunable white *On/off and dim *Scheduling *Grouping *Also provide app customization services under requirement, any further information,pls contact Us anytime.	220-240V	810LM	60X117	80	0.5
	TP-A60-WIFI- WW+CW-9W		220-240V	810LM	60X117	80	0.5
	TP-C37-WIFI- RGB+WW+CW- 5W		220-240V	470LM	37X98	80	0.5
	TP-C37-WIFI- WW+CW-5W		220-240V	470LM	37X98	80	0.5
	TP-G45-WIFI- RGB+WW+CW- 5W		220-240V	470LM	45X88	80	0.5
	TP-G45-WIFI- WW+CW-5W		220-240V	470LM	45X88	80	0.5
	TP-GU10-WIFI- RGB+WW+CW- 5W-120D		220-240V	400LM	50X55	80	0.5

	TP-GU10-WIFI-WW+CW-5W-120D		220-240V	400LM	50X55	80	0.5
	TP-DL-R2.5°-60° led downlight-WIFI-WW+CW-5W		220-240V	400LM	95*55	80	0.5
	A60-9W-GROW BULB	LED GROW BULB-9W-185-264V 8红+1蓝	185-264V	红光660-665NM 蓝光450-455NM	60*108mm		
	TP-DL-OWL-5W 3-Colors - Change	LED DOWNLIGHT PPR color change	100-130V/220-240V		Φ95*41mm	>80	>0.5
	TP-DL-OWL-7W 3-Colors - Change	LED DOWNLIGHT PPR color change	100-130V/220-240V		Φ114*41mm	>80	>0.5
	TP-DL-OWL--5W	LED DOWNLIGHT PPR 3000k-6500k	100-130V/220-240V	370lm	Φ95*41mm	>80	>0.5
	TP-DL-OWL-7W	LED DOWNLIGHT PPR 3000k-6500k	100-130V/220-240V	530lm	Φ114*41mm	>80	>0.5
	TP-DL-OWL-15W	LED DOWNLIGHT PPR 3000k-6500k	100-130V/220-240V	1150 lm	Φ170*41mm	>80	>0.5
	TP-DL-OWL-20W	LED DOWNLIGHT PPR 3000k-6500k	100-130V/220-240V	1500 lm	Φ225*45mm	>80	>0.5
	TP-DL-OWL--5W	LED DOWNLIGHT PPR 3000k-6500k	185-264VAC	330lm	Φ95*41mm	>80	>0.5
	TP-DL-OWL-7W	LED DOWNLIGHT PPR 3000k-6500k	185-264VAC	530lm	Φ114*41mm	>80	>0.5
	TP-DL-OWL-15W	LED DOWNLIGHT PPR 3000k-6500k	185-264VAC	1250 lm	Φ170*41mm	>80	>0.5
	TP-DL-OWL-20W	LED DOWNLIGHT PPR 3000k-6500k	185-264VAC	1550 lm	Φ225*45mm	>80	>0.5
	TP-DL-OWL--5W	LED DOWNLIGHT PPR 3000k-6500k	100-240VAC	310lm	Φ95*41mm	>80	>0.5
	TP-DL-OWL-7W	LED DOWNLIGHT PPR 3000k-6500k	100-240VAC	510lm	Φ114*41mm	>80	>0.5
	TP-DL-OWL-15W	LED DOWNLIGHT PPR 3000k-6500k	100-240VAC	1200 lm	Φ170*41mm	>80	>0.5
	TP-DL-OWL-20W	LED DOWNLIGHT PPR 3000k-6500k	100-240VAC	1450 lm	Φ225*45mm	>80	>0.5
 	TP-DL-R-3W	Plastic	220-240V	210lm	70*41	>80	>0.5
	TP-DL-R-5W			350lm	90*41		
	TP-DL-R-7W	Plastic with aluminum inside		490lm	117*50		
	TP-DL-R-9W			630lm	117*50		
	TP-DL-R-12W			840lm	140*55		
 	TP-DL-S-3W	Plastic	220-240V	210lm	70*70*41	>80	>0.5
	TP-DL-S-5W			350lm	90*90*41		
	TP-DL-S-7W	Plastic with aluminum inside		490lm	117*117*50		
	TP-DL-S-9W			630lm	117*117*50		
	TP-DL-S-12W			840lm	140*140*55		

	T5-0.3M-5W-4.8W	PC	185-264VAC	420LM	315*33*20	>80	>0.5
	T5-1M-15W-14.3W	PC	185-264VAC	1300lm	1024*33*20	>80	>0.5
	T5-1.2M-18W-18W	PC	185-264VAC	1700LM	1175*33*20	>80	>0.5
	TP-FL-SMD-10W	220-240VAC/100-140VAC 6500K 120° 945LM after one hour 885lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.5 95*70*33mm	100-130V/220-240V	945LM	9.5*3.5*7	>80	>0.5
	TP-FL-SMD-20W	220-240VAC/100-140VAC 6500K 120° 2000lm after one hour 1730lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.5 131*88*40mm	100-130V/220-240V	2000LM	13.2*4*8.8	>80	>0.5
	TP-FL-SMD-30W	220-240VAC/100-140VAC 6500K 120° 2800lm after 1 hour 2500lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9 168*110*40mm	100-130V/220-240V	2800LM	16.8*4*11.0	>80	>0.9
	TP-FL-SMD-50W	220-240VAC/100-140VAC 6500K 120° 4500lm after 1 hour 3500lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9 215*141*40mm	100-130V/220-240V	4500LM	21.5*4*16.1	>80	>0.9
	TP-FL-SMD-100W	220-240VAC/100-140VAC 6500K 120° 7600lm after 1 hour 7000LM 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9 276*212*40mm	100-130V/220-240V	7600LM	27.6*4*21.2	>80	>0.9
	TP-FL-SMD-150W	220-240VAC 6500K 120° 10000lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9 38*28*40mm	100-130V/220-240V	10000LM	28*4*38	>80	>0.9
	TP-FL-SMD-200W	220-240VAC 6500K 120° 14000lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9 38*28*40mm	100-130V/220-240V	14000LM	28*4*38	>80	>0.9
	TP-FL-SMD-300W	220-240VAC 6500K 120° 21000lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9 445*335*45mm	100-130V/220-240V	21000LM	44.5*4.5*33.5	>80	>0.9
	TP-FL-SMD-10W-PIR	220-240VAC/100-140VAC 6500K 120° 885lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.5	100-130V/220-240V	945LM	9.5*3.5*7	>80	>0.5
	TP-FL-SMD-20W-PIR	220-240VAC/100-140VAC 6500K 120° 1820lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.5	100-130V/220-240V	2000LM	13.2*4*8.8	>80	>0.5
	TP-FL-SMD-30W-PIR	220-240VAC/100-140VAC 6500K 120° 2400lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	100-130V/220-240V	2800LM	16.8*4*11.0	>80	>0.9
	TP-FL-SMD-50W-PIR	220-240VAC/100-140VAC 6500K 120° 4000lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	100-130V/220-240V	4500LM	21.5*4*16.1	>80	>0.9
	TP-FL-SMD-100W-PIR	220-240VAC/100-140VAC 6500K 120° 7500lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	100-130V/220-240V	7600LM	27.6*4*21.2	>80	>0.9
	TP-FL-SMD-10W-PHOTOCELL	220-240VAC/100-140VAC 6500K 120° 885lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.5	100-130V/220-240V	945LM	9.5*3.5*7	>80	>0.5
	TP-FL-SMD-20W-PHOTOCELL	220-240VAC/100-140VAC 6500K 120° 1820lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.5	100-130V/220-240V	2000LM	13.2*4*8.8	>80	>0.5
	TP-FL-SMD-30W-PHOTOCELL	220-240VAC/100-140VAC 6500K 120° 2400lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	100-130V/220-240V	2800LM	16.8*4*11.0	>80	>0.9
	TP-FL-SMD-50W-PHOTOCELL	220-240VAC/100-140VAC 6500K 120° 4000lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	100-130V/220-240V	4500LM	21.5*4*16.1	>80	>0.9
	TP-FL-SMD-100W-PHOTOCELL	220-240VAC/100-140VAC 6500K 120° 7500lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	100-130V/220-240V	7600LM	27.6*4*21.2	>80	>0.9
	TP-FL-SMD-10W-HANDLE	220-240VAC/100-140VAC 6500K 120° 885lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.5	100-130V/220-240V	945LM	9*7*2.1	>80	>0.5
	TP-FL-SMD-20W-HANDLE	220-240VAC/100-140VAC 6500K 120° 1820lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.5	100-130V/220-240V	2000LM	12.5*10.6*2.47	>80	>0.5



	TP-FL-SMD-30W-HANDLE	220-240VAC/100-140VAC 6500K 120° 2400lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	100-130V/220-240V	2800LM	15.9*11*3.03	>80	>0.9
	TP-FL-SMD-50W-HANDLE	220-240VAC/100-140VAC 6500K 120° 4000lm 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	100-130V/220-240V	4500LM	20.5*16.1*3.06	>80	>0.9
	TP-FL-SMD-25W-solar	6500K 120° 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	DC12V		15.9*11*3.03	>80	>0.5
	TP-FL-SMD-50W-solar	6500K 120° 15cm H05RN-F3G1.0mm2 cable RA>80 PF>0.9	DC12V		20.5*16.1*3.06	>80	>0.5
	TP-CL-10W (Color Change)	Iron+PMMA	100-130V/220-240V	800LM	φ260MM	>80	>0.5
	TP-CL-15W (Color Change)	Iron+PMMA	100-130V/220-240V	1250lm	φ300MM	>80	>0.5
	TP-CL-18W (Color Change)	Iron+PMMA	100-130V/220-240V	1600LM	φ350MM	>80	>0.5
	TP-UFO-HX-100W	Die-casting Aluminum Round Meanwell 3000K-6500K 60°/90°	AC100-240V	10000LM	244*100	>80	>0.9
	TP-UFO-HX-150W			15000LM	285*110		>0.9
	TP-UFO-HX-200W			20000LM	330*110		>0.9
	TP-UFO-MTX-100W	Die-casting Aluminum Round Meanwell 3000K-6500K 60°/90°	AC100-240V	10000LM	244*100	>80	>0.9
	TP-UFO-MTX-150W			15000LM	285*110		>0.9
	TP-UFO-MTX-200W			20000LM	330*110		>0.9
	TP-UFO-HX-100W	Die-casting Aluminum Rectangle Meanwell 3000K-6500K 60°/90°	AC100-240V	10000LM	244*100	>80	>0.9
	TP-UFO-HX-150W			15000LM	285*110		>0.9
	TP-UFO-HX-200W			20000LM	330*110		>0.9
	TP-UFO-MTX-100W	Die-casting Aluminum Rectangle Meanwell 3000K-6500K 60°/90°	AC100-240V	10000LM	244*100	>80	>0.9
	TP-UFO-MTX-150W			15000LM	285*110		>0.9
	TP-UFO-MTX-200W			20000LM	330*110		>0.9
	TP-UFO-HX-100W	Die-casting Aluminum Round Sosen 3000K-6500K 60°/90°	AC100-240V	10000LM	244*100	>80	>0.9
	TP-UFO-HX-150W			15000LM	285*110		>0.9
	TP-UFO-HX-200W			20000LM	330*110		>0.9
	TP-UFO-MTX-100W	Die-casting Aluminum Round Sosen 3000K-6500K 60°/90°	AC100-240V	10000LM	244*100	>80	>0.9
	TP-UFO-MTX-150W			15000LM	285*110		>0.9

	TP-UFO-MTX-200W			20000LM	330*110		>0.9
	TP-UFO-HX-100W	Die-casting Aluminum Rectangle Sosen 3000K-6500K 60°/90°	AC100-240V	10000LM	244*100	>80	>0.9
	TP-UFO-HX-150W			15000LM	285*110		>0.9
	TP-UFO-HX-200W			20000LM	330*110		>0.9
	TP-UFO-MTX-100W	Die-casting Aluminum Rectangle Sosen 3000K-6500K 60°/90°	AC100-240V	10000LM	244*100	>80	>0.9
	TP-UFO-MTX-150W			15000LM	285*110		>0.9
	TP-UFO-MTX-200W			20000LM	330*110		>0.9
	TP-UFO-PC-100W	Die-casting Aluminum 3000K-6500K 60°/90°	AC110-130V/ 220-240V	9000LM	244*100	>80	>0.9
	TP-UFO-PC-150W			13500LM	285*110		>0.9
	TP-UFO-PC-200W			18000LM	330*110		>0.9