



**HARESAN**  
华尔升

**SHENZHEN HARESAN ELECTRONICS CO.,LIMITED**

深圳市华尔升电子有限公司

### **HARESAN TFT LCD ---For E-cigarette Design Series**

				
<b>0.96inch 262K</b> 80(RGB)*160 Drive IC: ST7735S 600cd/m <sup>2</sup> (TYP) Connect :Soldering Interface: 4SPI	<b>1.05inch 262K</b> 120(RGB)*240 Drive IC: GC9A01 550cd/m <sup>2</sup> (TYP) Connect :B=B Interface: 4SPI	<b>1.47inch 262K</b> 172(RGB)* Drive IC: ST7789V3 400cd/m <sup>2</sup> (TYP) Connect :ZIF Interface: SPI	<b>1.9inch 262K</b> 170(RGB)*320 Drive IC: ST7789V2-G4 350cd/m <sup>2</sup> (TYP) Connect :ZIF Interface: 4SPI	<b>2.0inch 262K</b> 240(RGB)*320 Drive IC: JD9851 350cd/m <sup>2</sup> (MIN) Connect :Soldering Interface: 4Line

### **HARESAN TFT LCD ----- For Smart Wearable Design**

				
<b>0.96inch 262K</b> 80(RGB)*160 Drive IC:ST7735S 550cd/m <sup>2</sup> (TYP) Connect :soldering Interface: 4SPI	<b>1.05inch 262K</b> 120(RGB)*240 Drive IC:GC9A01 550cd/m <sup>2</sup> (TYP) Connect : B=B Interface: 4SPI	<b>1.3inch 262K</b> 240(RGB)*240 Drive IC:ST7789V2 500cd/m <sup>2</sup> (TYP) Connect :soldering Interface: 4SPI	<b>1.4inch 262K</b> 360(RGB)*360 Drive IC:ST7796S 450cd/m <sup>2</sup> (TYP) Connect :B=B Interface: MCU8bit	<b>1.72inch 262K</b> 356(RGB)*400 Drive IC:L-WDA2012Z 450cd/m <sup>2</sup> (TYP) Connect :soldering Interface: MIPI/QSPI
				
<b>1.28inch 262K</b> 240(RGB)*240 Drive IC:GC9A01 350cd/m <sup>2</sup> (TYP) Connect :B=B Interface: 4SPI	<b>1.32inch 262K</b> 360(RGB)*360 Drive IC:GC9C01 450cd/m <sup>2</sup> (TYP) Connect :B=B Interface: QSPI	<b>1.4inch 262K</b> 240(RGB)*240 Drive IC:ST7789V2 450cd/m <sup>2</sup> (TYP) Connect :Soldering Interface: 4SPI	<b>1.5inch 262K</b> 240(RGB)*240 Drive IC:ST7789V2 450cd/m <sup>2</sup> (TYP) Connect :Soldering Interface:MCU 8bit	<b>1.69inch 262K</b> 240(RGB)*240 Drive IC:JD9851 280cd/m <sup>2</sup> (TYP) Connect :Soldering Interface: MCU 8bit

Web: <http://www.hesoled.com> Email: [Sales@hesoled.com](mailto:Sales@hesoled.com) Skype: Ledyolanda

Whatsapp/ Wechat: 0086- 18926513667

Address: 1-2Floors, Building B, YadiBao Industrial Area No.5 of Huating Road, Dalang Street.  
LongHua Shenzhen China



**H A R E S A N**  
**华尔升**

**SHENZHEN HARESAN ELECTRONICS CO.,LIMITED**

深圳市华尔升电子有限公司

### **HARESAN TFT LCD ---- For Education and Learning Design**

<b>1.3inch 262K</b> 240(RGB)*240 Drive IC:ST7789V3 550cd/m <sup>2</sup> (TYP) Connect :Soldering Interface: SPI	<b>1.4inch 262K</b> 240(RGB)*240 Drive IC:ST7789V3 350cd/m <sup>2</sup> (TYP) Connect :B=B Interface: 4SPI	<b>1.9inch 262K</b> 170(RGB)*320 Drive IC:ST7789V2 500cd/m <sup>2</sup> (TYP) Connect :ZIF Interface:MCU8bit/4SPI	<b>2.86inch 16.7M</b> 376(RGB)*960 Drive IC:ST7701S 500cd/m <sup>2</sup> (TYP) Connect : ZIF Interface: MIPI	<b>2.99inch 16.7M</b> 268(RGB)*800 Drive IC:ST7701S 500cd/m <sup>2</sup> (TYP) Connect :B=B Interface: MIPI-2	<b>3.71inch 16.7M</b> 240(RGB)*960 Drive IC:ST7701S 490cd/m <sup>2</sup> (TYP) Connect : B=B Interface: MIPI

### **HARESAN TFT LCD ---- For Smart Home Design**

<b>1.44inch 262K</b> 128(RGB)*128 Drive IC:GC9106 250cd/m <sup>2</sup> (TYP) Connect :Soldering Interface: 4SPI	<b>1.44inch 262K</b> 128(RGB)*128 Drive IC:GC9106 250cd/m <sup>2</sup> (TYP) Connect :B=B Interface: 4SPI	<b>2.95inch 16.7M</b> 480(RGB)*854 Drive IC:ST77105 300cd/m <sup>2</sup> (TYP) Connect :B=B Interface: 2MIPI	<b>3.95inch 16.7M</b> 480(RGB)*480 Drive IC:ST77105 350cd/m <sup>2</sup> (TYP) Connect : ZIF Interface: 2-MIPI	<b>4.0inch 16.7M</b> 480(RGB)*800 Drive IC:SH1282G-003 330cd/m <sup>2</sup> (TYP) Connect :B=B Interface: 2 -MIPI	<b>4.3inch 16.7M</b> 480(RGB)*272 Drive IC:ST7282 330cd/m <sup>2</sup> (TYP) Connect : ZIF Interface: RGB

Web: <http://www.hesoled.com> Email: [Sales@hesoled.com](mailto:Sales@hesoled.com) Skype: Ledyolanda

Whatsapp/ Wechat: 0086- 18926513667

Address: 1-2Floors, Building B, YadiBao Industrial Area No.5 of Huating Road, Dalang Street.  
 LongHua Shenzhen China



**H A R E S A N**  
**华尔升**

**SHENZHEN HARESAN ELECTRONICS CO.,LIMITED**

深圳市华尔升电子有限公司

**HARESAN TFT LCD - Small and Medium Size Series**

					
<b>2.4inch 262K</b> 240(RGB)*320 Drive IC:ILI9341V 280cd/m <sup>2</sup> (TYP) Connect :Soldering Interface: 4SPI	<b>2.8inch 262K</b> 240(RGB)*320 Drive IC:ST7789V2 300cd/m <sup>2</sup> (TYP) Connect :ZIF Interface:MCU16bit	<b>3.5inch 16.7M</b> 320(RGB)*480 Drive IC:ST7796S 400cd/m <sup>2</sup> (TYP) Connect :ZIF Interface:MCU16bit	<b>4.3inch 16.7M</b> 480(RGB)*800 Drive IC:OTM8019A 300cd/m <sup>2</sup> (TYP) Connect : ZIF Interface: MIPI-2	<b>5.0inch 16.7M</b> 720(RGB)*1280 Drive IC:JD9465D 400cd/m <sup>2</sup> (TYP) Connect :B=B Interface: MIPI-4	<b>7inch 16.7M</b> 800(RGB)*1280 Drive IC:GH8555BL 300cd/m <sup>2</sup> (TYP) Connect : ZIF Interface: MIPI

**HARESAN TFT LCD - Small and Medium Size Series**

		
<b>7inch 16.7M</b> 800(RGB)*1280 Drive IC:GH8555BL 350cd/m <sup>2</sup> (TYP) Connect : ZIF Interface: MIPI	<b>8inch 16.7M</b> 800(RGB)*1280 Drive IC:GH8555BL 350cd/m <sup>2</sup> (TYP) Connect : B=B Interface: MIPI	<b>10.1inch 16.7M</b> 800(RGB)*1280 Drive IC:JD9635A 300cd/m <sup>2</sup> (TYP) Connect : ZIF Interface: MIPI

Web: <http://www.hesoled.com> Email: [Sales@hesoled.com](mailto:Sales@hesoled.com) Skype: Ledyolanda  
 Whatsapp/ Wechat: 0086- 18926513667

Address: 1-2Floors, Building B, YadiBao Industrial Area No.5 of Huating Road, Dalang Street.  
 LongHua Shenzhen China