



Beijing Ithink Innovation Technology Co.Ltd

Contact: Robin Yang Email: robin@ithinkchina.com.cn Cell phone: +86-13028872983
 Beijing Add.:7F, 1+1 Building, No.10,Caihefang Road, Haidian District,Beijing,100000,China
 Shenzhen Add.: 5F,C10 Building, Fuyuan Industrial Town, Xixiang,Bao'an,Shenzhen,518103,China

Smart camera catalogue

Model	Feature&Pic	Specification		
I2	<ul style="list-style-type: none"> ◆Resolution 1280*720. ◆With LED Lights and IR-CUT, monitoring day and night. ◆Supports iPhone, iPad, Android Phone remote viewing. ◆Easy to install, just plug in and follow set up guide. ◆With sound wave binding, users can finish binding within 30s. ◆Encryption video lock. ◆The code stream can reach 7kb/s, even users with 2G cellphone can watch smooth video. ◆A camera support 15 accounts. ◆With PIR sensor, when the camera is triggered, there will be a notification push to user's phone with alarm tone, also a 30s alarm video will be pushed together. <div style="text-align: center;">  </div> <div style="text-align: center; margin-top: 20px;">  </div>	Image sensor	CMOS	
		Resolution	1280*720	
		Pixel	1MP	
		Compression	H.264	
		Max frame rate	30fps	
		Video lock	Encryption video lock	
		Stream	Dual stream	
		Day-Night Vision	IR-CUT	
		Audio input	1 Channel Internal MIC	
		Audio output	1 Channel Internal Speaker	
		View angle	100 degree	
		PIR sensor	Standard	
		Detection Alarm	notification push with alarm tone, 30s alarm video push(check in playback)	
		Offline video storage	Support(camera can disconnect with wifi and work as a video recorder)	
		Wifi	Wi-Fi(IEEE802.11b/g/n)	
		SD card storage	upto 32GB(can store up to 20days of smooth video)	
		IR Light	14pcs LED Lights	
		Power Supply	DC 5V (
		Humidity	10%~90%	
		Working Temperature	From -10℃ to 50℃	
weight(g)	130g(without package)			

I1

- ◆ Resolution 1280*720.
- ◆ Supports iPhone, iPad, Android Phone remote viewing.
- ◆ Easy to install, just plug in and follow set up guide.
- ◆ With sound wave binding, users can finish binding within 30s.
- ◆ Encryption video lock.
- ◆ The code stream can reach 7kb/s, even users with 2G cellphone can watch smooth video.
- ◆ A camera support 15 accounts.



Image sensor	CMOS
Resolution	1280*720
Pixel	1MP
Compression	H.264
Maximum frame rate	30fps
Video lock	Encryption video lock
Stream	Dual stream
Audio input	1 Channel Internal MIC
Audio output	1 Channel Internal Speaker
View angle	135 degree
Offline video storage	Support(camera can disconnect with wifi and work as a video recorder)
Wifi	Wi-Fi(IEEE802.11b/g/n)
SD card storage	upto 32GB(can store up to 20days of smooth video)
Power Supply	DC 5V
Humidity	10%~90%
Working Temperature	From -10°C to 50°C
weight(g)	120g(without package)

Q2

- ◆ Resolution 1280*720.
- ◆ With LED Lights and IR-CUT, monitoring day and night.
- ◆ Supports iPhone, iPad, Android Phone remote viewing.
- ◆ Easy to install, just plug in and follow set up guide.
- ◆ With sound wave binding, users can finish binding within 30s.
- ◆ Encryption video lock.
- ◆ The code stream can reach 7kb/s, even users with 2G cellphone can watch smooth video.
- ◆ A camera support 15 accounts.
- ◆ With motion detection, when the camera is triggered, there will be a notification push to user's phone with alarm tone, also a 7s alarm video will be pushed together.



Image sensor	CMOS
Resolution	1280*720
Pixel	1MP
Compression	H.264
Max frame rate	30fps
Video lock	Encryption video lock
Stream	Dual stream
Day-Night Vision	IR-CUT
Audio input	1 Channel Internal MIC
Audio output	1 Channel Internal Speaker
View angle	110 degree
Motion Detection	Support
Detection Alarm	notification push with alarm tone, 7s alarm alarm video push(check in playback)
Wifi	Wi-Fi(IEEE802.11b/g/n)
SD card storage	upto 32GB(can store up to 20days of smooth video)
IR Light	10 pcs LED Lights
Power Supply	DC 5V (
Humidity	10%~90%
Working Temperature	From -10°C to 50°C
weight(g)	90g(without package)

Q1

- ◆ Resolution 1280*720.
- ◆ Supports iPhone, iPad, Android Phone remote viewing.
- ◆ Easy to install, just plug in and follow set up guide.
- ◆ With sound wave binding, users can finish binding within 30s.
- ◆ Encryption video lock.
- ◆ The code stream can reach 7kb/s, even users with 2G cellphone can watch smooth video.
- ◆ A camera support 15 accounts.
- ◆ With motion detection, when the camera is triggered, there will be a notification push to user's phone with alarm tone, also a 7s alarm video will be pushed together.



Image sensor	CMOS
Resolution	1280*720
Pixel	1MP
Compression	H.264
Maximum frame rate	30fps
Video lock	Encryption video lock
Stream	Dual stream
Audio input	1 Channel Internal MIC
Audio output	1 Channel Internal Speaker
View angle	110 degree
Motion Detection	Support
Detection Alarm	notification push with alarm tone, 7s alarm alarm video push(check in playback)
Wifi	Wi-Fi(IEEE802.11b/g/n)
SD card storage	upto 32GB(can store up to 20days of smooth video)
Power Supply	DC 5V
Humidity	10%~90%
Working Temperature	From -10℃ to 50℃
weight(g)	85g(without package)