


SWITCH / ROCKER SWITCH

## 300A IP67 level

Miniature rocker switch, Up to 5A 125VAC  
waterproof type

PDF Download

Get Information



 ZOOM IN

- Feature

- IP67 level
- Safety approved internationally by UL in North America
- SPDT, DPDT, 3PDT
- Complete terminals options, solder, pc thro-hole and right angle pc
- Hardware accessories supplied for threaded bushing type


- Specification

- Rating: 5A 125VAC(UL) or 28VDC, 2.5A 250VAC (UL)
- Initial contact resistance: 10m Ohms(max.)
- Insulation resistance: 1000M Ohms(min)
- Dielectric strength: 1,500VAC 1 min.
- Electrical Life: 50000 cycle; 6,000 (UL) cycles


How to Order

| 300A             | WSP-1                                                                                                                                                                                                                                                                                                                                                                                                            | R1                                                                                                                                                                                                             | 0                         | 2                           | M1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | G                                                                                                                                                    | E            |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| SERIES SYMBOL    | FUNCTION                                                                                                                                                                                                                                                                                                                                                                                                         | ACTUATOR                                                                                                                                                                                                       | FRAME COLOR               | ACTUATOR COL.               | TERMINATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | CONTACT PLATING                                                                                                                                      | EPOXY SEALED |
| 300A<br>RED CASE | WSP-1 On-None-On<br>WSP-2 On-None-(On)<br>WSP-3 On-Off-On<br>WSP-4 (On)-Off-(On)<br>WSP-5 On-Off-(On)<br><br>WDP-1 On-None-On<br>WDP-2 On-None-(On)<br>WDP-3 On-Off-On<br>WDP-4 (On)-Off-(On)<br>WDP-5 On-Off-(On)<br>WDP-6 On-On-On<br>WDP-7 (On)-On-(On)<br>WDP-8 On-On-(On)<br>WDP-9 Off-On-(On)<br><br>WSP-1 On-None-On<br>WSP-2 On-None-(On)<br>WSP-3 On-Off-On<br>WSP-4 (On)-Off-(On)<br>WSP-5 On-Off-(On) | R1 STD. rocker<br><br><br>R2 STD. paddle<br> | 0 No frame color required | 1 WHITE<br>2 BLACK<br>3 RED | M1 Solder lug<br><br>M2 PC thru-hole 1.26<br><br>M3 PC thru-hole 1.57<br><br>M6 Right angle (H)<br><br>M7 Right angle (V)<br><br><br>VS2 Vertical mount<br>A=11.70 high<br>VS3 Vertical mount<br>A=16.00 high<br> | R Contact: gold plated<br>Pin: gold plated<br><br>G Contact: silver plated<br>Pin: gold over silver<br><br>K Contact: gold plated<br>Pin: tin plated | E Epoxy      |

● Item



300A-WSP-^R100M1^E



**300A-WDP-\*-R100M1\*E**

 Start Print