



Product Brochure



49 Inch Ultra-narrow Bezel LCD Video Wall Display - 3.5mm Bezel

The information in this document is subject to the current product.

January 2025



I. Product Highlights

- Stylish Design
- 3.5mm Ultra-narrow Bezel
- Anti-glare Panel
- Easy to Install
- 7*24 Operation
- High Definition
- Broad Perspective
- Safe & Stable
- Support Split Screen
- Landscape/Portrait Orientation

Various Splicing Solutions




Regular Splicing



Vertical Splicing



Horizontal Splicing



Shaped Splicing

Installation Method



Wall mounted



Cabinet type



Floor standing




II. Specifications

Category	Ultra-narrow Bezel LCD Video Wall Display - 3.5mm Bezel	
Screen Bezel	3.5mm	
Series Number	SDDID490B350	
LCD Panel	Screen Size	49 Inch
	Backlight Type	DLED
	Resolution	1920*1080
	Brightness	500 cd/m²
	Contrast Ratio	4000:1
	Viewing Angle	178°
	Colors	16.7M
	Color Saturation	72% (NTSC)
	Aspect Ratio	16:9
	Refresh Rate	60Hz
Electrical Power Consumption	Surface	Anti-glare,Haze25%
	Power Supply	176 V ~ 240 V/AC, 47/63 Hz
	Power Consumption	≤126W
Connectivity	Standby Power	<0.5W
	Inputs	USB*1、HDMI*2、RJ45*1、RS232 in*1
	Outputs	RJ45 out*1
Environmental	External Controls	RS232/Remote
	Operating Temperature	0~50℃



	Storage Temperature	-20~65℃
	Operating Humidity	20%~85%
	Storage Humidity	10%~90%
Structure	Unit Size	1077.7*80.4*607.9(mm)
	Packing Size	1170.5*290*700(mm)
	Net Weight	12.1kg
	Shell Material	Metal structure
	Installation Method	Wall-mounted, Embedded, Floor-standing, Front maintenance, Cabinet
Accessories	Included	Battery, Quick Start Guide
	Optional	Remote Control, Power Cable

III. Drawing Size





IV. Product Advantages

- **High Brightness**

DID LCD Brightness is 500 cd/m²

- **New Form of Publicity**

The form of multimedia next to the goods is currently the most fashionable and novel form of advertising in shopping malls

- **Effective Cooperation With TV Advertisement**

1% Of TV Advertising Costs, 100% To Deepen The Effect Of TV Advertising. It Can Be Consistent With The Content Of TV Commercials, Reminding Consumers To Buy at the Sales Terminals

- **High Contrast Ratio**

Contrast ratio can reach 4000:1 > traditional PC or TV LCD screen

- **Long Advertising Period**

It Works 365 Days/Year for Promotion. No Manual Is Required. The Cost Is Extremely Low. The Audience Is Extremely Broad.

V. Applicable Scenarios

- **Public Places**

Subway, Airport, Park, Exhibition Hall, Stadium, Museum, Conference, Lottery Center

- **Educational Institution**

Various Schools, Off-campus Educational Institutions, Administrative Agencies

- **Financial Institution**

Banks, Securities, Funds, Insurance Companies, Exchanges, Pawn Shops

- **Commercial Organization**

Shopping Malls, Franchises, Hypermarkets, Hotels, Travel Agencies, Restaurants

- **Entertainment Venues**

Cinemas, Fitness Centers, Resorts, Entertainment Venues, Bars, Beauty Salons

- **Real Estate**

Apartments, Villas, Office Buildings, Commercial Buildings, Sales Offices



VI. Case Show





VII. After-sales Policy

- **Warranty Period**

The warranty period is one year from the date the product arrives at the destination port. During the warranty period, if the small parts are defective, they can be replaced by express delivery. If the complete unit has to be returned for maintenance, the freight is to be covered by the sending side.

- **Extended Warranty**

The second year warranty, price 15% of the EXW value. E.G. USD\$1000/PCS is the EXW price, 2 years warranty is USD\$150.

The third year warranty, price 20% of the EXW value. E.G. USD\$1000/PCS is the EXW price, 3 years warranty is USD\$150+USD\$200=USD\$350

During the warranty period, both parties shall bear his one-way freight.