



## Easy Storage Technologies Co., Ltd

Add: 501, Building A, Jinghang Building, Zone 71, Xingdong Community,  
Xin'an Street, Bao'an District, Shenzhen, 518101

Tel: +86-755-2650 3433 / +86-137 9855 8354

Email: [Anna@szest.com](mailto:Anna@szest.com)

Website: [www.szest.com](http://www.szest.com)

Skype: Simple.sun1

Whatsapp: +8613798558354

### *BC102 -Ambarella A12 H.265 S5L Body Camera Specification & Cost*



#### Standard Configuration



USB Cable



Clip



Charger



Batteries(x2)



Charging Base

## Detail Price list

<b>BC102</b>		<b>BC102G4(4G)</b>	
<b>Storage</b>	<b>Unit Price (FOB Shenzhen)</b>	<b>Storage</b>	<b>Unit Price (FOB Shenzhen)</b>
32GB	US\$135.00	32GB	US\$185.00
64GB	US\$145.00	64GB	US\$195.00
128GB	US\$170.00	128GB	US\$220.00

## Optional:

<b>Optional Model</b>	<b>Unit Price (FOB Shenzhen)</b>
GPS	US\$10.00
GPS+GNSS	US\$11.00
WiFi 2.4G	US\$10.00
WiFi 5G&2.4G	US\$15.00
Extra Camera	US\$25.00
Face Recognition	US\$45.00
Shoulder strap	US\$15.00

## Server cost: For 3G/4G devices, two ways

One : client can use our server ,the cost is free of charge for the first one-year from purchasing, after that it is USD9.00/pc/year.

Two: setting up yourself server. If client set up their own server, server software will be provided for free

## Details Spec

<b>Model</b>		<b>BC102</b>
<b>OS</b>	Chipset	Ambarella S5L
	OS	Linux 4.9.110
	Booting time	< 6 Seconds (From power on to recording)
	Language	English/Chinese/Russia
	Interface	GUI (Graphic User Interface)
<b>Video</b>	Video input	OS05A10
	Video output	2 inch Full HD LCD screen

	Record Resolution	2688x1512,2560x1440,1920x1080
	Frame rate	1512p25,1440p30,1080p60,1080p30,
	Record mode	Video and Audio synchronization 2 Independent Video Streams for Local Record and Remote View
	Compression	H.264(MP/HP Level 5.1)/H.265(MP Level 5.0)
<b>Audio</b>	Audio input	1x MIC input, optional external intercom audio input
	External audio interface	USB mini port for headphone, microphone and PTT
	Compression	PCM format (AAC optional)
	Audio record	Support audio only recording, one key switch between Audio and Video record mode
<b>Video process</b>	Video resolution	2688x1512,2560x1440, 1920x1080,
	Photograph	1920x1080 ~ 8640x4752
	Snap	Support snapping during recording (photo resolution same as recording video)
	Storage	Built in 32GB TF card(optional for 64~256GB)
<b>Light</b>	IR	Up to 10 Meters at 0 lux with Visible shape image
	Flash light	help for view in night
	Laser	lock image center or pointing
<b>Two way Intercom</b>	Cluster intercom	Support for cluster intercom between terminal devices (only for 4G/3G device)
	Intercom with platform	Support intercom between server and terminal devices (only for 4G/3G device)
<b>Lens</b>	HOV	>120°
<b>Alarm</b>	SOS	SOS key press will be noted on the platform (only for 4G/3G device)
<b>COM port</b>	USB	1x USB, for charging, communication with PC, connect external HD camera
<b>Network</b>	Protocol	TCP/IP, RTSP, RTMP, GB/28181 (only for 4G/3G device)
	3G/4G	built in 3G/4G module(FDD-LTE/WCDMA/GPRS) (only for 4G/3G device)
	WIFI	Optional, support WIFI Client and AP mode
	Blue Tooth	Support Blue Tooth
<b>GPS</b>	GPS	GPS/GLONASS(optional), location and speed can be used in local record and remote view, excellent signal quality with cold start <25 seconds
<b>Firmware</b>	Face Recognition	Deep learning face recognition, huge local blacklist or cloud recognition (Optional)
	OSD Burn In	Burn in date, time, device ID, officer ID, location, speed
	Overwrite	Can be enabled or disabled
	Playback	Support local playback of video, search video files by time, alarm, etc.
	Remote image function	Support online playback and downloading remotely (only for 4G/3G device)

	Cluster intercom	Support paired call, Cluster call (only for 4G/3G device)
	Playback speed	Support from 1 to 128
	Pre/post- recording	Maximum 20s pre-recording and post-recording
	deWarp	Support deWarp before encoding(>115 degree), support maximum 8X digital zoom
	Safe mode	Limited for only video and audio recording, photographing or other basic operations
	Record encryption	Support Record encryption, encrypted video can be only played in special player
	Log	Record key operation, setting change, events, alarms and other information
<b>Software</b>	hPlayer	Play back video files on the PC and analyze data information in the file.
	CMSV6	Remote live view/real-time positioning/track playback/intercom/monitoring/remote command delivery, etc. (only for 4G/3G device)
<b>Upgrade</b>	Firmware maintain	Firmware can be upgrade though USB or Internet (only for 4G/3G device)
<b>Working condition</b>	Temperature	-30--60°C
	Humidity	40%~80%
<b>Other</b>	Charge Cradle	Fast charging@2A, USB data transmission, Splicable
	Time	synchronize date and time with GPS, internet, PC
	Dual video stream	2 Independent Video Streams for Local Record and Remote View
	Default	Restore with factory default setting
	Indicator	Charging, Idle, Video Record, Snap, Audio record
	Battery capacity	2pcs 2700mAh main battery for 1080p30 continuous recording up to 8.5h +8.5h 2pcs 2700mAh main battery for continuous 4G remote view up to 5h+5h
	Waterproof	IP65
	Size	88.3*59.8*34.4mm
	Wight	169g (without clip)

#### Remark

1. We can put client's logo on the case and start-up logo based on MOQ of 100 units.
2. Client can ask for their unique case based on MOQ of 500 units.
3. Lead time for samples (less than 10 units): 7 days after payment receipt, 100 units: 3 weeks.
4. Payment: PayPal, Western Union, Wire transfer (T/T).
5. Warranty: 13-month from shipping.