





CAMEL SECURITY

SHENZHEN CAMEL SECURITY CO., LTD


SNT86/SNT50/SNT70/SNT40 No Touch Button



SNT86



SNT50




SNT70



CAMEL SECURITY

SHENZHEN CAMEL SECURITY CO., LTD



SNT40

Product Introduction

SNT86/SNT50/SNT70/SNT40 series button is casted by 304 stainless steel with drawing panel processing. It is elegant style with long time usage.

Parameter for SNT86/SNT50/SNT70/SNT40 Button

parameter	Description
Dimension	86*86*25mm (SNT86); 86*50*25mm (SNT50); 115*70*25mm (SNT70); 115*40*25mm (SNT40)
Standard Structure	Stainless Steel Panel, Steel Button
Panel Material	304 Stainless Steel, Wire Drawing Finished
Current	3A@36VDC Max
Output Contact	NO//NC/COM
Optional Accessories	M86; M50; M70; M40
Mechanical Life	500,000 tested
Operating Temperature	10 - 55℃ (14-131F)
Operating Humidity	0-95% (non-condensing)
Weight	0.12kg (SNT86 and SNT70); 0.11kg (SNT50 and SNT40)
Packing Quantity (PCS/CTN)	100pcs/ctn
Carton Package Size	51*46*25cm (SNT86 and SNT50); 51*43*32cm (SNT70 and SNT40)
Gross Weight	12kg (SNT86 and SNT70); 11kg (SNT50 and SNT40)



CAMEL SECURITY

SHENZHEN CAMEL SECURITY CO., LTD

Advantage

- 1, various plates with different characters
- 2, CE & RoHS Certificated
- 3, OEM/ODM welcome
- 4, 3 years warranty