

PiPO

Ben Lai

General Manager

PiPO Technology Co.,Ltd.

ADD: Area C, 3F, Warehouse Building, BaoYunDa Logistics Center,
Xixiang Blvd, BaoAn District, Shenzhen, China

Tel: +86-755-23501393

Mobile/Whatsapp/WeChat: +86-13510849433

Email: Ben.Lai@pipo.com.cn

Skype: pipotech

Website: www.pipo.com

Facebook: www.facebook.com/pipocn

www.pipo.com



www.facebook.com/pipocn

PiPO Technology Co.,Ltd.

ADD: Area C, 3F, Warehouse Building, Bao Yun Da Logistics Center,
XiXiang Blvd, BaoAn District, ShenZhen, China

Tel: +86-755-23501393

Skype: pipotech

Email: Ben.Lai@pipo.com.cn

Company Profile:

- Established in 2003, started tablets business since 2010
- Taiwanese invested, HK branched office (Logistics, finance), Shenzhen (manufacturing, sales)
- With HDMI license, SISVEL MP3 license, SDA license
- Factory: 5000 SQ meters
- Clean room assembling lines
- Intel and Microsoft's OEM Partner
- Shenzhen Hi-tech enterprise certified



Wide product ranges to meet most of your demand

- Products: Tablets, Note Book, Mini PC, TV boxes, IOT, POS, VR
- OS: Android, Windows and Linux
- CPU: Intel/MTK/Rockchip/UNISOC
- Screen size: 5", 7", 7.9", 8", 8.9", 9.4", 9.7", 10.1", 11.6", 13.3", 14.1"

Specialize in ODM/OEM service:

- We customize ID, product colors, user interface, booting logo, functions, packing, accessories.....
- And we control the cost for you.

Niche products are welcome

- We can develop niche tablets for you, for example: Education, advertisement, gaming, home security, restaurant, POS.....

POS with Printer

POS



X3

- Display: 8.9", 1920*1200 IPS
- Touch: Capacitive 5-touch
- CPU: Intel Z8350 1.92 Ghz
- RAM: 4GB
- Storage: 64GB
- Thermal printer: 58mm paper, w/o cutter
- OS: Windows 10 Home/IOT/Pro
- IO: USB*4, RJ45, RS232, RJ11, Micro SD slot, HDMI
- Others: WiFi 802.11b/g/n, BT

X3R

- Display: 8.9" , 1920*1200 IPS
- Touch: Capacitive 5-touch
- CPU: RK3288 Quad-core, Cortex A17, 1.6GHz
- RAM: 2GB
- Storage: 32GB/64GB
- Thermal printer: 58mm paper, w/o cutter
- OS: Android 7.1
- IO: USB*4, RJ45, RS232, RJ11, Micro SD slot, HDMI
- Others: Wifi: 802.11b/g/n, BT

Mini All-in-One PC & Tablet



X8-3735

X8-4020

X8R-3288

X8R-3399

Display	7", 1280*800 IPS	7", 1280*800 IPS	7", 1280*800 IPS	7", 1280*800 IPS
CPU	Intel Atom Z3735F Quad-core	Intel Celeron N4020 dual-core	Rockchip RK3288 Quad-core Cortex A17	Rockchip RK3399 6-core Cortex A72*2+A53*4
CPU speed	1.83GHz	2.8GHz	1.6GHZ	1.8GHz
Touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch
RAM	2GB	3GB	2GB	4GB
Storage(EMMC)	32GB/64GB	64GB	32GB/64GB	64GB
OS	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Android7.1 Linux: Debian 9/Ubuntu 16.04	Android7.1 Linux: Debian 9/Ubuntu 16.04
IO Ports	USB2.0*4, HDMI, LAN, DC Jack, audio out, micro SD slot	USB*3.0*1+USB2.0*3, HDMI, LAN, DC Jack, audio out, micro SD slot	"USB2.0*4, HDMI, LAN, DC Jack, audio out, micro SD slot"	USB*3.0*2+USB2.0*2, HDMI, LAN, DC Jack, audio out, micro SD slot
Communication	WiFi 802.11 b/g/n, BT	WiFi 802.11 b/g/n , BT	WiFi 802.11 b/g/n , BT	WiFi 802.11 b/g/n, BT
Dimensions	178*118*50 mm	178*118*50 mm	178*118*50 mm	178*118*50 mm
Weight	420g	420g	420g	420g
Battery	NA	NA	NA	NA

Mini All-in-One PC & Tablet



X9-3735

X9-4020

X9-4105

X9R-3288

X9R-3399

Display	8.9", 1920*1200 IPS	8.9", 1920*1200 IPS	8.9", 1920*1200 IPS	8.9", 1920*1200 IPS	8.9", 1920*1200 IPS
CPU	Intel Atom Z3735F Quad-core	Intel Celeron N4020 dual-core	Intel Celeron J4105 Quad-core	Rockchip RK3288 Quad-core Cortex A17	Rockchip RK3399 6-core Cortex A72*2+A53*4
CPU speed	1.83GHz	2.8GHz	2.5GHz	1.6GHZ	1.8GHz
Touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch
RAM	2GB	3GB	6GB	2GB	4GB
Srorage(EMMC)	32GB/64GB	64GB	64GB	32GB/64GB	64GB
OS	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Android7.1 Linux: Debian 9/Ubuntu 16.04	Android7.1 Linux: Debian 9/Ubuntu 16.04
IO Ports	USB2.0*4,HDMI,LAN,DC Jack, audio out,micro SD slot,RS232 (optional)	USB*3.0*1+USB2.0*3,HDMI,LAN, DC Jack, audio out, micro SD slot, RS232 (optional)	USB*3.0*3+USB2.0*1,HDMI,LAN, DC Jack,audio out,micro SD slot, m.2 slot	USB2.0*4, HDMI, LAN, DC Jack, audio out, micro SD slot, RS232(optional)	USB*3.0*2+USB2.0*2, HDMI, LAN, DC Jack, audio out, micro SD slot, RS232(optional)
Communication	WiFi 802.11 b/g/n, BT	WiFi 802.11 b/g/n , BT	WiFi 802.11 ac/a/b/g/n , BT	WiFi 802.11 b/g/n , BT	WiFi 802.11 b/g/n, BT
Dimensiosns	217*147.5*60 mm	217*147.5*60 mm	217*147.5*60 mm	217*147.5*60 mm	217*147.5*60 mm
Weight	630g	630g	630g	630g	630g
Battery	NA	NA	NA	NA	NA

Mini All-in-One PC & Tablet



X10S-4020

X10S-4105

X10S-5005

X10S-3288

X10S-3399

Display	10.1", 1920*1200 IPS	10.1", 1920*1200 IPS	10.1", 1920*1200 IPS	10.1", 1920*1200 IPS	10.1", 1920*1200 IPS
CPU	Intel Celeron N4020 dual-core	Intel Celeron J4105 Quad-core	Intel Core i3-5005U Dual-core	Rockchip RK3288 Quad-core Cortex A17	Rockchip RK3399 6-core Cortex A72*2+A53*4
CPU speed	2.8GHz	2.5GHz	2GHz	1.6GHZ	1.8GHz
Touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch
RAM	6GB	6GB	8GB	2GB	4GB
Srorage(EMMC)	64GB	64GB	180GB SSD	32GB/64GB	64GB
OS	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Android7.1 Linux: Debian 9/Ubuntu 16.04	Android7.1 Linux: Debian 9/Ubuntu 16.04
IO Ports	USB*3.0*1+USB2.0*3,HDMI,LAN, DC Jack, audio out, micro SD slot, RS232 (optional)	USB*3.0*3+USB2.0*1,HDMI,LAN, DC Jack,audio out,micro SD slot, m.2 slot,RS232 (optional)	USB*3.0*3+USB2.0*1,HDMI,LAN, DC Jack, audio out, micro SD slot, m.2 slot, RS232 (optional)	USB2.0*4, HDMI, LAN, DC Jack, audio out, micro SD slot,RS232 (optional)	USB*3.0*2+USB2.0*2,HDMI, LAN,DC Jack,audio out, Micro SD slot,RS232(optional)
Communication	WiFi 802.11 b/g/n , BT	WiFi 802.11 ac/a/b/g/n , BT	WiFi 802.11 ac/a/b/g/n , BT	WiFi 802.11 b/g/n , BT	WiFi 802.11 b/g/n, BT
Dimensiosns	248*161*70 mm	248*161*70 mm	248*161*70 mm	248*161*70 mm	248*161*70 mm
Weight	970g with battery	970g with battery	971g with battery	972g with battery	973g with battery
Battery	10,000mAh (optional)	10,000mAh (optional)	10,000mAh (optional)	10,000mAh (optional)	10,000mAh (optional)

Mini All-in-One PC & Tablet

Mini A-i-O



X2-3735

X2-4020

X2-4105

X2R-3288

X2R-3399

Display	8", 1280*800 IPS	8", 1280*800 IPS	8", 1280*800 IPS	8", 1280*800 IPS	8", 1280*800 IPS
CPU	Intel Atom Z3735F Quad-core	Intel Celeron N4020 dual-core	Intel Celeron J4105 Quad-core	Rockchip RK3288 Quad-core Cortex A17	Rockchip RK3399 6-core Cortex A72*2+A53*4
CPU speed	1.83GHz	2.8GHz	2.5GHz	1.6GHZ	1.8GHz
Touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch
RAM	2GB	3GB	6GB	2GB	4GB
Storage(EMMC)	32GB/64GB	64GB	64GB	32GB/64GB	64GB
OS	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Android7.1 Linux: Debian 9/Ubuntu 16.04	Android7.1 Linux: Debian 9/Ubuntu 16.04
IO Ports	USB2.0*4,HDMI,LAN,DC Jack, audio out,micro SD slot	USB*3.0*1+USB2.0*3,HDMI, LAN,DC Jack,audio out,micro SD slot	USB*3.0*3+USB2.0*1,HDMI, LAN, DC Jack, audio out, micro SD slot,m.2 slot	USB2.0*4, HDMI, LAN, DC Jack, audio out, micro SD slot	USB*3.0*2+USB2.0*2,HDMI, LAN, DC Jack,audio out,micro SD slot
Communication	WiFi 802.11 b/g/n,BT	WiFi 802.11 b/g/n,BT	WiFi 802.11 ac/a/b/g/n , BT	WiFi 802.11 b/g/n , BT	WiFi 802.11 b/g/n, BT
Dimensions	200*141*29 mm	200*141*29 mm	200*141*29 mm	200*141*29 mm	200*141*29 mm
Weight	428g	428g	428g	428g	428g
Battery	NA	NA	NA	NA	NA

Mini All-in-One PC & Tablet

Mini A-i-O



X11-3735

X11-4020

X11-4105

X11R-3288

X11R-3399

Display	8.9", 1920*1200 IPS	8.9", 1920*1200 IPS	8.9", 1920*1200 IPS	8.9", 1920*1200 IPS	8.9", 1920*1200 IPS
CPU	Intel Atom Z3735F Quad-core	Intel Celeron N4020 dual-core	Intel Celeron J4105 Quad-core	Rockchip RK3288 Quad-core Cortex A17	Rockchip RK3399 6-core Cortex A72*2+A53*4
CPU speed	1.83GHz	2.8GHz	2.5GHz	1.6GHz	1.8GHz
Touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch
RAM	2GB	3GB	6GB	2GB	4GB
Storage(EMMC)	32GB/64GB	64GB	64GB	32GB/64GB	64GB
OS	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Android7.1 Linux: Debian 9/Ubuntu 16.04	Android7.1 Linux: Debian 9/Ubuntu 16.04
IO Ports	USB2.0*4,HDMI,LAN, DC Jack,audio out, micro SD slot,RS232(optional)	USB*3.0*1+USB2.0*3,HDMI, LAN,DC Jack,audio out, micro SD slot,RS232 (optional)	USB*3.0*3+USB2.0*1,HDMI, LAN,DC Jack,audio out,micro SD slot,m.2 slot,RS232 (optional)	USB2.0*4, HDMI, LAN, DC Jack, audio out, micro SD slot, RS232(optional)	USB*3.0*2+USB2.0*2,HDMI, LAN,DC Jack, audio out, micro SD slot, RS232(optional)
Communication	WiFi 802.11 b/g/n,BT	WiFi 802.11 b/g/n, BT	WiFi 802.11 ac/a/b/g/n,BT	WiFi 802.11 b/g/n , BT	WiFi 802.11 b/g/n, BT
Dimensions	220*154*28 mm	220*154*28 mm	220*154*28 mm	220*154*28 mm	220*154*28 mm
Weight	652g	652g	652g	652g	652g
Battery	10,000mAh(optional)	10,000mAh(optional)	10,000mAh(optional)	10,000mAh(optional)	10,000mAh(optional)

Mini All-in-One PC & Tablet

Mini A-i-O



X15-4020

X15-4105

X15-5005

X15-3288

X15-3399

Display	11.6", 1920*1080 IPS	11.6", 1920*1080 IPS	11.6", 1920*1080 IPS	11.6", 1920*1080 IPS	11.6", 1920*1080 IPS
CPU	Intel Celeron N4020 dual-core	Intel Celeron J4105 Quad-core	Intel Core i3-5005U Dual-core	Rockchip RK3288 Quad-core Cortex A17	Rockchip RK3399 6-core Cortex A72*2+A53*4
CPU speed	2.8GHz	2.5GHz	2GHz	1.6GHZ	1.8GHz
Touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch	Capacitive 5-touch
RAM	4GB	6GB	8GB	2GB	4GB
Storage(EMMC)	64GB	64GB	180GB SSD	32GB/64GB	64GB
OS	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Windows IO Home/Pro/IOT (optional)	Android7.1 Linux: Debian 9/Ubuntu 16.04	Android7.1 Linux: Debian 9/Ubuntu 16.04
IO Ports	USB*3.0*1+USB2.0*5, HDMI LAN, DC Jack, audio out, micro SD slot, RS232	USB*3.0*3+USB2.0*3, HDMI, LAN, DC Jack, audio out, micro SD slot, m.2 slot, RS232	USB*3.0*3+USB2.0*3, HDMI, LAN, DC Jack, audio out, micro SD slot, m.2 slot, RS232	USB2.0*6, HDMI, LAN, DC Jack, audio out, micro SD slot, RS232	USB*3.0*2+USB2.0*4, HDMI, LAN, DC Jack, audio out, micro SD slot, RS232
Communication	WiFi 802.11 b/g/n, BT	WiFi 802.11 ac/a/b/g/n, BT	WiFi 802.11 ac/a/b/g/n, BT	WiFi 802.11 b/g/n, BT	WiFi 802.11 b/g/n, BT
Dimensions	281*173*39mm	281*173*39mm	281*173*39mm	281*173*39mm	281*173*39mm
Weight	742g	742g	742g	742g	742g
Battery	NA	NA	NA	NA	NA