

Shenzhen YSD Electronics Co.,Ltd

Address:Second Floor of Third Building,Wanyan Industrial City,Qiaotou Community,Fuyong Street,
 Bao'an District,Shenzhen,Guangdong,China

Moble/Wechat/WhatsApp : +86 13662287700 Email: grace@yusenda.net Ms.Grace

Quotation

Model	Product Picture	Specification	Feature	Packing information
8810 (20W)		Output Power: 20W S/N Ratio:≥72dB Loud speaker: 2"*2 , 4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC13.2V,1.5A	1,Audio Output: 2.0CH, 2,AUX input 3,USB input 4,Wireless Bluetooth connection,BT5.0 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, DC charger, User manual,Remote	product size:L600*60*60 mm Color box size:705*136*107MM CTN SIZE:715X287X345mm/0.07079 G.W : 13kgs PCS/CTN: 6pcs 20H: 2370 pcs 40QH: 5594pcs
8812 (30W)		Output Power: 30W S/N Ratio:≥72dB Loud speaker: 2.5"*2 , 4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC18V	1,Audio Output: 2.0CH, 2,AUX input 3,USB input 4,Wireless Bluetooth connection,BT5.0 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, DC charger, User manual,Remote	product size:L480*99*76MM Color box size:570X145X120MM CTN SIZE:580X305X380MM/0.06722 G.W : 13KGS PCS/CTN: 6PCS 20H: 2500 pcs 40H: 5000 pcs 40QH:5890 pcs
8805 (40W)		Output Power: 40W S/N Ratio:≥72dB Loud speaker: 2"*4 , 4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC18V	1,Audio Output: 2.0CH, 2,AUX input 3,USB input 4,Wireless Bluetooth connection 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, DC charger, User manual,Remote	product size:L550*63*77 mm Color box size:558*186*116MM CTN SIZE:605*365*405MM/0.08943 G.W : 16KGS PCS/CTN: 6PCS 20H: 1880 pcs 40H: 3757 pcs 40QH:4430 pcs

Shenzhen YSD Electronics Co.,Ltd

Address:Second Floor of Third Building,Wanyan Industrial City,Qiaotou Community,Fuyong Street,
Bao'an District,Shenzhen,Guangdong,China

Moble/Wechat/WhatsApp : +86 13662287700 Email: grace@yusenda.net Ms.Grace

Quotation

Model	Product Picture	Specification	Feature	Packing information
8806 (60W)		Output Power: 60W S/N Ratio:≥72dB Loud speaker: 2"*4 , 4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC18V,2.5A	1,Audio Output: 2.0CH, 2,AUX input 3,USB input , ARC/HDMI ,Optical connection 4,Wireless Bluetooth connection, BT5.0 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, DC charger, User manual,Remote	product size:L900*83*62 mm Color box size:1008*136*107MM CTN SIZE:1024*287*370MM/0.1087 G.W : 15.2kgs PCS/CTN:6PCS 20H: 1550pcs 40H: 3090pcs 40QH: 3640pcs
8807 (60W)		Output Power: 60W S/N Ratio:≥72dB Loud speaker: 2"*4 , 4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz DC 18V 2.5A	1,Audio Output: 2.0CH, 2,AUX input 3,USB input , ARC/HDMI ,Optical connection 4,Wireless Bluetooth connection, BT5.0 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, DC charger, User manual,Remote	product size:L900*60*60 mm Color box size:1008*136*107MM CTN SIZE:1024*287*345mm/0.10099 G.W : 15.2kgs PCS/CTN: 6PCS 20H: 1660pcs 40H: 3327pcs 40QH:3920pcs
8808 (60W)		Output Power: 60W S/N Ratio:≥72dB Loud speaker: 2.25"*4 , 4Ω Frequency: 45HZ-20Khz Power supply:AC 110V-240V	1,Audio Output: 2.0CH, 2,AUX input 3,USB input , ARC/HDMI ,Optical connection 4,Wireless Bluetooth connection, BT5.0 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, AC cable, User manual,Remote	product size:L920*83*66MM Color box size:956X107X136MM CTN SIZE:966*287*345MM/0.09564 G.W : 16kgs PCS/CTN: 6PCS 20H: 1756 pcs 40H: 3520 pcs 40QH:4140 pcs

Shenzhen YSD Electronics Co.,Ltd

Address:Second Floor of Third Building,Wanyan Industrial City,Qiaotou Community,Fuyong Street,
 Bao'an District,Shenzhen,Guangdong,China

Moble/Wechat/WhatsApp : +86 13662287700 Email: grace@yusenda.net Ms.Grace

Quotation

Model	Product Picture	Specification	Feature	Packing information
8808 (60W)		Output Power: 60W S/N Ratio:≥72dB Loud speaker: 2.25" *4, 4Ω Frequency: 45HZ-20Khz Power supply:AC 110V-240V	1,Audio Output: 2.1CH Built -in , 2,AUX input 3,USB input , ARC/HDMI ,Optical connection 4,Wireless Bluetooth connection, BT5.0 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, AC cable, User manual,Remote	product size:L920*83*66MM Color box size:956X107X136MM CTN SIZE:966*287*345MM/0.09564 G.W : 16kgs PCS/CTN: 6PCS 20H: 1756 pcs 40H: 3520 pcs 40QH:4140 pcs
8809 (60W)		Output Power: 60W S/N Ratio:≥72dB Loud speaker: 2" *4, 4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~ 50/60Hz AC power	1,Audio Output: 2.0CH, 2,AUX input 3,USB input , ARC/HDMI ,Optical connection 4,Wireless Bluetooth connection, BT5.0 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, DC charger, User manual,Remote	product size:L900*67*60MM Color box size:945*136*107MM CTN SIZE:955X287X345MM/0.09455 G.W : 15.4kgs PCS/CTN:6PCS 20H: 1776 pcs 40H: 3553pcs 40QH: 4188pcs
8811 (60W)		Output Power: 15W*4 S/N Ratio:≥72dB Loud speaker: 2.25" *4 4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~AC power	1,Audio Output: 2.0CH 2,AUX input 3,USB input , ARC/HDMI ,Optical connection 4,Wireless Bluetooth connection, BT5.0 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, AC cable, User manual,Remote	product size:915*59*108MM Color box size:957*148*99MM CTN SIZE:967*306*208MM/0.06154 G.W : 14kgs PCS/CTN:4PCS 20H: 1820pcs 40H: 3640pcs 40QH:4290pcs
8811 (90W)		Output Power: 10W*4+25W*2 S/N Ratio:≥72dB Loud speaker: 2.25" *2, 1.5" *2, 2.5" *2, 4Ω Frequency: 45HZ-20Khz Power supply:SMPS 110V-240V ~AC power	1,Audio Output: 2.1CH Built-in 2,AUX input 3,USB input , ARC/HDMI ,Optical connection 4,Wireless Bluetooth connection, BT5.0 5,LED display 6,Plastic case,Digital Amplifier with DSP inside 7,Remote controller Accessories : Line in cable, AC cable, User manual,Remote	product size:915*59*108MM Color box size:957*148*99MM CTN SIZE:967*306*208MM/0.06154 G.W : 14kgs PCS/CTN:4PCS 20H: 1820pcs 40H: 3640pcs 40QH:4290pcs

Shenzhen YSD Electronics Co.,Ltd

Address:Second Floor of Third Building,Wanyan Industrial City,Qiaotou Community,Fuyong Street,
Bao'an District,Shenzhen,Guangdong,China

Moble/Wechat/WhatsApp : +86 13662287700 Email: grace@yusenda.net Ms.Grace

Quotation

Model	Product Picture	Specification	Feature	Packing information
Note: MOQ :1000pcs				
1) Above prices are FOB shenzhen for whole container				
2) Payment: T/T 30% Deposit for order confirmation,70% balance before shipment.				
3)Leadtime: 40~50 days after received your deposit .				