

Technical Data & Standard Specification

		Standard Model	Lengthened Model	Standard Model	Lengthened Model	Standard Model	Lengthened Model
Model		XML6492E3YM	XML6532E3YM	XML6502EB3	XML6532EB3	XML6501E22/XML6502E22	XML6531E22/XML6532E22
Engine		JM491Q-ME		GW2.8TC-2		YC4F90-23	
Length		4980mm	5280mm	4980mm	5280mm	4980mm	5280mm
Width		1700mm					
	Semi-roof	2066mm		2066mm		2066mm	
Height	High-roof	2250mm		2250mm		2250mm	
Wheelbase		2590mm	2890mm	2590mm	2890mm	2590mm	2890mm
Seat capacity		11-14 seats					
Max. speed		≥120Km/h		≥130Km/h		≥115Km/h	
Displacement		2.237L		2.771L		2.448L	
Rated power		76KW（103PS）/4600rpm		70KW（95PS）/3600rpm		65KW/3400rpm	
Max. torque		192Nm/2800rpm		225Nm/2600rpm		220Nm/2200rpm	
Fuel		Gasoline		Diesel, Common Rail Injection		Diesel	
Emission		Euro III				Euro II	

clutch	Single plate, hydraulic control	
Transmission	Mechanical 5-speed	
Tire	185R14C	195/70 R15C
Steering	Power steering, RHD&LHD	
Suspension	Front independent suspension/Rear leaf spring	
Brake	Vacuum servo, hydraulic brake, front disc/rear drum	
Equipment	A/C, power rear mirror, power front door window, center-control lock, high position brake lamp, intermittent wiper, dual sun visors, speedometer, digital odometer, rear wiper, rear lower vision mirror	
Body color	white/dual-tone regular paint, color stripe	

Optional Specification

Assembly	Equipment
drive position	RHD
steering wheel tiltable	tiltable
floor carpet	luxury floor carpet
style	new front face
dashboard	peachwood-like dashboard
side window glass	green
rear bumper	rear bumper with step
doors	5 doors, right passenger door sealed

doors	5 doors
door lock & front window	manual door lock and front window
seat	14 seats(including dirver)
seat	15 seats(LHD only, including dirver)
safety belt	2-point belt for passenger
wheel	aluminum alloy wheel
hand brake	side placed handbrake
audiovisual system	CD player

Special Specification

Assembly	Equipment
A Type Ambulance	alarming and lighting system
	stretcher
	oxygen tank
	partition board with window
	working chair
	working desk

	folding chair
	instrumental cabinet
	special floor for medical purpose (easy cleaning)
P Type Ambulance	Aluminum alloy Stretcher trolley.
	Alarm system, with two 100W horns.
	Warning lighting system.
	Oxygen system, with connectors for pressure meter, oxygen supply piping and one 10-liter oxygen tank.
	Partition board .
	Special floor for medical purpose.
	foldable seat and long working chair
	Illuminating system.
	Transfusion fixer
	Fire extinguisher.
	Medicine cabinet.
	Ventilating system.
	Ultraviolet sterilizing lamp.
	First-aid aspirator.
J Type Ambulance	the chamber for first-aid purpose
	Partition board .
	Ordinary stretcher and stretcher trolley
	Scoop stretcher and fixer
	Ramp for stretcher trolley

	Alarm system, with two 100W horns.
	Warning lighting system.
	Oxygen system, with connectors for pressure meter, oxygen supply piping and two 10-liter oxygen tank.
	Special floor for medical purpose(easy cleaning, avoiding creating static and sterilization-friendly)
	foldable seat and long working chair
	Illuminating system.
	Transfusion fixer
	Fire extinguisher
	Medicine cabinet.
	Ventilating system.
	Ultraviolet sterilizing lamp.
	First-aid aspirator.
	Uninterruptible Power Supply