

4G LTE MiFi Spec(MDM9207) CAT4

Model	D921A	
Description	4G LTE MiFi	
Product ID		
3G/LTE Hardware		
Communication System	Support TD-LTE/LTE FDD/WCDMA/GSM	
Hardware Platform	Chipset	MDM9X07
	Memory	4Gbit NAND+2Gbit LPDDR2
Protocol	TD-LTE	CAT4
	LTE FDD	CAT4
RF BAND	FDD LTE	FDD:band1/2/3/4/.5/6/7/8/9/12/13/17/19/20/25/26/28A/28B Optional
	TD-LTE	TDD: band38/39/40/41 Optional
	WCDMA	Band:1/2/5/8
	GSM	Support all bands (optional)
Power	LTE/TD-SCDMA	Power Class 3
Antenna	Antenna Connector	Internal Antenna
WLAN AP Hardware		
Wi-Fi Protocol	Support IEEE 802.11 b/g/n	
Hardware Platform	Chipset	RTL8189
	Memory	/
Protocol	IEEE 802.11n	Support
	IEEE 802.11g	Support
	IEEE 802.11b	Support
Frequency	2.4G	1~13 channel
Power	IEEE 802.11n	10dBm
RF Antenna	MIMO antenna	1*1
External Interface		
External Interface	SIM card slot	one Standard SIM card, bottom card slot
	Power interface	Mirco USB 2.0
	USB interface	Not support
Buttons	Power button	one
	WPS button	one
	Reset button	one, hole switch
Display	Panel LED indicator	LED Indicator(Power, Sign, WIFI, Short message) Optional
	LCD screen	1.44inch LCD screen Optional
Power Supply		
Battery	Battery	2100mAh 3.8V
Adapter	Adaptor	NA
Software		
WEB UI	Standard WEB UI (PC)	
	Network setting	support
	Router setting	support
	System setting	support
	WIFI setting	support
	SMS/Phonebook setting	Support
LCD UI	/	
Gateway	TCP/IP Protocol	Support
	UDP Protocol	Support

	IPv4	Support
	IPv6	Support
	SNTP	Support
	DHCP	Support
WLAN	802.11b	support
	802.11g	support
	802.11n	support
	Power adjustment	support
	Auto channel select	support
	SSID broadcast	support
	WPS	support
	Security/ Encryption	WEP/WPA/WPA2 PSK
	MAC address filtering	Selectable support
SMS	WEB UI Managerment	support
Security	PIN code lock	support
	Modify PIN code	support
	Administrator password modify	support
System upgrade	Local firmware upgrade	support(via Web UI/PC remote upgrade)
Extended function	External Storage	/
Drivers	Driver install	/
	Operation System	Win XP、Vista(32bit/64bit)、WIN7(32bit/64bit)、WIN8
		Mac OS X10.6 and above version
Certification	CE	support
Package	Mifi Device	1
	Li-ion Battery	1
	Data Cable	1
	Adaptor	/
	Quick Guide	1
Environment	Charging Temperature	0~40℃
	Operating Temperature	-20~50℃
	Long time Storage Temperature	-30~45℃
Packaging	Product Gross Weight	0.136kg
	Package size	10X14X5.5cm
	Carton Size	57X29X32cm 60pcs/carton



D523



D821+ (with power bank)



M603



M603+





D921



D921A



M603C



M603F

