



Powercase ent

Room 603-4, Building 4, Jindi Kaixuan Plaza, South Lon

tracy@powercase.com.cn 008613802289233 Sky

Newest Entry leve

195 structure	Material	SPCC/0.45mm black(but stronger design)
	IO	U3*1+U1*2+HD
	Side panel	with glass with 4screws
	Structure size	355*195*435mm
	Case size	395*195*450MM
	Carton size	491*242*445mm
	MB stype	ATX/M-ATX/IT
	HDD BAY	2PCS 3.5HDD + 2PCS 2.5 SSD
	Fan optional	Front:120mm*3 Fan Rear:120*1 Fan Top:120/140mm*2 Fan power cover:2*12cm fan
	Water cooling	Front:240mm/360mm water cooling
	Dust fliter	Top panel with magic dust filter. bottom with PVC fliter.
	Feet	Square foot pad
	Side panel	left full glass panel with 4 screws, right panel is
	CPU H	160mm Max
	PCI	7
	VGA L	340 Max, front panel without fan
	PSU Size	175-200mm
	Back Cable space	25mm
	40HQ	1270

Note:

- 1, Hing glass with 1USD more
- 2, Full white color will be +\$2
- 3, Type C +\$2.5 ,USB3.0+\$1 ,USB2.0+\$0.45
- 4, MOQ:1*40HQ , you can mix 4items, white color MOQ: 300PCS/item

5,MATX structure option ,the price same

195 MATX structure	Material	SPCC/0.45mm black(but stronger design)
	IO	U3*1+U1*2+HD
	Side panel	with glass with 4screws
	Structure size	350*195*435mm
	Case size	390*195*450MM
	Carton size	490*240*450mm
	MB stype	M-ATX/ITX
	HDD BAY	2PCS 3.5HDD + 2PCS 2.5 SSD
	Fan optional	Front:120mm*3 Fan Rear:120*1 Fan Top:120/140mm*2 Fan
	Water cooling	360 (water cooling within 400mm for I/O base) /240/120mm on bottom panel, 280/240/120mm on top panel
	Dust fliter	Top panel with magic dust filter. bottom with PVC fliter.
	Feet	Square foot pad
	Side panel	left full glass panel with 4 screws, right panel is
	CPU H	160mm Max
	PCI	7
	VGA L	340 Max, front panel without fan
	PSU Size	175-200mm
	Back Cable space	25mm
	40HQ	1270

	CPU H	165mm Max
	PCI	5
	VGA L	340 Max, front panel without fan
	PSU Size	175-200mm
	Back Cable space	25mm
	40HQ	1270

erprise Co.,ltd

gcheng Road, Longgang District, Shenzhen City, China.

pe:352337258@qq.com www.powercase.com.cn

I ATX gaming case



