

Product specification

- 1- **Name:** Super Resolution Multimedia projector
- 2- **Model:** Mini M19
- 3- **Application:** 1-home theatre 2-KTV 3-Video,Image Presentation
- 4- **Product Image:**



5- specification

Model	Mini M19	Color	White(customized)
Projection Tech.	LCD	Resolution	1920x1080P
Max.Support Resolution	4K	Lamp	LED
Life of LED	30000h	Color gamut	16.7M
Light uniformity	70%	Aspect ratio	4:3/16:9/Auto Zoom
Contrast ratio	1000: 1	Optimal projection distance	2.6m/80 inch
Projection distance	1.7-9.2m	Projection mode	Front/Rear/Hoisting
Image size	50-300inch	Support 3D	No
Auto Keystone	±50°	Cable Screen Mirroring	Optional
Input interface	USB/HDMI/SD/AV/	Audio output	3.5 headphone
File	TXT	Language	23
Remote control	IR	Power consumption	150W
Projection ratio	1.35	Loudspeaker	3W,4Ω
screw nut	M4	Current value	0.5A
Voltage	AC 100~240V	Height adjustment	NUC 1/4
Dust Proof Net	Yes	Brightness	ANSI 240 lm
Weight	1.85kg	Product Size	270*202*93mm
Grass Weight		Box size	
*.txt	max 1MB	Shipment package size	
*.jpg	Basic (Base-line)	Max.	8192X8192
	progressive	Max.	1280X800
*.png	Non-interlace	Max.	9600X6400
	interlace	Max.	1280X800
*.bmp		Max.	9600X6400
*.gif		Max.	9600X6400
*.avi	MPEG1/2/4 Max. support to 1080P@30fps max:20Mbps		
*.mkv	H.263 Max. support to 1080P@30fps,max:20Mbps		
*.mp4	H.264 Max. support to 1080P@30fps,max:20Mbps		
*.mov	AVS Max. support to 1080P@30fps.max:20Mbps		
.mpg.mpeg	AVS Max. support to 1080P@30fps.max:20Mbps		
.ts.tp*m2ts	AVS Max. support to 1080P@30fps.max:20Mbps		
.dat.vob	AVS Max. support to 1080P@30fps.max:20Mbps		

Certificate	CE FCC ROCH WEEE PSE
Package content	Manual/Power cable/Remote control/AV cable/HDMI cable
Manual	English, German, Italian, Japanese, Spanish, Russian, French
Power cable	US, European, British, Japanese
Dolby, AC3/DTS should pay	

6- Working temperature

- 1) Environment Temperature: 0℃~35℃
- 2) Relative humidity: 45~90%

7- Shipment and Storage

- 1) Shipment package size: cm
Weight: Kg
number: 4PCS
- 2) note

The same as other electronics products , Avoid collisions and rain and snow during transportation; it is strictly forbidden to store in the same warehouse with chemicals and wet items.