



SHENZHEN CENTURY HC Technology Limited

Let's start honest cooperation!

80mm Thermal Receipt Printer With Auto Cutter

(Model Number: TP-8017)



**Product overview:****Product description:**

It is a high quality thermal printer designed for network and kitchen printing.. 300MM/S of high speed printing: excellent waterproof, oil proof, dustproof structure design: rich interface selection including Wi-Fi, GPRS : print status real-time monitoring and large input buffer, to avoid losing any bills, embedded IE server, configure printers more convenient, so many leading technology beyond the performance of similar products, allowing you to enjoy high-quality, free from worry print experience.

Product performance:

300 mm / second ultra-high-speed printing, improve the printing efficiency:

Excellent waterproof, anti - oil, anti-dust structure design:

Support wall hanging function, meet the special environment printing:

Movable baffle design: support 80MM, 58MM different width of the paper roll printing:

Support 80MM large diameter roll:

Support kitchen printing and Internet printing:

Support printer monitoring function, to avoid losing bills:

Using 100M Ethernet card, connect printer faster, to avoid losing bills:

Recover printing after network disconnection, to avoid losing bills:

2048K super input buffer, to avoid losing bills:

Support LOGO Graphical download and print:

Support 1D, 2D bar code printing:

Support order comes remind and error alarm:

Support black mark orientation and re-print:

GB18030 large font:

Support Multi language printing:

Rich interface: Internet+ USB+ COM: Internet+ USB+WIFI: USB+GPRS: USB+COM: USB+ Bluetooth:

Built-in WEB server, configure printer by IE browser:

Compatible with ESC/POS print instruction mode:

Support Windows, Linux, Android and IOS system printing:

Application:

Shopping malls, restaurants, stores, warehousing, taxation, banking, medical, postal

Printer Parameters:

Item		Parameters
Print parameters	Printing Method	Thermal Line
	Printing width	72mm
	Resolution	576 Dots/Line or 512 Dots/Line(8dots/mm,203dpi)
	Print speed	300mm/Second
	Interface	LAN (100M)+USB+COM: LAN(100M)+USB+WIFI:USB+GPRS:USB+COM:USB+ Bluetooth
	Line Spacing	3.75mm(Can adjust line spacing by command)



	Line No.	FontA-48Lines/FontB-64Lines/Simple, traditional Chinese-24 lines
	Character	standard GB18030 simplified / traditional Chinese Fonts
	Character Size	ANK character, Font A:1.5×3.0mm(12×24 dots) Font B:1.1×2.1mm(9×17 dots) Simplified/Traditional Chinese:3.0×3.0mm(24×24 dots)
Bar code Character	Extended character set	PC437/Katakana/PC850/PC860/PC863/PC865/WestEurope/Greek /Hebrew/EastEurope/Iran/WPC1252/PC866/PC852/PC858/IranII/Latvian/Arabic/PT151,1251/PC737/WPC/1257/ThaiVietnam/PC864/PC1001/(Latvian)/(PC1001)/(PT151,1251)/(WPC1257)/(PC864)/(Vietnam)/(Thai)
	Bar code	1D bar code:UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)CODE39/ITF/CODABAR/CODE93/CODE128 2D barcode: QRCODE
Graphics printing	Graphics printing	Supports bitmap download and print
Cutter	Cutter Function	Full cut/Half cut
Paper	Type	Thermal
	Width	79.5±0.5mm
	Diameter	≤80mm
	Feed method	Easy feed (Clame shell feed)
Print commands	Commands	ESC/POS
Power	Power Adaptor	Input: AC 100V-240V,50~60Hz Output: DC 24V/2.5A
	Cash Drawer output	DC 24V/1A
Buffer	Input Buffer	2048K bytes
	NV Flash	256K bytes
physical characteristics	Weight	1.2KG
	Dimension	186*145*135
environment	Working	Temp:5 ~ 45 degree, Humidity:10 ~ 80%
	Storage	Temp:-10 ~ 50 degree ,Humidity:10 ~ 90%(No dew)
Reliability parameter	Print Head Life	100KM(print density≤12.5)
	Cutter Life	1000,000times
Software	Driver	Android,IOS,Linux,Win2000,Win2003,WinXP,Win7,Win8,Win8.1

Shipping:

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR Way: usually around 2-4 days to arrive, will also depend on which destination port



4. By sea: depend on which destination port

Payment:

1. T/T
2. Western Union
3. PayPal
4. Escrow
5. Money Gram

FAQ:

1. Cable default is USB cable, if you also need serial cable, price is different.
2. This model can also be Wi-Fi printer, pls refer to TP-8017WA.
3. Its default configuration is 300mm/sec, with auto cutter, USB+LAN+RS232 three interfaces in one board. If you have different requirements, pls contact our sales for exact price.
4. OEM Production:
 - OEM your logo, MOQ is 300pcs with OEM charge free. If your order less than 300pcs, you can also pay OEM charge to make your logo. Exact cost depends on your requirements.
 - OEM packing, MOQ is 1000pcs.

