

TELEMAX[®]

Company Profile

Telex Technology Co., Ltd is located at Shenzhen of China, founded in 2009, the main products we produced include Fiber Optic Patch cord, Fiber Optic pigtails, MPO/MTP Patch Cord, MPO/MTP Trunk cable, Fiber Optic Patch Panel & ODF; we also supply copper network cabling and network cabinets.



TELEMAX[®]

► Fiber Optic Cable ↓



Optical Fiber Cable Indoor breakout type

- Indoor & Breakout type
 - 2-48 core is optional
 - SM & MM are optional
 - OEM is optional



Optical Fiber Cable Outdoor Armored

- Outdoor Armored type
 - Single Tube & Multi tubes are optional
 - 2-144 cores is optional
 - SM & MM are optional
 - OEM is optional

Fiber Optic Patch Cord



MTP/MPO -MTP/MPO 24F Trunk Cable



1X8 SM PLC SPLITTER



MTP/MPO TO LC 12F PATCH CORD



LC-LC Duplex MM Fiber Cord



FC-FC Duplex SM Fiber Cord




ST-SC Duplex SM Fiber Cord

► Fiber Optic Patch Panel & ODF ↓

1U 19" Sliding Fiber Optic Patch Panel

- Sliding & Drawing Design
- High Density for Fiber installation and management
- Support SC,LC,FC,ST E2000 connector
- 12-96 Ports is optional
- CE,RoHS,UL rate




IP65 Fiber Enclosure

- Smart Design and Easy for installation
- Support 4xSC
- IP65,UL94V-0 standard

Wall mounting Fiber optic Distribution box

- Wall mounting type
- High Density for Fiber installation and management
- Support SC,LC,FC,ST,E2000 connector
- 12-96 Ports is optional
- CE,RoHS, UL rate



▶ Fiber Optic Equipment ↓



QX50-MS Single mode & Multimode OTDR

- ▶ 6.5-inch TFT touchscreen
- ▶ Three Wavelengths: 850nm+1310/1550nm
- ▶ OEM & ODM Service Provided
- ▶ Trace analyzing software
- ▶ Rugged design built for outside plant

FX35 High-End Optical Fiber Fusion Splicer

- ▶ Large battery capacity: 350 Splice and Heat
- ▶ High precision splicing, Core-Core & Clad-Clad alignment
- ▶ Long Electrode lifetime: up to 4000 times
- ▶ Auto check & display cleave angle and offset angle
- ▶ OEM & ODM is available



KF-52 High Precision Optical Fiber Cleaver

- ▶ Cleaved Angle : 90 ± 0.5 degree
- ▶ Simple 2 step operation
- ▶ Universal Fiber Holder
- ▶ Durable and reliable design
- ▶ High capacity waste bin
- ▶ 48,000 times long blade life
- ▶ Universal fiber holder for 250um, 900um, 3.0mm fiber cable
- ▶ Rubber armor protection

TELEMAX[®]

CE

UL
LISTED

Fiber Solution



SHENZHEN TELEMAX TECHNOLOGY Co., LTD

 +86 755 29360200 ext 602

 +86 755 29360200 ext 608

 sales@telexmax.cn

 www.telexmax.cn

 4th Floor, Block C No.4 Road One, Shangxue Industrial Park,
Long gang District, Shenzhen China