

鑫洪泰TFT彩屏列表（点击产品型号进入公司官网可下载详细规格资料）									
型号	英寸	分辨率	外形尺寸（mm）	显示尺寸(mm)	视角	接口	亮度	驱动芯片	特殊说明
TFT-H040A3WVTNTON30	4.0	480*800	55.44*93.90*1.1	51.84*86.40	TN	RGB+SPI	全透无背光	NT35510	投影仪专用
TFT-H040B5WV IIL4N45		480*800	57.14*96.85*2.1	51.84*86.40	IPS	RGB+SPI	500cd/m2	ILI9086E	CTP
TFT-H040A6WVIST4N20		480*800	57.14*96.85*2.1	51.84*86.40	IPS	MIPI	500cd/m2	ST7701S	
TFT-H040A7WVINT4N40		480*800	57.14*96.85*2.1	51.84*86.40	IPS	MCU	500cd/m2	NT35510S	
TFT-H040A12DHI IIL4N40		320*320	74.66*76.54*2.02	71.14*69.82	IPS	MCU/SPI	450cd/m2	ILI9488	CTP
TFT-H043B1WQIST6N40	4.3	480*272	105.5*67.20*3.0	95.04*53.86	IPS	RGB	600cd/m2	SC7283	串联背光
TFT-H043A2WQIST5R40		480*272	105.5*67.20*4.2	95.04*53.86	IPS	RGB	500cd/m2	SC7283	RTP/CTP
TFT-H043A4WVIST5N60		480*800	60.86*102.57*2.5	56.16*93.60	IPS	MCU/RGB/MIPI	500cd/m2	NT35510	
TFT-H043A7WVIST5N40		480*800	60.86*102.57*2.5	56.16*93.60	IPS	RGB+SPI	500cd/m2	ST7701S	
TFT-H043A8WVIST5N20		480*800	60.86*102.57*2.5	56.16*93.60	IPS	MIPI	500cd/m2	ST7701S	CTP
TFT-H043A10SVIST6N40		800*480	105.5*67.2*2.95	95.04*53.85	IPS	RGB	600cd/m2	ST7262	CTP/RTP
TFT-H043A12SVILT5N40		800*480	105.5*67.2*2.95	95.04*53.85	IPS	MCU	600cd/m2	ST7262	CTP/RTP
TFT-H043A13SVILT6N40		800*480	105.5*67.2*2.95	95.04*53.856	IPS	MCU	600cd/m2	ST7262	
TFT-H045C1FWTNT4N40	4.5	480*854	60.00*109.0*2.25	55.44*98.64	TN/IPS	MCU	400	NT35510S	
TFT-H047C1HDI IIL6N26	4.7	720*1280	63.40*113.28*2.5	58.104*103.296	IPS	MIPI	500cd/m2	ILI9881D	
TFT-H050A1SVIST6N40	5.0	800*480	120.7*75.80*3.0	108.00*64.80	IPS	RGB	500cd/m2	ST7262	RTP/CTP
TFT-H050A5SVIST4N40		480*854	64.70*118.80*2.05	61.56*109.4255	IPS	MIPI	500cd/m2	ST7701S	
TFT-H055A1HDI IIL3N30	5.5	720*1280	71.04*129.56*1.62	67.93*120.76	IPS	MIPI	350cd/m2	ILI9881D	
TFT-H070A1WSIF8C40	7.0	1024*600	177.8*115.8*7.88	154.21*85.92	IPS	RGB	800cd/m2	EK79001+EK73215	超高高/CTP
TFT-H070A2WSIFT8N50		1024*600	164.9*100.0*5.5	154.21*85.92	IPS	RGB	800cd/m2	EK79001+EK73215	50Pin长排线
TFT-H070A3SVTFT3N40		800*480	164.9*100.0*3.5	153.84*85.632	TN	RGB	300cd/m2	EK79001+EK73215	
TFT-H070A5SVTFT8N40		800*480	164.9*100.0*5.6	153.84*85.632	TN	RGB	800cd/m2	EK79001+EK73215	超高亮
TFT-H070A7WSIFT8N40		1024*600	164.9*100.0*5.5	154.21*85.92	IPS	LVDS	800cd/m2	EK79001+EK73215	超高亮
TFT-H070A8WSIFT3N40		1024*600	164.9*100.0*3.5	154.21*85.92	IPS	MIPI	300cd/m2	EK79001+EK73215	
TFT-H070A10ZBIOT6N40		280*1424	182.47*38.20*3.45	171.18*33.60	IPS	MIPI	600cd/m2	OTA7290B	长条形
第 3 页，共 4 页									

鑫洪泰TFT彩屏列表 (点击产品型号进入公司官网可下载详细规格资料)									
型号	英寸	分辨率	外形尺寸 (mm)	显示尺寸(mm)	视角	接口	亮度	驱动芯片	特殊说明
TFT-H078A1ZAISTN40	7.84	400*1280	201.18*65.2*3.3	190.08*59.40	IPS	MIPI/LVDS	700cd/m2	ST7703	长条形
TFT-H080A1SVTHX3N50	8.0	800*600	183.0*141.0*7.0	162.0*121.50	TN	RGB	300cd/m2	HX8264+HX8696	RTP
TFT-H080A2XGTHX3N40		1024*768	183.0*141.0*3.4	162.0*121.50	TN	LVDS	300cd/m2	HX8282A+HX8695	高分辨率
TFT-H089A1WXIFT5N40	8.9	800*1280	125.38*202.84*2.55	119.28*190.85	IPS	MIPI	500cd/m2	JD9365D	
TFT-H101A2WSIFT7N40	10.1	1024*600	235.0*143.0*5.0	222.72*125.28	IPS	LVDS	1000cd/m2	EK79001+EK73215	超高亮
TFT-H101A3WSIFT7N50		1024*600	235.0*143.0*5.0	222.72*125.28	IPS	RGB	1000cd/m2	EK79001+EK73215	超高亮/50Pin长排线
TFT-H101A4WSIFT3N40		1024*600	235.0*143.0*3.0	222.72*125.28	IPS	LVDS	300cd/m2	EK79001+EK73215	
TFT-H101A5WSIFT3N50		1024*600	235.0*143.0*3.0	222.72*125.28	IPS	RGB	300cd/m2	EK79001+EK73215	50Pin长排线
TFT-H101W8WXIWZ1C40		800*1280	240.58*159.36*4.45	216.58*135.36	IPS	MIPI	180cd/m2	EK79029+GT7291	CTP
TFT-H101A9WSIFTKC40		1024*600	235.0*143.0*6.95	222.72*125.28	IPS	LVDS	1000cd/m2	EK79001+EK73215	超高亮/CTP
TFT-H101A10WXIFTKN40		1280*800	229.16*148.8*4.7	216.96*136.60	IPS	LVDS	1000cd/m2	EK79202B1	超高亮/CTP
TFT-101R1120H01		800*1280	143.0*228.55*2.5	135.36*216.58	IPS	LVDS	300cd/m2		
TFT-H103A3VNGD1E0	10.3	1280*480	269.2*109.85*8.65	243.84*91.44	IPS	LVDS	600cd/m2		汽车仪表
TFT-H123C3RNGD1E0	12.3	1920*720	313.8*132.2*13.3	292.032*109.512	IPS	LVDS	850cd/m2		汽车仪表