



深圳市星光彩科技有限公司

Shenzhen Xing Guang Cai Technology Co.,Limited

Add: No2505 Songbai Road,Shiyan Town, Baoan District, Shenzhen, China


Contact Person: [Helen Qin](#) Mob/WhatsApp/Wechat: [+8617688933149](#) Skype: [helenqin32](#)

Email: sales02@szxgclcd.com

Web: www.xgclcd.com

P2.976 indoor rental LED display

Parameter:


LED Module		
	pixel pitch	2.976mm
	module size	250*250mm
	module resolution	84*84dots
	LED	SMD2121
	Scan	1/28scan
	Application	indoor
	Weight	0.5KG
	IC brand	Standard
	LED chip	Epistar

LED Cabinet		
	Cabinet Size	500*500mm
	Cabinet resolution	168*168 dots
	module quantity	2*2pcs
	LED power supply	G-energy
	Material	Die casting aluminum
	Receiving card	1PCS
	Power flight socket	1Set
	Signal flight socket	1Set




深圳市星光彩科技有限公司
Shenzhen Xing Guang Cai Technology Co.,Limited

LED Screen



Pixel density	112896 dots/m ²	Continuous Working Hours	>72 hours
Ave power consumption	≥280W/m ²	Using Life	100,000 hours
Max power consumption	≤800W/m ²	MTBF	>10,000H
Optimum Viewing Distance(m)	≥3m	Scatter OOC Point	<0.01%
Brightness(cd/m ²)	≥1200cd	Continuous OOC Point	None
Refresh Rate	≥1920Hz	IP Grade	IP45/IP30
LED Drive mode	Constant Current	Working Temperature	-35C----+60C
Display color	17M——69G	Working Humidity	10---70%




Super Light Technical

Narrow frame design, single cabinet thickness is only 75 mm, the weight is light only 5.5kg, easy to install and assemble, saving transportation cost.

Extreme Precision

- *Die-casting aluminum, each cabinet tolerance is only 0.01mm cabinet splicing structure, adopting alignment pin and alignment hole design.
- *Easy to connect and install, whole screen flatness and seam is less than 0.05mm
- *Handle bar design make it easier for you to move the cabinet.





深圳市星光彩科技有限公司
Shenzhen Xing Guang Cai Technology Co.,Limited



Main power cable



Main signal cable



Interconnect power cable



Interconnect signal cable



Receiving card



Power supply




short data cable



short power cable


Hanging beams:





深圳市星光彩科技有限公司 Shenzhen Xing Guang Cai Technology Co.,Limited

Connection diagram:



4.Regular packing:



5.Certifications: CE ROS FCC CCC

