

EU/UK Smart Wall Switch Product Specification



(1Gang 2Gang 3Gang 4gang)

Basic Information	
Product Series	Smart Wall Switches
Type	Smart Touch switch Panel
Gang	1Gang/2Gang/3Gang/4gang
Color	Black/white/golden
Voltage	170-240VAC 50/60Hz
Max Current	10A (Max)
Input Way	L or L+N
Wireless Standard	WIFI 2.4GHz IEEE 802.11 b/g/n or ZIGBEE 3.0
App	Tuya Smart/Smart Life
Power Rating	600W/gang
Dimension	86*86*35mm

Box Size	104*100*51mm
Gross Weight	0.18kgs
Casing Material	IPVO
Standby Power	0.5W/H
Operating systems	Android & IOS
Applicable Place	Indoor
Working Temperature	-20°C - 50°C
Lifetime:	100000 times
Certification	CE/ROHS

Features & Functions

- Wireless direct connection to control and touch control
- Support status tracking, home appliances status timely feedback to your device
- Remote control on Tuyasmart/Smartlife App via 3G/4G/WiFi
- Voice control with Amazon Alexa/Google Home
- Cut off the power timely by APP
- Scene function for automation control
- Real-time status displays on App
- Share function with family members
- Power-off memory

Application

SET SCHEDULES



Four Overload Protection

Intelligent and efficient security

 Short circuit protection
  Over temperature protection

 Overvoltage protection
  Overcurrent protection



