

























	Single color Light, Backlit LED panel light, Single color light without dial switch	
	AN-LF-RO-B6W	Light power: 6w, Ceiling round light, Product size: D121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs
	AN-LF-RO-B12W	Light power: 12w,Ceiling round light, Product size: D164x31mm,Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs
	AN-LF-RO-B18W	Light power: 18w, Ceiling round light, Product size: D216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs
	AN-LF-RO-B24W	Light power: 24w, Ceiling round light, Product size: D287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs
4 Gears of CCT adjustment (CCT), Backlit LED panel light		
	AN-LF-RO-B6W	Light power: 6w, Ceiling round light, Product size: D121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs
	AN-LF-RO-B12W	Light power: 12w,Ceiling round light, Product size: D164x31mm,Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs
	AN-LF-RO-B18W	Light power: 18w, Ceiling round light, Product size: D216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs
	AN-LF-RO-B24W	Light power: 24w, Ceiling round light, Product size: D287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs
4 Gears of CCT adjustment+ 4 gears of Power adustment (VVT+P), Backlit LED panel light		
	AN-LF-RO-B6W	Light power: 6w, Ceiling round light, Product size: D121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs
	AN-LF-RO-B12W	Light power: 12w,Ceiling round light, Product size: D164x31mm,Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs
	AN-LF-RO-B18W	Light power: 18w, Ceiling round light, Product size: D216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs
	AN-LF-RO-B24W	Light power: 24w, Ceiling round light, Product size: D287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs
Single color Light, Backlit LED panel light, Single color light without dial switch		
	AN-LF-SQ-B6W	Light power: 6w, Ceiling round light, Product size: 121x121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs
	AN-LF-SQ-B12W	Light power: 12w,Ceiling round light, Product size: 164x164x31mm,Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs

	AN-LF-SQ-B18W	Light power: 18w, Ceiling round light, Product size: 216x216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs
	AN-LF-SQ-B24W	Light power: 24w, Ceiling round light, Product size: 287x287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs
	4 Gears of CCT adjustment (CCT), Backlit LED panel light	
	AN-LF-SQ-B6W	Light power: 6w, Ceiling round light, Product size: 121x121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs
	AN-LF-SQ-B12W	Light power: 12w, Ceiling round light, Product size: 164x164x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs
	AN-LF-SQ-B18W	Light power: 18w, Ceiling round light, Product size: 216x216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs
	AN-LF-SQ-B24W	Light power: 24w, Ceiling round light, Product size: 287x287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs
	4 Gears of CCT adjustment+ 4 gears of Power adustment (VVT+P), Backlit LED panel light	
	AN-LF-SQ-B6W	Light power: 6w, Ceiling round light, Product size: 121x121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs
	AN-LF-SQ-B12W	Light power: 12w, Ceiling round light, Product size: 164x164x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs
	AN-LF-SQ-B18W	Light power: 18w, Ceiling round light, Product size: 216x216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs
	AN-LF-SQ-B24W	Light power: 24w, Ceiling round light, Product size: 287x287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs

Item	Model / Picture	Discription
		Single color Light, Backlit LED panel light, Single color light without dial switch
	AN-LF-PLRO-A6W	Light power: 6w, Recessed round light, Product size: D121x29mm, Installation size: D105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs
	AN-LF-PLRO-A12W	Light power: 12w, Recessed round light, Product size: D169x29mm, Installation size: D150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs
	AN-LF-PLRO-A18W	Light power: 18w, Recessed round light, Product size: D221x29mm, Installation size: D200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs
	AN-LF-PLRO-A24W	Light power: 24w, Recessed round light, Product size: D296x29mm, Installation size: D280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs
	4 Gears of CCT adjustment (CCT), Backlit LED panel light	
	AN-LF-PLRO-A6W	Light power: 6w, Recessed round light, Product size: D121x29mm, Installation size: D105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs
	AN-LF-PLRO-A12W	Light power: 12w, Recessed round light, Product size: D169x29mm, Installation size: D150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs
	AN-LF-PLRO-A18W	Light power: 18w, Recessed round light, Product size: D221x29mm, Installation size: D200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs
	AN-LF-PLRO-A24W	Light power: 24w, Recessed round light, Product size: D296x29mm, Installation size: D280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs
	4 Gears of CCT adjustment+ 4 gears of Power adustment (VVT+P), Backlit LED panel light	
	AN-LF-PLRO-A6W	Light power: 6w, Recessed round light, Product size: D121x29mm, Installation size: D105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs
	AN-LF-PLRO-A12W	Light power: 12w, Recessed round light, Product size: D169x29mm, Installation size: D150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs
	AN-LF-PLRO-A18W	Light power: 18w, Recessed round light, Product size: D221x29mm, Installation size: D200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs
	AN-LF-PLRO-A24W	Light power: 24w, Recessed round light, Product size: D296x29mm, Installation size: D280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs

	Single color Light, Backlit LED panel light, Single color light without dial switch	
	AN-LF-PLSQ-A6W	Light power: 6w, Recessed Square light, Product size: 121x121x29mm, Installation size: 105x105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs
	AN-LF-PLSQ-A12W	Light power: 12w, Recessed Square light, Product size: 169x169x29mm, Installation size: 150x150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs
	AN-LF-PLSQ-A18W	Light power: 18w, Recessed Square light, Product size: 218x218x29mm, Installation size: 200x200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs
	AN-LF-PLSQ-A24W	Light power: 24w, Recessed Square light, Product size: 296x296x29mm, Installation size: 280x280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs
4 Gears of CCT adjustment (CCT), Backlit LED panel light		
	AN-LF-PLSQ-A6W	Light power: 6w, Recessed Square light, Product size: 121x121x29mm, Installation size: 105x105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs
	AN-LF-PLSQ-A12W	Light power: 12w, Recessed Square light, Product size: 169x169x29mm, Installation size: 150x150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs
	AN-LF-PLSQ-A18W	Light power: 18w, Recessed Square light, Product size: 218x218x29mm, Installation size: 200x200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs
	AN-LF-PLSQ-A24W	Light power: 24w, Recessed Square light, Product size: 296x296x29mm, Installation size: 280x280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs
4 Gears of CCT adjustment+ 4 gears of Power adustment (VVT+P), Backlit LED panel light		
	AN-LF-PLSQ-A6W	Light power: 6w, Recessed Square light, Product size: 121x121x29mm, Installation size: 105x105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs
	AN-LF-PLSQ-A12W	Light power: 12w, Recessed Square light, Product size: 169x169x29mm, Installation size: 150x150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs
	AN-LF-PLSQ-A18W	Light power: 18w, Recessed Square light, Product size: 218x218x29mm, Installation size: 200x200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs
	AN-LF-PLSQ-A24W	Light power: 24w, Recessed Square light, Product size: 296x296x29mm, Installation size: 280x280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs

Quotation No.



GYLED 光宇照明

Aina Lighting 安纳®




Aina Lighting Technologies (Shanghai) Co.,Ltd






Email: aileen.zhao@gy-aina.com






Tel: 86 13601315491





Add: Rm 606, Building 9, No. 198, Changcui Road, Beijing, Changping, China










Sales	Customer Company	Contact	Email/Whatsapp	Country	Trade Term	Date	Vali
Aileen							


Item	Model / Picture	Discription	Quantity	
		Single color Light, Backlit LED panel light, Single color light without dial switch		AC220-240V Linear (1Y
	AN-LF-PLRO-A6W	Light power: 6w, Recessed round light, Product size: D121x29mm, Installation size: D105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs		\$0.58
	AN-LF-PLRO-A12W	Light power: 12w, Recessed round light, Product size: D169x29mm, Installation size: D150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs		\$0.89
	AN-LF-PLRO-A18W	Light power: 18w, Recessed round light, Product size: D221x29mm, Installation size: D200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs		\$1.27
	AN-LF-PLRO-A24W	Light power: 24w, Recessed round light, Product size: D296x29mm, Installation size: D280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs		/
		4 Gears of CCT adjustment (CCT), Backlit LED panel light		AC180-265V IC DOB (2Y warranty)
	AN-LF-PLRO-A6W	Light power: 6w, Recessed round light, Product size: D121x29mm, Installation size: D105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs		\$0.98
	AN-LF-PLRO-A12W	Light power: 12w, Recessed round light, Product size: D169x29mm, Installation size: D150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs		\$1.31

	AN-LF-PLRO-A18W	Light power: 18w, Recessed round light, Product size: D221x29mm, Installation size: D200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs		\$1.78
	AN-LF-PLRO-A24W	Light power: 24w, Recessed round light, Product size: D296x29mm, Installation size: D280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs		\$2.55
4 Gears of CCT adjustment+ 4 gears of Power adjustment (VVT+P), Backlit LED panel light				AC180-265V IC DOB (2Y warranty)
	AN-LF-PLRO-A6W	Light power: 6w, Recessed round light, Product size: D121x29mm, Installation size: D105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs		\$1.07
	AN-LF-PLRO-A12W	Light power: 12w, Recessed round light, Product size: D169x29mm, Installation size: D150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs		\$1.40
	AN-LF-PLRO-A18W	Light power: 18w, Recessed round light, Product size: D221x29mm, Installation size: D200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs		\$1.87
	AN-LF-PLRO-A24W	Light power: 24w, Recessed round light, Product size: D296x29mm, Installation size: D280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs		\$2.64
Single color Light, Backlit LED panel light, Single color light without dial switch				AC220-240V Linear (1Y)
	AN-LF-PLSQ-A6W	Light power: 6w, Recessed Square light, Product size: 121x121x29mm, Installation size: 105x105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs		\$0.60
	AN-LF-PLSQ-A12W	Light power: 12w, Recessed Square light, Product size: 169x169x29mm, Installation size: 150x150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs		\$0.92
	AN-LF-PLSQ-A18W	Light power: 18w, Recessed Square light, Product size: 218x218x29mm, Installation size: 200x200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs		\$1.30

	AN-LF-PLSQ-A24W	Light power: 24w, Recessed Square light, Product size: 296x296x29mm, Installation size: 280x280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs		/
4 Gears of CCT adjustment (CCT), Backlit LED panel light				AC180-265V IC DOB (2Y warranty)
	AN-LF-PLSQ-A6W	Light power: 6w, Recessed Square light, Product size: 121x121x29mm, Installation size: 105x105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs		\$1.01
	AN-LF-PLSQ-A12W	Light power: 12w, Recessed Square light, Product size: 169x169x29mm, Installation size: 150x150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs		\$1.38
	AN-LF-PLSQ-A18W	Light power: 18w, Recessed Square light, Product size: 218x218x29mm, Installation size: 200x200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs		\$1.81
	AN-LF-PLSQ-A24W	Light power: 24w, Recessed Square light, Product size: 296x296x29mm, Installation size: 280x280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs		\$2.67
4 Gears of CCT adjustment+ 4 gears of Power adustment (VVT+P), Backlit LED panel light				AC180-265V IC DOB (2Y warranty)
	AN-LF-PLSQ-A6W	Light power: 6w, Recessed Square light, Product size: 121x121x29mm, Installation size: 105x105, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x36x26.5cm/80 pcs		\$1.10
	AN-LF-PLSQ-A12W	Light power: 12w, Recessed Square light, Product size: 169x169x29mm, Installation size: 150x150, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x36x36cm/60 pcs		\$1.47
	AN-LF-PLSQ-A18W	Light power: 18w, Recessed Square light, Product size: 218x218x29mm, Installation size: 200x200, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x36x46.5cm/40 pcs		\$1.90

	AN-LF-PLSQ-A24W	Light power: 24w, Recessed Square light, Product size: 296x296x29mm, Installation size: 280x280, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 61x36x31.5cm/20 pcs		\$2.74
	Single color Light, Backlit LED panel light, Single color light without dial switch			AC220-240V Linear (1Y warranty)
	AN-LF-RO-B6W	Light power: 6w, Ceiling round light, Product size: D121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs		\$0.62
	AN-LF-RO-B12W	Light power: 12w, Ceiling round light, Product size: D164x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs		\$0.93
	AN-LF-RO-B18W	Light power: 18w, Ceiling round light, Product size: D216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs		\$1.31
	AN-LF-RO-B24W	Light power: 24w, Ceiling round light, Product size: D287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs		/
	4 Gears of CCT adjustment (CCT), Backlit LED panel light			AC180-265V IC DOB (2Y warranty)
	AN-LF-RO-B6W	Light power: 6w, Ceiling round light, Product size: D121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs		\$1.02
	AN-LF-RO-B12W	Light power: 12w, Ceiling round light, Product size: D164x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs		\$1.35
	AN-LF-RO-B18W	Light power: 18w, Ceiling round light, Product size: D216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs		\$1.82
	AN-LF-RO-B24W	Light power: 24w, Ceiling round light, Product size: D287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs		\$2.59
	4 Gears of CCT adjustment+ 4 gears of Power adjustment (VVT+P), Backlit LED panel light			AC180-265V IC DOB (2Y warranty)

	AN-LF-RO-B6W	Light power: 6w, Ceiling round light, Product size: D121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs		\$1.01
	AN-LF-RO-B12W	Light power: 12w,Ceiling round light, Product size: D164x31mm,Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs		\$1.43
	AN-LF-RO-B18W	Light power: 18w, Ceiling round light, Product size: D216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs		\$1.90
	AN-LF-RO-B24W	Light power: 24w, Ceiling round light, Product size: D287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs		\$2.68
Single color Light, Backlit LED panel light, Single color light without dial switch				AC220-240V Linear (1Y)
	AN-LF-SQ-B6W	Light power: 6w, Ceiling round light, Product size: 121x121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs		\$0.63
	AN-LF-SQ-B12W	Light power: 12w,Ceiling round light, Product size: 164x164x31mm,Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs		\$0.95
	AN-LF-SQ-B18W	Light power: 18w, Ceiling round light, Product size: 216x216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs		\$1.32
	AN-LF-SQ-B24W	Light power: 24w, Ceiling round light, Product size: 287x287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs		/
4 Gears of CCT adjustment (CCT), Backlit LED panel light				AC180-265V IC DOB (2Y warranty)
	AN-LF-SQ-B6W	Light power: 6w, Ceiling round light, Product size: 121x121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs		\$1.02
	AN-LF-SQ-B12W	Light power: 12w,Ceiling round light, Product size: 164x164x31mm,Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs		\$1.41

	AN-LF-SQ-B18W	Light power: 18w, Ceiling round light, Product size: 216x216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs		\$1.84
	AN-LF-SQ-B24W	Light power: 24w, Ceiling round light, Product size: 287x287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs		\$2.67
	4 Gears of CCT adjustment+ 4 gears of Power adustment (VVT+P), Backlit LED panel light			AC180-265V IC DOB (2Y warranty)
	AN-LF-SQ-B6W	Light power: 6w, Ceiling round light, Product size: 121x121x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 51.5x38x26.5cm/80 pcs		\$1.12
	AN-LF-SQ-B12W	Light power: 12w,Ceiling round light, Product size: 164x164x31mm,Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 53x38x36cm/60 pcs		\$1.50
	AN-LF-SQ-B18W	Light power: 18w, Ceiling round light, Product size: 216x216x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 46x38x46.5cm/40 pcs		\$1.93
	AN-LF-SQ-B24W	Light power: 24w, Ceiling round light, Product size: 287x287x31mm, Ra:80, PF: 0.5, LPW: 70-80lm/w, Carton: 60x38x30.5cm/20 pcs		\$2.75
			Total	

Remark

For normal orders: 30% down payment, 70% before shipment. Delivery: 20 days after receive 30% down payment

1、 Function description of 3 CCT dial

Four options of color temperature dial:

(1) White Light-6500K

(2) Natural White-4000K

(3) Warm White-3000K

(4) Automatic switch control dimming light color

Four options of dial power:

(1) 100% power

(2) 80% power

(3) 60% power

(4) 40% power

2、 The switch control dimming memory function increases by 0.15USD

3、 Increase laser marks by 0.03USD/Pcs

4、 Special requirements or adding labels to the color box/outer cartons will be charged separately

\$1.82	
\$2.61	
AC110-265V IC DOB (2Y)	
\$1.08	
\$1.42	
\$1.92	
\$2.70	
AC180-265V IC DOB (2Y warranty)	AC110-265V IC DOB (2Y)
\$0.70	0.71
\$0.98	1.01
\$1.35	1.4

\$2.12
AC110-265V IC DOB (2Y warranty)
\$1.02
\$1.41
\$1.85
\$2.72
AC110-265V IC DOB (2Y)
\$1.11
\$1.50
\$1.95

2.17

\$2.81	
AC180-265V IC DOB (2Y warranty)	AC110-265V IC DOB (2Y warranty)
\$0.70	0.71
\$0.96	0.99
\$1.35	1.41
\$2.02	2.1
AC110-265V IC DOB (2Y warranty)	
\$1.04	
\$1.37	
\$1.89	
\$2.65	
AC110-265V IC DOB (2Y)	

\$1.11	
\$1.46	
\$1.99	
\$2.72	
AC180-265V IC DOB (2Y warranty)	AC110-265V IC DOB (2Y
\$0.72	0.73
\$1.01	1.02
\$1.38	1.43
\$2.12	2.18
AC110-265V IC DOB (2Y warranty)	
\$1.04	
\$1.44	

\$1.89
\$2.73
AC110-265V IC DOB (2Y)
\$1.14
\$1.52
\$1.98
\$2.81

