78 Keys POS Keyboard

(Model Number: KB78)



Key Features

- With 78 switches,good tactile feeling.
- With guide-array,patent design.
- With internal strong metal plate to enhance the protection against ESD is increased.
- Provide double output standard keyboard output cable length of alternative 1.5 m.
- Available in USB and PS/2 Interface.

Programmable Features

- All keys can be programmed with 255 characters.
- Provides multi-level programming.
- Provides for a variable time delay, of 0.5sec per interval.
- Provides true keyboard wedge function that operates with or without the normal computer keyboard connected.
- Support USB programming in Win7/Me/XP/9X,DOS and Linux.
- All programmed date are stored in the keyboard EEPROM.

MagStripe Reader Features

- Comply with ISO 7812,IBM standards.
- Support programmable MSR setting for the header,tailor,separator,suffix and prefix.
- Track 1:210BPI with max 76 characters.
- Track 2:210BPI with max 107 characters or 75BPI with max 37 characters.
- Track 3:210BPI with max 107 characters .
- Card swipe speed: 10 to 180 cm/s.
- Optional 1/2/3 rail card reader.

Keylock

- 6 segment electronic keylock.
- Come with three keys of different positions.
- 25,000 turning lifecycles.

Technical Data

[Electronics]
Power supply
USB:+5V±0.2V
PS/2:+5V/DC±10%
Current input
USB: < 100mA
PS/2: < 100mA
MTBF :50,000 hours

[Mechanical]

Total travel:4 - 0.5mm
Pre-travel:2 ± 0.6mm
Peak load before make:60±20cN
Key lifecyle: 12,000,000 strokes
Magnetic head lifecycle: 500,000 swipes.

[Others]

Storage temperature: -20℃ to +55℃
Operating temperature: 0℃ to±50℃
Operating humidity: 20% to 90%
Dimension (L×W×H, mm):280×175×45
Weight (g): 880g

Shipping:

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR Way: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port

Payment:

1. T/T
2. Western Union
3. Paypal
4. Escrow