

WINSTARS®		Winstars Product Specifications			Version		V1.1				
					Page		1/1				
		Model		WS-UG69DK5			Date		2017.08.01		
		Name		USB-C 4K Ultra HD Universal Docking Station			Writer		chen		
Picture tupia 图片					Features: 特点						
					1. USB3.1Gen1 Type-C and Standard-A connectors compatible both Type-C and Type-A Laptop 2. Build in USB 3.0 GPU, Plug and Display Certified by DisplayLink 3. 2 x DP++ (Dual Mode DP1.2) and 2 x HDMI (Version 2.0) support resolution up to (4K)4096 x 2160p6 4. Support resolution 5k)5120 x 2880p60 when only using one DP++ port 5. Support Extend and Mirror Video Mode. 5.1 Channel surround-sound through Display Port interface 7 Gigabit Ethernet network RJ-45 backward 10/100 Ethernet 8. Audio Line-out for Earphone and Line-In Microphone Audio Jack (TRRS) 9. 3 x Type-A + 2 x Type-C ports compatible all USB 3.0 and USB 2.0 devices,						
Title 标题											
USB-C 4K Ultra HD Multiple-Display Universal Docking Station for Type-C and Type-A Desktop or Laptop PC											
Description 介绍					Package content 标配		SYSTEM REQUIREMENT: 系统配置				
Unique plastic wire matte vertical design, The new USB Type-C connector works seamlessly with this Ultra HD 4K Universal Docking Station. It can connect to any host with Standard A or Type C connectors providing a fully backward-compatible and future-proof docking solution. Allow you to connect up to two additional monitors and seven accessories through a single USB cable. Including the latest drivers for compatibility with Windows 10, 8.1 and 7 or Apple Mac OS					1x USB-C Universal Docking station 1x USB3.0 C to C Cable 1x USB3.0 A to C Cable 1x User Manual 1x Software Installation CD 1x DC20V Certified Power Adapter		(Full-Screen Video Playback) CPU Processor: Core i7 RAM: 4GB				
Specification 规格											
Hardware 硬件				Functions 功能			Exterior 外观				
Ports		1 x Upstream Type-C port; DC I/P Jack; 2 x DP and 2 x HDMI; 3 x USB3.0 Type-A ports and 2 x USB3.1 Gen.1 Type-C ports; Earphone / Microphone Jack; RJ45; LED		Working Standards		1. Hub running at USB3.0 speed 2. Either DP or HDMI provided 2 video 0/P 3. Ethernet running at Gigabit 4. 2.0 Audio		Color		Black	
Button		NiL						Power Cable		1000MM black	
LED		Blue Color LED						Data Cable		Black	
Chipset		DL6950 VL813 GL3523									
Flash		8MB		Operating System Support		Microsoft Windows & Apple Mac OS					
SDRAM		256Mx16 DDR3 x 2pcs, 8GB									
Power Supply		DC20V/2A									
Power Plug		US/EU/UK or by request		Max Pixels		5120*2880p60					
Power Consumption		40Watt (Full loading)		Max. charing current		BC1.2 USB fast Charge					
Rated Voltage/ requency		100~240 AC. 50/60Hz, 0.2A Max , CLASS II									
Dimensions 尺寸				Certification 证书							
Unit Dimensions		150 X 80 X 195MM (L x H x W)		CE-EMC		Design in but Cert. by request					
Weight		裸机300g;		CE-RTTE		" " " " "					
Housing Material		Pastic ABS		CE-LVD		" " " " "					
Shell color		Black		FCC DOC		Design in but Cert. by request					
Package Dimensions		230 x 160 x 120(L x H x W)		FCC ID		" " " " "					
Environmental 环境				ROHS		Design in but Cert. by request					
Operating Temperature		0°C~40°C		Reach		Design in but Cert. by request					
Storage Temperature		-10~70°C		3C		Design in but Cert. by request					
Relative Humidity(Operational)				10%~90%,noncondensing		Others 其他					
Relative Humidity(Storage)				10%~90%,noncondensing		Method		See User Manual			
Drop test (1 Meters)				5 st		Performance		See Test Report			
Cycle work (hours)				24H		Reliability		See Test Report			





VS



Form Factor	Desktop Horizontal Type	Desktop Vertical Type
USB3.0 Type-A	6	3
USB3.1 Gen.1 Type-C	NIL	2 (2 with BC1.2 Fast Charging)
Audio Jack	2 Mic & SPk TRS(3 pole)	1 Mic & Spk TRS(4 pole)

Remark: Others interface and accessories are same



Interface	5K 5120x2880p60	4K 4096x2160p60 3840x2160p60	2K 2560x1600p60 2560x1440p60	1K FHD	MST	
					2K	FHD
DP1	✓	✓	✓	✓	2x	4x
DP2		✓	✓	✓	2x	4x
HDMI1		✓	✓	✓	NA	NA
HDMI2		✓	✓	✓	NA	NA

