

Picture						
Model	CR50	CR51	CR52	CR55	CR53	U1
DDR/RAM	1GB	1GB	1GB	1GB	2GB	3GB
EMMC/ROM	8GB	8GB	8GB	8GB	32GB	64GB
OS	Android 9.0	Android 9.0	Android 9.0	Android 9.0	Android 9.0	Android 12
Projection technology	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD
Average screen brightness	250ANSI lumen	300ANSI lumen	300ANSI lumen	450ANSI lumen	800ANSI lumen	800ANSI lumen
Display Contrast Ratio	1000:1	1000:1	1000:1	1500:1	1500:1	1500:1
Life of LED bulb	30,000 hours	30,000 hours	30,000 hours	30,000 hours	30,000 hours	30,000 hours
Native resolution of projection	1920*1080P	1920*1080P	1920*1080P	1920*1080P	1920*1080P	3840*2160P
Aspect Ratio	Default 16:9	Default 16:9	Default 16:9	Default 16:9	Default 16:9	Default 16:9
Projection distance	1.12-3.37 meters (40-120 inch)	1.12-3.37 meters (40-120 inch)	1.12-3.37 meters (40-120 inch)	1.1-3.5 meters(40-120inch)	1.5-3.5m meters (55- 150inch)	1.5-3.5m meters (55- 150inch)
Projection ratio	1.27:1	1.27:1	1.27:1	1.2:1	1.26:1	1.27:1
Image Correction	Automatic/Electric	Automatic/Electric	Automatic/Electric	Autonaic/Electric	Automatic/Electric	Automatic/Electric
Focus	Automatic/Electric	Automatic/Electric	Automatic/Electric	Autonaic/Electric	Automatic/Electric	Automatic/Electric
WIFI	2.4G&5G	2.4G&5G	2.4G&5G	2.4G&5G	2.4G&5G	2.4G&5G
BT	BT5.0	BT5.0	BT5.0	BT5.0	BT5.0	BT5.0
Speaker	4Ω/3W *2	4Ω/3W *2	4Ω/3W *2	4Ω 3W*2	4Ω 5W*2	4Ω 8W*2
Connections	1*AC, 1*USB2.0, 1*HDMI1.4 (Support ARC), 1*AUX	1*AC, 1*USB2.0, 1*HDMI1.4 (Support ARC), 1*AUX	1*AC, 1*USB2.0, 1*HDMI1.4 (Support ARC), 1*AUX	1*AC, 1*USB2.0, 1*HDMI1.4 (Support ARC), 1*AUX	1*DC, 1*USB, 1*HDMI, 1*AV/AUX	1*AC, 2*USB2.0, 2*HDMI2.1(Supported eARC), 1*RJ45, 1*AUX
Working voltage	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz
Power consumption	65W	65W	65W	100W	120W	200W
Battery capacity	No battery	No battery	No battery	No battery	No battery	No battery
Noise level	30db	30db	30db	30db	35db	35db
Product size	228*122*106mm	110*136*188mm	209*207*83mm	206*118*159mm	195*223.5*150mm	270*260*155mm
Net Weight	1.0kg	1.0kg	1.1kg	1.3kg	2.8kg	3.5kg
Accessories	1*Projector, 1*User Manual,1*Power Cable, 1* Remote Control	1*Projector, 1*User Manual,1*Power Cable, 1* Remote Control	1*Projector 1*User Manual, 1*Power cable, 1*Remote Control	1*Projector 1*User Manual, 1*Power cable, 1*Remote Control	1*Projector, 1*User Manual,1*Power Line, 1*Remote Control	1*Projector, 1*User Manual,1*Power Line, 1*Remote Control
Packing info	Will update later	Will update later	Will update later	Will update later	Will update later	Will update later

Picture						
Model	CR32	CR35	CR38	CR36	CR30	CR67
DDR/RAM	1GB	1GB	1GB	1GB	1GB	1GB

EMMC/ROM	32GB	16GB	8GB	8GB	8GB	8GB
OS	Android 9.0	Android 9.0	Android 9.0	Android 9.0	Android 9.0	Android 9.0
Projection technology	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD
Average screen brightness	750ANSI lumen	300ANSI lumen	400ANSI lumen	900ANSI lumen	200ANSI lumen	1200ANSI lumen
Display Contrast Ratio	2000:1	1500:1	2000:1	2500:1	1200:1	2500:1
Life of LED bulb	30,000 hours	30,000 hours	30,000 hours	30,000 hours	30,000 hours	30,000 hours
Native resolution of projection	1920*1080P	1920*1080P	1920*1080P	1920*1080P	1280*720P	1920*1080P
Aspect Ratio	Default 16:9	Default 16:9	Default 16:9	Default 16:9	Default 16:9	Default 16:9
Projection distance	1.1-4.5 meters(45-120 inch)	1.1-3.5 meters(30-120 inch)	1.1-3.3 meters(40-120 inch)	1.1-3.3 meters(40-120 inch)	1.1-3.5 meters(40-120inch)	1.5-3.5m meters (55- 150inch)
Projection ratio	1.25:1	1.37:1	1.25:1	1.23:1	1.44:1	1.23:1
Image Correction	Automatic/Electric	Manual/Electric	Automatic/Electric	Automatic/Electric	Autonaic/Electric	Automatic/Electric
Focus	Automatic/Electric	Manual/Electric	Automatic/Electric	Automatic/Electric	Autonaic/Electric	Automatic/Electric
WIFI	2.4G/5G	2.4G	2.4G/5G	2.4G/5G	2.4G/5G	2.4G/5G
BT	BT4.0	BT4.0	BT4.2	BT5.0	BT4.2	BT5.0
Speaker	4Ω 5W*2	4Ω/3W *2	4Ω 3W*2	4Ω 5W*2	4Ω 3W*1	4Ω 5W*2
Connections	1*power, 1*USB, 1*HDMI, 1*AV&AUX	1*power, 1*USB, 1*HDMI, 1*AV&AUX	1*power, 1*USB, 1*HDMI, 1*AV&AUX	1*power, 1*USB, 1*HDMI, 1*AV&AUX	1*power, 1*USB, 1*HDMI, 1*AV&AUX	1*DC, 1*USB, 1*HDMI, 1*AV/AUX
Working voltage	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz
Power consumption	95W/120W	57W	60W	180W	45W	150W
Battery capacity	5200mah built-in battery is optional	2600mah built-in battery is optional	No battery	No battery	No battery	No battery
Noise level	30db	32db	35db	40db	25db	40db
Product size	183*130*210mm	110*140*150mm	141*125*192mm	214*141*219mm	128*100*157mm	214* 141*219mm
Net Weight	1.6kg	950g	1.1kg	2.1kg	800g	2.8kg
Accessories	1*Projector, 1*User Manual, 1*19V Power adapter ,1*Power Cable, 1* Remote Control	1*Projector, 1*User Manual, 1*19V Power adapter ,1*Power Cable, 1* Remote Control	1*Projector 1*User Manual, 1*Power cable, 1*Remote Control	1*Projector, 1*User Manual, 1*Power cable, 1*Remote Control	1*Projector 1*User Manual, 1*Power cable, 1*Remote Control	1*Projector, 1*User Manual, 1*24V Power Adapter ,1*Power Line, 1*Remote Control
Packing info	4PCS/CTN G.W: 13KG/CTN Size: 64.5*37.4*28cm/CTN	8PCS/CTN G.W: 14.6KG/CTN Size: 43.5*36.5*41.5cm/CTN	6PCS/CTN G.W: 12.5KG/CTN Size: 54.5x46.5x25 cm/CTN	4PCS/CTN G.W: 18.5KG/CTN Size: 71.6*41*31cm/CTN	6PCS/CTN G.W: 13KG/CTN Size: 51*41.5*21.5/CTN	4PCS/CTN G.W: 21.6KG/CTN Size: 60*55*33.5/CTN

Picture						
Model	CR33PRO	CR33	CR52PRO	CR38PRO	CR53PRO	
DDR/RAM	1GB	1GB	1GB	1GB	2GB	
EMMC/ROM	16GB	16GB	16GB	16GB	32GB	
OS	Android 9.0	Android 9.0	Android 9.0	Android 9.0	Android 9.0	
Projection technology	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	Full sealed & Dustproof LCD	

Average screen brightness	300ANSI lumen	300ANSI lumen	300ANSI lumen	400ANSI lumen	800ANSI lumen	
Display Contrast Ratio	1000:1	1000:1	1000:1	2000:1	1500:1	
Life of LED bulb	30,000 hours	30,000 hours	30,000 hours	30,000 hours	30,000 hours	
Native resolution of projection	1920*1080P	1920*1080P	1920*1080P	1920*1080P	1920*1080P	
Aspect Ratio	Default 16:9	Default 16:9	Default 16:9	Default 16:9	Default 16:9	
Projection distance	1.12-3.37 meters (50-120 inch)	1.12-3.37 meters (50-120 inch)	1.12-3.37 meters (50-120 inch)	1.1-3.3 meters(40-120 inch)	1.5-3.5m meters (50- 150inch)	
Projection ratio	1.25:1	1.27:1	1.27:1	1.25:1	1.26:1	
Image Correction	Automatic/Electric	Automatic/Electric	Automatic/Electric	Automatic/Electric	Automatic/Electric	
Focus	Automatic/Electric	Automatic/Electric	Automatic/Electric	Automatic/Electric	Automatic/Electric	
WIFI	2.4G&5G	2.4G&5G	2.4G&5G	2.4G&5G	2.4G&5G	
BT	BT5.3	BT5.3	BT5.3	BT5.3	BT5.3	
Speaker	4Ω/5W *1	4Ω/5W *1	4Ω/5W *1	4Ω 3W*2	4Ω 5W*2	
Connections	1*AC, 1*USB2.0, 1*HDMI1.4 (Support ARC), 1*AUX	1*AC, 1*USB2.0, 1*HDMI1.4 (Support ARC), 1*AUX	1*AC, 1*USB2.0, 1*HDMI1.4 (Support ARC), 1*AUX	1*power, 1*USB, 1*HDMI, 1*AV&AUX	1*DC, 1*USB, 1*HDMI, 1*AV/AUX	
Working voltage	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz	AC 100-240V /50-60hz	
Power consumption	65W	65W	65W	65W	120W	
Battery capacity	No battery	No battery	No battery	No battery	No battery	
Noise level	30db	30db	30db	28db	30db	
Product size	139*145*235(With gimbal)	142*142*230(With gimbal)	238*191*197(With gimbal)	206*157.4*127mm	238*214*197 (With gimbal)	
Net Weight	1.37KG	1.45KG	1.5KG	1.54KG	3.0KG	
Accessories	1*Projector, 1*User Manual,1*Power Cable, 1* Remote Control	1*Projector, 1*User Manual,1*Power Cable, 1* Remote Control	1*Projector 1*User Manual, 1*Power cable, 1*Remote Control	1*Projector 1*User Manual, 1*Power cable, 1*Remote Control	1*Projector, 1*User Manual,1*Power Line, 1*Remote Control	
Packing info	Will update later	Will update later	Will update later	Will update later	Will update later	