












**SHENZHEN MOTTO ELECTRONICS CO., LTD**

Address: Floor 2, Building D, No. 71-4 Of Xintian Avenue,  
Fuyong St., Baoan Dist., 518103 Shenzhen, Guangdong, China  
Tel: +86-755-27673958 ; Fax: +86-755-290802109 www.motto4u.com

**Kids GPS Smart Watch Quotation**

MODEL	IMAGES	DESCRIPTIONS	
<b>TD-11</b> (Private Mouth) <b>NEW</b>		Screen	1.44 inch Colorful Touch screen ,Pixel 240x240
		OS	Android 4.2
		Solution	MTK 6572AW,1.2GHz
		GPS	MTK 6627.L1, 1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WiFi	Wireless 802.11 b/g/n
		Memory	RAM: 256M; ROM: 512M
		Location	GPS, AGPS, LBS, WIFI
		Network	GSM 850/900/1800/1900 WCDMA 850/1900 or 900/2100
		SIM card	Nano SIM card
		Calling	3 SOS + 15 phone number
		SOS	Support
		G-sensor	Support (in three axis)
		Remote monitoring	Support
		Anti-take off alarm	Support(built-in optical sensor)
Camera	0.3MP pixels		
Battery	Lithium battery 550mAH, working life 2.5 days		
Dimension	56.5*43.7*16.5mm		
Accessories	USB Charge cable (Pogo pin) and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
<b>TD-07</b>		Screen	1.54 inch Colorful Touch IPS screen,Pixel 240x240
		OS	Android 4.2
		Solution	MTK 6572AW,1.2GHz
		GPS	MTK 6627.L1, 1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WiFi	Wireless 802.11 b/g/n
		Memory	RAM: 256M; ROM: 512M
		Location	GPS, AGPS, LBS, WIFI
		Network	GSM 850/900/1800/1900 WCDMA 850/1900 or 900/2100
		SIM card	Micro SIM card
		Calling	3 SOS + 15 phone number
		SOS	Support
		G-sensor	Support (in three axis)
		Remote monitoring	Support
		Camera	0.3MP pixels
Battery	Lithium battery 650mAH, working life 2.5 days		
Dimension	57.3*43*16.5mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
<b>TD-07S</b>		Screen	1.4 inch Touch Colorful HD display ,Pixel 240x240
		OS	Android 4.2
		Solution	MTK6572A, 1.2GHZ
		GPS	MTK6627.L1,1575.42MHZ C/A code
		AGPS	GPRS Class12,location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WiFi	Wireless 802.11 b/g/n
		Memory	RAM: 256M; ROM: 512M
		Location	GPS, AGPS, LBS, WIFI
		Network	GSM 850/900/1800/1900 WCDMA 850/1900 or 900/2100
		SIM card	Nano SIM card
		Calling	3 SOS + 15 phone number
		SOS	Support
		G-sensor	Support (in three axis)
		Remote monitoring	Support
		Camera	0.3MP pixels
Battery	Lithium battery 600mAH, working life 2.5 days		
Dimension	54.5*41.5*15.5mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
<b>T16</b> <b>NEW</b>		Screen	1.44 inch Touch Colorful display,Pixel240*240
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1,1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WiFi	Wireless 802.11 b/g/n
		Memory	RAM: 32M; ROM: 32M
		Location	LBS,GPS,AGPS, WIFI
		Network	GSMS850/900/1800/1900
		SIM card	Micro SIM card.
		Calline	3 SOS + 10 phone number
		SOS	Support
		Camera	0.08MP
		G-sensor	Support (in three axis)
		Flashlight	LED, Supported
Remote monitoring	Support		
Battery	Lithium battery 400mAH, working life 2.5 days		
Dimension	53.8*41.3*15mm		
Accessories	USB Charge cable (Pogo pin) and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		

MODEL	IMAGES	DESCRIPTIONS	
TD-06S (Private Mould)	 	Screen	1.3 inch IPS Touch Colorful display ,Pixel 240*240
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1,1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		GPS Accuracy	50m
		LBS Accuracy	500m
		Memory	RAM: 32M; ROM: 32M
		Location	LBS,GPS,AGPS,(TD-06W-WIFI in option)
		Network	GSM850/900/1800/1900
		SIM card	Micro SIM card
		Calling	3 SOS + 10 phone number
		SOS	Support
Camera	0.08MP		
G-sensor	Support (in three axis)		
Remote monitoring	Support		
Battery	Lithium battery 400mAH, working life 2.5 days		
Dimension	50.7*40.5*15.5mm		
Accessories	USB Charge cable (Pogo pin) and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
TD-02S (Private Mould)	 	Screen	1.3 inch IPS Touch Colorful display ,Pixel 240*240
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS/BeiDou	MTK2503.BD2, 1561.098MHZ/L1, L1, 1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WIFI	Wireless 802.11 b/g/n
		Location	GPS, AGPS, LBS, WIFI
		Memory	RAM: 32M; ROM: 32M
		Network	GSM850/900/1800/1900
		SIM card	Micro SIM card
		Calling	3 SOS + 15 phone number
Anti-take off alarm	Support(built-in optical sensor)		
SOS	Support		
G-sensor	Support (in three axis)		
Remote monitoring	Support		
Battery	Lithium battery 400mAH, working life 2.5 days		
Dimension	52*38.7*16.5mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
TD-08W (Private Mould)	 	Screen	1.44 inch Touch HD display ,Pixel 240*240
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1,1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WIFI	Wireless 802.11 b/g/n
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS, WIFI
		Network	GSM850/900/1800/1900
		SIM card	Micro SIM card
		Calling	3 SOS + 10 phone number
Camera	0.08MP		
Flashlight	Support		
SOS	Support		
G-sensor	Support (in three axis)		
Remote monitoring	Support		
Battery	Lithium battery 400mAH, working life 2.5 days		
Dimension	L52.8*W40.5*H15.2MM		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
TD-21 (Private Mould) NEW	 	Screen	1.3 inch round IPS display ,Pixel 240*240
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1,1575.42MHZ C/A code
		AGPS	GPRS Class12,location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WIFI	Wireless 802.11 b/g/n
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS, WIFI
		Network	GSM850/900/1800/1900
		SIM card	Micro SIM card
		Calling	3 SOS + 15 phone number
Camera	0.08MP		
Flashlight	Support		
Anti-take off alarm	Support(built-in optical sensor)		
SOS	Support		
G-sensor	Support (in three axis)		
Remote monitoring	Support		
Battery	Lithium battery 400mAH, Standby 2.5 days		
Dimension	55.5*43.5*15.5mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
S02	<p><b>New Model Round Screen</b></p>  	Screen	1.4 inch round display ,Pixel 240*240
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1,1575.42MHZ C/A code
		AGPS	GPRS Class12,location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WIFI	Wireless 802.11 b/g/n
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS, WIFI
		Network	GSM850/900/1800/1900
		SIM card	Nano SIM card
		Calling	3 SOS + 15 phone number
Camera	0.08MP		
Flashlight	Support		
Anti-take off alarm	Support(built-in optical sensor)		
SOS	Support		
G-sensor	Support (in three axis)		
Remote monitoring	Support		
Battery	Lithium battery 400mAH, Standby 2.5 days		
Dimension	55.5*43.5*15.5mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		

MODEL	IMAGES	DESCRIPTIONS	
TD-15 NEW		Screen	0.96 inch color display ,Pixel 64*128
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1.1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		GPS Accuracy	50m
		LBS Accuracy	500m
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS
		Network	GSM850/900/1800/1900
		SIM card	Mirco SIM card
		Calling	3 SOS + 10 phone number
		Anti-take off alarm	Support(built-in optical sensor)
		SOS	Support
		G-sensor	Support (in three axis)
		Remote monitoring	Support
Battery	Lithium battery 350mAH, working life 2 days		
Dimension	55*34.5*14.3mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
G300		Screen	0.96 inch <b>OLED</b> display ,Pixel 64*128
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1.1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		GPS Accuracy	50m
		LBS Accuracy	500m
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS
		Network	GSM850/900/1800/1900
		SIM card	Mirco SIM card
		Calling	3 SOS + 10 phone number
		Anti-take off alarm	Support(built-in optical sensor)
		SOS	Support
		G-sensor	Support (in three axis)
		Remote monitoring	Support
Battery	Lithium battery 400mAH, working life 2.5 days		
Dimension	55*34.5*13.5mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
G900A		Screen	1.44 inch Touch color display ,Pixel 128*128
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	GPS MTK2503, L1.1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		GPS Accuracy	50m
		LBS Accuracy	500m
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS
		Network	GSM850/900/1800/1900
		SIM card	Mirco SIM card
		Calling	3 SOS + 10 phone number
		Camera	0.08MP
		Flashlight	Support
		SOS	Support
		G-sensor	Support (in three axis)
Remote monitoring	Support		
Battery	Lithium battery 400mAH, working life 2.5 days		
Dimension	53*39*15.5mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
G900S		Screen	1.44 inch Touch color display ,Pixel 128*128
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	GPS MTK2503, L1.1575.42MHZ C/A code
		AGPS	GPRS Class12, location time 26 seconds
		GPS Accuracy	50m
		LBS Accuracy	500m
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS, (WIFI in option)
		Network	GSM850/900/1800/1900
		SIM card	Mirco SIM card
		Calling	3 SOS + 10 phone number
		Anti-take off alarm	Support(built-in optical sensor)
		Flashlight	Support
		SOS	Support
		G-sensor	Support (in three axis)
Remote monitoring	Support		
Battery	Lithium battery 400mAH, working life 2.5 days		
Dimension	50.33*42*16mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
TD-02		Screen	1.22 inch <b>IPS</b> Colorful Touch TFT screen ,Pixel 128*128
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS/BelDou	MTK2503.BD2, 1561.098MHZ/L1, 1575.42MHZ C/A
		AGPS	GPRS Class12, location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WIFI	Wireless 802.11 b/g/n
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS, WIFI
		Network	GSM850/900/1800/1900
		SIM card	Mirco SIM card
		Calling	3 SOS + 15 phone number
		Anti-take off alarm	Support(built-in optical sensor)
		SOS	Support
		G-sensor	Support (in three axis)
Remote monitoring	Support		
Battery	Lithium battery 400mAH, Standby 2.5 days		
Dimension	52*38.7*16.5mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		

MODEL	IMAGES	DESCRIPTIONS	
TD-10		Screen	1.54 inch Colorful Touch IPS screen ,Pixel 240*240
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1, 1575.42MHz C/A code
		AGPS	GPRS Class12, location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WiFi	Wireless 802.11 b/g/n
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS, WIFI
		Network	GSM850/900/1800/1900
		SIM card	Nano SIM card
		Calling	3 SOS + 10 phone number
		Anti-take off alarm	Support(built-in optical sensor)
		SOS	Support
G-sensor	Support (in three axis)		
Remote monitoring	Support		
Battery	Lithium battery 600mAH, Standby 2.5 days		
Dimension	47.7*40*15.15		
Accessories	USB Charge cable (Pogo pin) and user manual		
Special function	built-in motor , Quick learning,such as maths games .		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
MT01		Screen	1.54 inch Colorful Touch IPS screen,Pixel 240*240
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1, 1575.42MHz C/A code
		AGPS	GPRS Class12, location time 26 seconds
		GPS Accuracy	50m
		LBS Accuracy	500m
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS
		Network	GSM850/900/1800/1900
		SIM card	Nano SIM card
		Calling	3 SOS + 10 phone number
		Camera	0.08MP
		Flashlight	Support
		SOS	Support
G-sensor	Support (in three axis)		
Remote monitoring	Support		
Battery	Lithium battery 400mAH, Standby 2.5 days		
Dimension	52.5*39.5*14.3mm		
Accessories	USB cable and user manual		
Special function	Quick learning,such as maths games .		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
M05		SCREEN	1.54 inch Colorful Touch IPS screen,Pixel 240x240
		OS	Android 6.0
		Solution	MTK6737, 1.3GHZ
		GPS	MTK6625.L1,1575.42MHz C/A code
		AGPS	GPRS Class12, location time 26 seconds
		Wifi/GPS Accuracy	50m
		LBS Accuracy	500m
		WiFi	Wireless 802.11 b/g/n
		Memory	RAM: 512M; ROM: 4G
		Location	GPS, AGPS, LBS, WIFI
		Network	GSM B5 (850)/B8(900)/B3(1800)/B2(1900) WCDMA B5(850)/B2(1900), B8(900)/B1(2100) FDD-LTE B1(2100),B2(1900),B3(1800),B4(1700), B5(850), B7(2600),B8(900),B12(700), B20(800), TDD-LTE B38(2600), B39(2100), B40(2400), B41(2500)
		SIM card	Nano SIM card
		Calling	3 SOS + 15 phone number
		SOS	Support
		G-sensor	Support (in three axis)
Remote monitoring	Support		
Camera	0.3MP pixels		
Battery	Lithium batter 750mAH, Standby 2days		
Dimension	52.5*42*16.5mm		
Accessories	USB cable and user manual		
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		
MODEL	IMAGES	DESCRIPTIONS	
TD-85D Pet Tracker (Private Mould)		Screen	No Screen
		OS	Nucleus
		Solution	MTK2503, 260MHZ
		GPS	MTK2503.L1, 1575.42MHz C/A code
		AGPS	GPRS Class12, location time 26 seconds
		GPS Accuracy	50m
		LBS Accuracy	500m
		Memory	RAM: 32M; ROM: 32M
		Location	GPS, AGPS, LBS
		Network	GSM850/900/1800/1900
		SIM card	Micro SIM card
		Low battery warning	Support
		Battery	Lithium battery 450mAH, Standby 5 days
		Dimension	48*40*14.5mm
		Accessories	USB cable and user manual, bundle belt.
Function	Pedometer,Amount of exercise, Electronic fence,History tracking,Alarm clock,Find watch		