

HD4003 Mini PC Specification

Pictures:



**HD4001 Mini PC Specification**

Size of The Outside Case	200*180*31mm
Fitted Motherboards	2-10 th gen ; J1900
Processor	Supporting these Processors: I3 i5 i7 ; J1900
Memory	1*SO-DDR3L 1600 memory channel,Max.RAM 8GB.
Graphics Card	Integrating Intel HD4400 GPU; Supporting Dynamic Memory Allocation(DVMT); Supporting HDMI,VGA,LVDS display interfaces; Supporting 3 screens display; The HDMI output supports 4K super HD display; Supporting dual 8 24bit LVDS.
Hard Disk(Storage)	2*SATA3.0 , 1*MSATA3.0 interfaces.

Network Card	1*Realtek 8111F network chip,1000Mbps RJ45 LAN port; It supports Wake on LAN(WOL); It has 2*LAN ports to choose.
Audio	Integrating Realtek ALC662 HD digital audio decoder; Supporting Line-out,Line-in,Mic-in interfaces; It has on-board front pin; It also has on-board 3W/5W power amplifier.
I/O Expansion	2*USB3.0 , 6*USB2.0;
Power Supply	Supporting DC12V power adapter.
Operating Environment	Working temperature: -10℃~60℃; Relative humidity:5%~95%,non-condensation.
System Monitor / Watch dog	Supporting CPU temperature monitor, fan speed,system temperature.
Expansion Bus	2*Mini PCI-E expansion slots,support WIFI/3G/MSTA/GPS.
Wall Hanging	Yes,the mini PC is Wall-mounted.It has VESA holes.
I/O interfaces	1*DC-in ,1*HDMI , 1*VGA , 1*Line-out , 1*Mic-in , 1*RJ45 LAN, 4*USB2.0 , 2*USB3.0 , 1*Power Button.