





Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>

OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price (USD)	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
1	 	BT-001	black	Charging Connection: Type C Speaker Frequency: 20-20KHz Rated Input Power: 30mW Speaker Diameter: Ø40 mm Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Bluetooth distance: > 10M Bluetooth Version: 5.3 JL-7018 Power dissipation: BLE Charge time: 1.5-2H Music Note: >28H Battery: 3.7V 300mAh Communicate by telephone ENC select.	20	50	50	38	0.0950	3K	8.8	5.3	6	7.2
2	 	BT-003	black	Steel headband with Sand-blasting effect Charging Port: Type C Bluetooth version: Bluetooth 5.3 Bluetooth Chip: JL7018 Speaker Frequency: 20-20KHz Rated Input Power: 20mW Max Input Power 30mW Speaker Diameter: Ø40mm Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Bluetooth distance: >10M Power dissipation: BLE Charging time: 1.5-2H Music Note: >28H Battery: 3.7V 300mAh Communicate by telephone ENC select. Bluetooth Version, Metal Headband Protein-like leather ear muffs Charging base optional	20	50	50	38	0.0950	3K	17.6	5.3	6	7.2

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>



OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
3		BT-003 Single	black	Charging Port: Type C Steel headband with Sand-blasting effect Speaker Frequency: 20-20KHz Max Input Power 30mW Speaker Diameter: Ø40mm Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Bluetooth distance: > 10M Bluetooth version: 5.3 JL-7018 Power dissipation: BLE Charging time: 1.5-2H Music Note: >28H Battery: 3.7V 300mAh Communicate by telephone ENC select. Protein-like leather ear muffs Charging base attachable Three-dimensional arrangement	20	50	50	38	0.0950	3K	16.2	5.3	6	7.2
4		BT-006	black	Bluetooth version: 5.3 JL7018 Charging Port: Type C Speaker Frequency: 20-20KHz Max Input Power 30mW Speaker Diameter: Ø40mm Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Bluetooth distance: > 10M Power dissipation: BLE Charging time: 1.5-2H Music Note: >28H Battery: 3.7V 300mAh Protein-like leather ear muffs Charging base attachable Three-dimensional arrangement	20	50	50	38	0.0950	3k	18.6	5.3	6	7.2

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>



OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
5		BT-006 Single	black	Steel headband Charging Port: Type C Speaker Frequency: 20-20KHz Rated Input Power: 20mW Max Input Power 30mW Speaker Diameter: Ø40mm Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Bluetooth distance: > 10M Bluetooth version: 5.3 JL-7018 Power dissipation: BLE Charging time: 1.5-2H Music Note: >28H Battery: 3.7V 300mAh Communicate by telephone ENC & ANC select. Bluetooth Version, Metal Headband Protein-like leather ear muffs Charging base attachable Three-dimensional arrangement	20	50	50	38	0.0950	3K	17.7	5.3	8	9.2
6		UC-001 Normal 3.5mm/USB	black	Connection: USB Port Speaker Frequency: 20-20KHz Rated Input Power: 1 5 mW Max Input Power 20mW Speaker Diameter: Ø30mm Sound Level: 90dB ± 3dB at 1K Microphone Sensitivity: -6dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% Dimensions: 200mm x 50mm x 172mm Weight: 122g Basic Normal Version	40	38.1	36.3	34.5	0.0477	3K	7.3	NA	8.8	9.7

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>




OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
7		UC-001 ENC	black	Connection: USB Port +Type C Speaker Frequency: 20-20KHz Rated Input Power:15mW Max Input Power 20mW Speaker Diamerter: Ø30mm Sound Level: 90dB ± 3dB at 1K Microphone Sensitivity: -6dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% Dimensions: 200mm x 50mm x 172mm Weight: 122g ENC Version	40	38.1	36.3	34.5	0.0477	3K	11.35	NA	8.8	9.7
8		UC-001 Teams	black	Connection: USB Port +Type C Speaker Frequency: 20-20KHz Rated Input Power: 1 5 mW Max Input Power 20mW Speaker Diamerter: Ø30mm Sound Level: 90dB ± 3dB at 1K Microphone Sensitivity: -6dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% Dimensions: 200mm x 50mm x 172mm Weight: 122g Teams Version	40	38.1	36.3	34.5	0.0477	3K	11.55	NA	8.8	9.7

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>



OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
9		UC-002 Normal USB	black	Connection: USB Port Speaker Frequency: 20-20KHz Rated Input Power: 1.5 mW Max Input Power 20mW Speaker Diameter: Ø30mm Sound Level: 90dB ± 3dB at 1K Microphone Sensitivity: -6dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% Dimensions: 200mm x 50mm x 172mm Weight: 122g Normal Version	24	45.2	43.5	35	0.0688	3K	6.2	NA	6.57	8.07
10		UC-002 ENC	black	Connection: USB Port +Type C Speaker Frequency: 20-20KHz Rated Input Power: 1.5 mW Max Input Power 20mW Speaker Diameter: Ø30mm Sound Level: 90dB ± 3dB at 1K Microphone Sensitivity: -6dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% Dimensions: 200mm x 50mm x 172mm Weight: 122g ENC Version	24	45.2	43.5	35	0.0688	3K	10.6	NA	6.57	8.07
		UC-002 Teams	black	Connection: USB Port +Type C Speaker Frequency: 20-20KHz Rated Input Power: 1.5 mW Max Input Power 20mW Speaker Diameter: Ø30mm Sound Level: 90dB ± 3dB at 1K Microphone Sensitivity: -6dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% Dimensions: 200mm x 50mm x 172mm Teams Version	24	45.2	43.5	35	0.0688	3K	10.8	NA	6.57	8.07

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>



OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
11		UC-003 Teams	black	Connection: USB Port +Type C Speaker Frequency: 20-20KHz Rated Input Power: 1 5 mW Max Input Power 20mW Speaker Diamerter: Ø40mm Impedance: 32Ω±15% Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.9m ± 5% Busy Light, ENC. Teams Version Plug: Type C+Anti-lost Type C-USB	44	58	37	45	0.0966	3K	16.3	NA	9.5	10.5
12		UC-003 Teams+ANC +ENC+Overear	black	Connection: USB Port +Type C Speaker Frequency: 20-20KHz Rated Input Power: 1 5 mW Max Input Power 20mW Speaker Diamerter: Ø40mm Impedance: 32Ω±15% Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% Busy Light, ENC. Teams Version With busy light Plug: Type C+Anti-lost Type C-USB	44	58	37	45	0.0966	3K	18.5	NA	9.5	10.5

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>



OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
13		UC-003 Normal USB	black	Connection: USB Port Speaker Frequency: 20-20KHz Rated Input Power: 1 5 mW Max Input Power 20mW Speaker Diamerter: Ø40mm Impedance: 32Ω±15% Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.9m ± 5% Cable: 1.5M RED TPE, ENC. Plug: USB	44	58	37	45	0.0966	3K	10.5	NA	9.5	10.5
14		UC-003 Normal 3.5mm	black	Connection: 3.5mm Speaker Frequency: 20-20KHz Rated Input Power:20mW Max Input Power 20mW Speaker Diamerter: Ø40mm Impedance: 32Ω±15% Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.9m ± 5% Cable: 1.5M , RED TPE Plug: 3.5mm	44	58	37	45	0.0966	3K	8	NA	9.5	10.5

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>




OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
15		UC-003 Teams	black	Connection: USB Port +Type C Speaker Frequency: 20-20KHz Rated Input Power:20mW Max Input Power 20mW Speaker Diameter: Ø40mm Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% Busy Light, ENC. Teams Version With busy light	44	58	37	45	0.0966	3K	15	NA	8	10.5
16		UC-003 Normal USB	black	Connection: USB Port Speaker Frequency: 20-20KHz Rated Input Power:20mW Max Input Power 20mW Speaker Diameter: Ø40mm Impedance: 32Ω±15% Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.9m ± 5%	44	58	37	45	0.0975	3K	9.5	NA	8	9.5

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>



OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
17		BX-392 Normal USB	black	Speaker: 40mm Dynamic type Impedance " 32Ohm Sensitivity: 102dB±3dB Frequency:20 ~ 20000Hz Max Input Power:100mW Cord length: 1.5m ± 5% Normal version, USB port, Small Mic	28	54	43	42	0.0975	3K	7.8	NA	11	12
18		BX-392 QD Connector	black	Speaker: 40mm Dynamic type Impedance " 32Ohm Sensitivity: 102dB±3dB Frequency:20 ~ 20000Hz Max Input Power:100mW Cord length: 1.5m ± 5% Normal version, USB port, Small Mic With QD Connector, BX-211 Voice Control	28	54	43	42	0.0975	3K	9.2	NA	11	12
19		BX-392 ENC	black	Speaker: 40mm Dynamic type Impedance " 32Ohm Sensitivity: 102dB±3dB Frequency:20 ~ 20000Hz Max Input Power:100mW Cord length: 1.5m ± 5% With ENC function 3.5mm/USB/USB+Type C Bigger Mic	28	54	43	42	0.0975	3K	10.1	NA	11	12

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>



OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
20		UC-006 Normal 3.5mm cable	black	Connection:3.5mm Speaker Frequency: 20-20KHz Rated Input Power:20mW Max Input Power 20mW Speaker Diameter: Ø40mm Impedance: 32Ω±15% Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% Busy Light, ENC. Cable: 1.5M , RED TPE Plug: 3.5mm	40	20.5	18	40	0.0148	3K	6.2	NA	6.16	7.5
21		UC-006 Normal USB	black	Connection: USB Port Speaker Frequency: 20-20KHz Rated Input Power:20mW Speaker Diameter: Ø40mm Impedance: 32Ω±15% Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Cord Length: 1.5m ± 5% ENC Function Earmuff: Black Cable: 1.5M, Black TPE Plug: USB plug	40	20.5	18	40	0.0148	3K	8.7	NA	6.72	8.2

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>


OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
22		UC-006 Teams	black	Connection: USB Port +Type C Speaker Frequency: 20-20KHz Rated Input Power:20mW Max Input Power 20mW Speaker Diamerter: Ø40mm Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Teams Compatible Earmuff: Red Cable: 1.5M, Red TPE Plug: Type C+Anti-lost USB plug	40	20.5	18	40	0.0148	3K	14.5	NA	6.72	8.2
23		UC-006 Single Ear Teams	black	Connection: USB Port +Type C Speaker Frequency: 20-20KHz Rated Input Power:20mW Max Input Power 20mW Speaker Diamerter: Ø40mm Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Teams Compatible Earmuff: Red Cable: 1.5M, Red TPE Plug: Type C+Anti-lost USB plug	40	20.5	18	40	0.0148	3K	13.2	NA	5.1	6.1

Huizhou Boxin Electronics Co., Ltd

Room 701, Building 5, Phase 1, Xin li kang le chuang Industrial Park, RenluoLiu Road,
Tel: 86-86-752-3558855 Fax: 86-752-3558820 <http://www.boxinltd.com>

OFFICE HEADPHONES

Item	Picture	Description			SETS/ CTN	CTN (L)	CTN (W)	CTN (H)	CBM/CT N	MOQ	Price	Bluetooth version	Carton N.W. (KGS)	Carton G.W. (KGS)
		Model No.	Colour	Spec										
24		UC-006 Single Ear Normal USB	black	Connection: USB Port Speaker Frequency: 20-20KHz Rated Input Power:20mW Max Input Power 20mW Speaker Diameter: Ø40mm Sound Level: 100dB ± 3dB at 1K Microphone Sensitivity: -38dB ± 3dB Microphone Frequency: 100-10000Hz Earmuff: Black Cable: 1.5M, Black TPE Plug: USB	40	20.5	18	40	0.0148	3K	7.7	NA	5.1	6.1

1. FOB Shenzhen for FCL shipment and EXW for LCL shipment
2. Standard brown box or color box package
3. Minimum order: 3K/5K.
4. Payment: 30% deposit and 70% before delivery by T/T.
5. Delivery time: 45-60 days after we get the deposit and all details confirmed if no stock.
6. Shipping port: Shenzhen