

HCC-T7 Portable Bluetooth Receipt Printer

Specification

Print	
Printing Method	Dot Matrix
Printing Speed	5.5mm/s
Resolution	240 dots/line
Effective Printing Width	48mm
Character	
Character Set	ASCII, GB18030 (Chinese), BIG5
Print Font	Codepage: 7*9, Chinese: 16x16; 12*12
Character per Line	40
Paper Spec	
Paper Type	Plain paper
Paper Width	57.5±0.5mm
Paper Roll Diameter	40mm(max.)
Roll Core Inner Diameter	13mm(min.)
Paper Thickness	0.06~0.08mm
Ribbon Cassette	ERC09
Paper Supply Method	Semi-auto paper loading
Printer Mechanism	EPSON Brand
Reliability	
MCBF(Mean Cycles Between Failure)	1 million lines
TPH	1.5 million lines
Smart Card	N/A
MSR	N/A
Barcode	1D: EAN-13, EAN-8, UPC-A, UPC-E, CODE39, CODE93, CODE128, CODABAR, INTERLEAVED 25
Emulation	ESC/POS
Driver	Windows 98 / ME / 2000 / NT / XP / 2003 Server/Vista/Win7
Sensor	Paper End Sensor
Interface	USB/Bluetooth/Rf
Others	
Button	Power, Feed, Mode
Indicator	Power, Feed, Mode

LCD	Yes
Display Content	Yes
Memory	Flash: 512kb; RAM: 128kb
Receive Buffer Size	32K
SDK	Windows CE; Windows Mobile 5.0/6.0; Symbian; Blackberry and Android
Multi-languages	46 codepages
Setup Software	support set bitmap download, baud rate, font, speed, density, password, black mark, Bluetooth etc.
Power	
Power Supply (Adapter)	DC9V/2A
Battery Power	7.4V, 1.5A rechargeable Li-ion battery
Battery Charge	35m continuous printing
Charge Time	less than 3 hours
Battery Duration	360 hours
Auto Cutter	
Type	N/A
Life	N/A
Cutting Method	N/A
Physical	
Net Weight	256g
Gross Weight	516g (Including battery & roll paper)
Printer Dimension(WxLxH)	103mm x99mm x 46mm
Color	Black
Environment	
Operating Temp	0-50 ℃
Storage Temp	-20-60 ℃
Operating Humidity	10%-80%
Storage Humidity	10%-90%
Application	Restaurants, Department Stores, Kitchen, Convenience Stores, Specialty Retail, Supermarket
Accessories	Battery,Charger USB Cable,CD Driver,Leather Case and Paper-roll Option: vehicle charger
Inner Package (WxLxH)	210mm x 155mm x 90mm(1.5kg)
Outer Package (WxLxH)	N/A

Picture:



www.szhcct.com