

5 Inch Rugged Handheld PDA HT50C

Specification

Dimension	157.4*74.6*24.2mm
Weight	260g
Product Color	Black
CPU	MT6762 (8core) 4*A53 2.0GHz 4*A53 1.5GHz
GPU	IMG GE8320 650MHz
Memory	RAM:LPDDR4X up to 4GB(dual channels with 16-bit data bus width) ROM:64GB EMMC
Operating System	Andriod11 Optional :GMS
Display	Type:IPS Size:5 inch 16:9 Resolution:720*1280 Brightness:350 Nit
Touch Pannel	5 points Capacitive,G+FF
Camera	Front:5MP Rear:13.0MP, automatic focusing with astigmatism,PDAF support
Buttons	Power *1 Volume Adjustment Key (+) *1 Volume Adjustment Key (-) *1 Home Key *1 Barcode scanning (left and right)*2 Menu*1 Back*1 Custom*2
Speaker	Embedded 8Ω/1W;speaker x 1
Microphone	Sensitivity: -42db, Output Impedance:2.2kΩ
Sensors	G_sensor *1 Geomagnetic sensor *1 Ggyroscope *1 Light Sensor *1
Battery	Built-in 3.8V/4000mAh Removable Lithium-ion polymer battery 10.5hrs (50% volume sounds, 50% screen brightness,1080P HD video display by default)
WIFI	WIFI 802.11(a/b/g/n/ac) ,Frequency 2.4G+5G dual band WIFI,Support AP seamless roaming
Bluetooth	BT5.0(BLE)

4G	GSM(B2/3/5/8)+WCDMA(B1/B2/5/8)+TDS(B34/B39)+FDD(B1/2/3/4/5/7/8/13/17/20/28AB)+TDD(B38/39/40/41)
GPS	Support GPS, Glonass, beidou(G+G+B)
I/O Interface	USB Type C *1, OTG (Data transmission)
	3.5mm standard earphone jack x1 (US)
	SIM card *1
	TF card *1 (SDHC/SDXC supported), Max:128GB
	Pogo Pin (Base Charge) *1
Adapter	EU Standard DC 5V/2A
USB cable	USB Type C
Rugged Features	Drop height:1.2m Composite wood floor working
	Working temperature: -10 °C to 50 °C
	Storage temperature: -20 °C to 60 °C
	Humidity:95% Non-Condensing
Certification	IP65 Report: Water resistance:IP-X5 Dust resistance:IP-6X Report ID no.:SET2015-07677 a.Inner Nozzle diameter;6.3mm; b. water speed:12.5±0.625L/min; c. Water Pressure:adjust according to water volumn; d.Central part of water volumn e.Spray time in surface of panel:about 1min;f.test time:at least 3min; g.distance between nozzle and panel surface: 2.5~3m After test,there is no water leakage in sample.
Data Collection	2D Barcode Scanner;Zebra4710
Accessories	Hand-strap (Standard)
	5V2A Adapter (Standard)
	Docking Charger (Optional)
	Vehicle Mount (Optional)
	Removable Battery (Optional)

Picture

