

Portable Monitor Product Specifications

Product Name: 133 - kickstand (Space Gray)

Product Model: A3C PRO

Document Number: A3C PRO-133

release date: 2024 -08 - 07

Release Review: Zijie Li

Product Basic Information

Product Model	A3C Pro
Brand LOGO	ARZOPA
Model on Sale	A3C Pro
Real Image (front and back)	 
Dimensions	303mm*179mm*7.9mm (length, width and thickness)
Monitor Weight	390g
Structural Characteristics	Stamping process, all-aluminum alloy shell, one-piece shell , space gray
Screen Size	13.3 "
Panel Type	AM-OLED, OLED Screen
Screen Ratio	16:9
Screen Grade	A (A+)
Pixel Pitch (mm)	0.153×0.153 mm (H×V) [166PPI]
Point Distance (mm)	0.051×0.153 mm (H×V)
Screen Dimension	293.76×165.24 mm (H×V)
Brightness	The measured peak brightness is: 410 cd/m2 Standard brightness of display: 400 cd/m2
Static Contrast	100000:1

Color gamut	Color Gamut(Masured Date)	Color gamut area ratio		Color gamut coverage	
		CIE1931	CIE1976	CIE1931	CIE1976
	sRGB	153.92%	140.09%	100.00%	100.00%
	DCI-P3	113.46%	111.55%	100.00%	100.00%
	Adobe RGB	114.10%	120.10%	97.95%	99.47%
	NTSC	109.02%	122.20%	96.84%	98.79%
Viewing Angle	85/85/85/85 (Typ.)(CR≥10)				
Refresh Rate	60Hz				
Response time (ms)	1 (Typ.)(Tr+Td) ms				
Maximum Resolution	1920x1080P (FHD)				
Recommended Resolution	1920x1080/ 60 Hz				
Display Color	1.07B (8-bit + Hi-FRC)				
Built-in Speakers	Built-in dual speakers (1W speakers * 2)				
HDR Type	HDR 10				
Power (operating mode)	5 W				
Power (off mode)	≤1W				
Energy Efficiency Rating	1				
Storage Temperature	-40 ~ 85 °C				
Operating Temperature	-20 ~ 70 °C				
Surface Treatment	Mirroring(Haze 0%)				
Light Source Characteristics	Self-illumination				

Port and Button Function

Graphics	 	
Signal Input	TYPE-C,HDMI	
Signal Interface	TYPE-C (USB 3.1) *2, (support PD power supply and DP output) Mini HDMI (2.0) * 1 , (compatible with most HDMI device input)	
Power Input	5~20V adapter (PD input , PD reverse power supply)	
Indicator Color	Red/Blue (red light when there is no signal, blue light when there is a normal signal)	
Button	4 buttons (OSD , + -, Power (exit))	
Menu	ARZOPA OSD	
Certificates	CCC FCC CE PSE ROHS HDMI	

Accessories

Dual Type-C Data Cables	Type-C 3.1 full-featured data cable (1 meter long) 
HDMI-to-mini HDMI cable	HDMI 2.0 Full HD Data Cable (1 meter long) 
USB-A to USB-C Power Port Cable	

Portable Sleeve Bag	
Notice	The Measured Data Comes from ARZOPA Laboratory