

Model
Projection Parameter
color
Projector parameter
Projection Technology
Projection Light
LED Life
LED Luminance
Native Resolution
Projection Size
Contrast Ratio
Projection Ratio
Evenness
Projection Distance
Aspect Ratio
Focus mode
Keystone Correction
Projection Mode
Off-axis function
System parameters
Screen Mirror
Optinal version
CPU
GPU
Buffer Memory
Memory
WIFI
Bluetooth
Basic parameters
Built-in Battery
Video Support
Audio Support

Image Support
Extended Storage
Remote Control
Built-in speaker
Light machine Consumption
Standby power consumption
Whole Power Consumption
Interface
Package
Dimension
weight
Gift Box Size
Carton box size
Accessory

Projection Parameter

VY-2



1080P smart projector

white and black

LCD

RGB LED

20,000-50,000 H

3000 lumen /100 ANSI

1920*1080 (Support 4K film source)

50-180inch

1500:1

1.35: 1

>75%

0.5FT-10FT/1.5M-3M

16:09 4:3

Manual focus

Automatic focus (Automatic, vertical: ± 40 degrees)

Front Projection

30%

support (Eshare/Airplay/wifi-display)

WiFi Mirocast , battery version

RK3229

4 cores, A7 core, 1.2G

Mali400 MP2 GPU

1GB / 2G Optional

16GB

2.4G & 5G

4.0

you can choose

4K HEVC H.265 MPEG-2 MPEG-4 H.264 VP8 VP9

MPEG1 Layer3 AC3 EAC3 AAC, HEAAC WMA LPCM IMA-ADPCM/MS-ADPCM

jpg、png、bmp etc.
Hard Disk
Support IR and 2.4G wireless remote
2X3W
40W
2.5W
65W
HDMI X1
USB X1
DC IN 19V 3.74A
11*13.5*15 cm (The smallest 1080p LCD projector on the market)
1.05kg (Very light weight, saving logistics costs)
20.5*20*19cm-1.05kg
12PCS/CTN, 60*42*40cm-20kg
Power Adapter、Remote Control、User Manual