

Power Supply Modules

Website: www.v-young.com.en

Email: vytechon@outlook.com & vytechon@gmail.com

DC-DC Converters

Model	Power(W)	Input Voltage(Vdc)	Output Voltage(Vdc)	Size(mm)
Isolated Type				
BxxSxx-1W	1W	5V/12V/24V	3.3/5/9/12/15/24	11.7*6*10
BxxSxx-2W	2W	5V/12V/24V	3.3/5/9/12/15/24	19.6*7*10
VNDxx-xxSxx	5W-15W	12V/24V/48V/110V	3.3/5/12/15/24/48	25.4×25.4×10.2
VDxx-xxSxx	10W-60W	12V/24V/48V/110V	3.3/5/12/15/24/48	50.8×25.4×12.7
V32Bxx-xxSxx	25W	48V(36-75V)	5	1/32 Brick(24.4*20.1*9)
V16Bxx-xxSxx	45W-300W	24V/48V	3.3/5/12/15/28	1/16 Brick(33*22.9*9.5)
V8Bxx-xxSxx	50W-400W	24V/48V	3.3/5/12/15/28	1/8 Brick(58.4*22.7*10.9)
V4Bxx-xxSxx	50W-900W	24V/48V	3.3/5/12/15/28	1/4 Brick (57.9*36.8*13.8)
VHDxx-xxSxx	75W-1500W	24V/48V/200V/300V	3.3/5/12/15/24/48	1/2-Brick (57.9*61*12.7)
VFDxx-xxSxx	300W-1300W	24V/48V	12/24/28/50	Full-Brick (116.84*61*12.7)
Non-isolated Type				
SIP0506	4.8W-21.9W	3-5.5V	0.8-3.65V@6A	22.86*10.8*6.9
SIP0516	12.8W-58.4W	4.5-5.5V	0.8-3.65V@16A	50.8*18.74*7.62
SIP1216	12.8W-58.4W	10-14V	0.8-3.65V@16A	50.8*18.74*7.62

Notes:

- (1) xx to fill the power.
- (2) xx to fill the input voltage.
- (3) xx to fill the output voltage.

For more types and ODM/OEM service, please email us at vytechon@outlook.com

AC-DC Converters

Model	Power(W)	Input Voltage(Vac)	Output Voltage(Vdc)	Size(mm)
VAS2-xxSxx	2W	85-265V	3.3/5/9/12/15/24	30*16*19
VAS3-xxSxx	3W	85-265V	3.3/5/9/12/15/24	34*20*15
VAS5-xxSxx	5W	85-265V	3.3/5/9/12/15/24	38*23*18
VAS10-xxSxx	10W	85-265V	3.3/5/9/12/15/24	46.9*27.8*21.8
VAS15-xxSxx VAS20-xxSxx	15W/20W	85-265V	5/9/12/15/24	57*33*22.5
VAS25-xxSxx VAS30-xxSxx	25W/30W	85-265V	5/9/12/15/24	57.5*33.5*23.5
VAS35-xxSxx VAS40-xxSxx	35W/40W	85-265V	5/9/12/15/24	56*32*22.5
VAS50-xxSxx-A VAS50-xxSxx-B	50	85-265V	5/12/15/24/48	101.6×76.2×23(A) 76.2×76.2×23(B)
VAS75-xxSxx VAS100-xxSxx	75/100	85-265V	12/15/24/48	101.6×76.2×23
VAS150-xxSxx	150	165-265V	12/15/24/48	101.6×76.2×23

DC-AC Inverter Modules

Model	Power(W)	Input Voltage(Vdc)	Output Voltage(Vac)	Size(mm)
VR3-xxSxx	3	12/24/48	75	50.8×25.4×10.2
VR5-xxSxx VR10-xxSxx	5/10	12/24/48	75/85/95	50.8×50.8×12.7
VR15-xxSxx-A VR15-xxSxx-B	15	12/24/48	75	78.7×66×14(A) 76.2×76.2×14(B)
VR30-xxSxx VR40-xxSxx	30/40	12/24/48	75/85/95	95×95×14

Notes:

- (1) xx to fill the power.
- (2) xx to fill the input voltage.
- (3) xx to fill the output voltage.

For more types and ODM/OEM service, please email us at vytechon@outlook.com

Original Manufacturer, ODM/OEM and Small Order Accepted.
 All Products are 100% Tested and Qualified before Shipping.



Power supply modules

- 16 years' R&D and manufacturing experience
 - Exporting to the US, Canada, the UK, Germany, Italy, Israel, Indonesia, India and Australia since 2014
 - Monthly capacity: 600,000 units
 - Top-grade components from the US and Japan, well-known brands raw materials.
 - Highly trained QC technicians check items at each stage
 - Every product under goes 24hr aging test and 100% qualified before shipping.
 - 2-year warranties for AC/DC power supplies and DC/AC ring generators; 5-year warranties for DC-DC converters
 - Flexible lead times and payment terms
- Contact our sales representatives immediately.



Beijing V-Young Tech. Development Co. Ltd

No. 4032, Shuangchuang Community, Jidong Future Industrial Park, Qianbaihujian Village, Yangfang Town, Changping District, Beijing, China. 102205

Global Sources Verified Supplier

ISO 9001:2015

Whatsapp/Wechat/Mobile: +8619166116373 / +8618657673589

Tel: +86-010-62477084-1015

Email: vytechon@outlook.com / vytechon@gmail.com

Website: www.v-young.com.cn