


T10M mini PC Jasper	
ID	
Type	details
Product	Product Type
	Dimension
	Case Material
	Weight
System	
Type	details
CPU	type
	N5095
	N5100
	N5105
GPU	type
RAM	DDR4
SSD	SSD
SPK	built-in
TPM	built-in
Type	details
WIFI	WIFI module
Ethernet	USB to Ethernet
Type	details
USB	Data transfer supportive
Type-C	Support

Audio jack	output
DC connector	Power
HDMI	Video output
RJ45	Support
Power button	Support
Type	details
Power adapter	Standard configuration
Type	details
OS	Operating system version
	Office
Other	Certification

Lake (Alder Lake-N N100/N200 ready in April)



Product Appearance

Standard Configuration

AIO MINI PC
TBD
Plastic/Metal
TBD

System Hardware Configuration

Standard Configuration

Jasper lake 5100/5095/5105 Alder Lake-N N100/N200 ready in April
4 Cores, 4 Threads, Processor Base Frequency 2.00 GHz/ Burst Frequency 2.90 GHz/ TDP: 15W
4 Cores, 4 Threads, Processor Base Frequency 1.10 GHz/ Burst Frequency 2.80 GHz/ TDP: 6W
4 Cores, 4 Threads, Processor Base Frequency 2.00 GHz/ Burst Frequency 2.90 GHz/ TDP: 10W
Intel® UHD Graphics
8GB/16GB, SO-DIMM *2, DDR4, maximum supported speed 2933MHz
M.2 NGFF SATA+PCIE (2242 *1+2280 *1)
No speakers supported, built-in ALC269 VC/VB Codec.
Reserved dTPM

Network connections

Standard Configuration

M.2 WIFI or Onboard 6221C WIFI5, Bluetooth 4.2.
RTL8111H, supports 10/100/1000Mbps.

Interface configuration

Describe

USB 3.1 GEN1 *4 (front: 2x USB 3.1, back: 2x USB 2.0)
Full-function Type-C *1 + DP/USB3.0 Type-C *1

3.5mm, 4 Piece
5.5*2.5MM, 12V/3A
HDMI-A Type 1.4B *2
10/100/1000M (RTL8111H)
Power-on Indicator Light (White, Standby Breathing), The MB reserved RGB light interface.
Standard accessories
Standard Configuration
5.5*2.5MM, 12V/3A
Software Configuration
Standard Configuration
Windows 11 Home
N/A
N/A
112.2x112.2x37.9MM

