

Elandphone Electronic Co.,Ltd

ADD: 5/F,B building,No.4 of North Area,Shang Xue Industry Park,Long Gang,ShenZhen,China.

Contact: Linda

E-mail: linda@elandphone.com



Widely Used
For Multiple Devices



Transfer Fast
Up to 10Gbps



Anti-Interference
Stable Signal Transmission



More Durable
Premium Quality

Multiple Connector Options

— Meet Different Device Connection Needs —

AM-AF

USB-A Male to USB-A Female



USB-A Male
(AM)



USB-A Female
(AF)

CM-AF

USB-C Male to USB-A Female



USB-C Male
(CM)



USB-A Female
(AF)

CM-CF

USB-C Male to USB-C Female



USB-C Male
(CM)



USB-C Female
(CF)



10Gbps
High-Speed



Stable
Connection



Wide
Compatibility



Plug & Play
No Driver Required

MODEL:EL-4410

ITEM: 10Gbps USB3.2Gen2 Active Extension cable for 5M/10M

Introduction:

The USB 3.2 Gen 2 Active Extension Cable is designed to extend USB connections over longer distances while maintaining stable, high-speed data transmission.

With a built-in active signal amplification chipset, it helps reduce signal loss and provides reliable performance for USB peripherals in office, commercial, industrial and professional applications.

Elandphone Electronic Co.,Ltd

ADD: 5/F,B building,No.4 of North Area,Shang Xue Industry Park,Long Gang,ShenZhen,China.

Contact: Linda

E-mail: linda@elandphone.com

Features:

- USB 3.2 Gen 2, up to **10Gbps** data transfer
 - USB-A Male to USB-A Female
 - Built-in active signal amplification
 - Stable long-distance USB extension
 - Backward compatible with USB 3.1 / 3.0 / 2.0 devices
 - Auxiliary **DC 5V power input** for power-demanding devices
 - Plug & Play, no driver required
 - Suitable for USB flash drives, external HDD/SSD, webcams, printers, barcode scanners, keyboards, mice and other USB peripherals
-

Specifications:

- USB-A Male to USB-A Female — AM-AF
- USB-C Male to USB-A Female — CM-AF
- USB-C Male to USB-C Female — CM-CF
- Auxiliary Power Port: USB-C Female (Power Supply Only)
- USB Standard: USB 3.2
- Data Transfer Rate: Up to 10Gbps
- Charging Current: Up to 3A
- Cable Diameter: 5.5mm
- Cable Length: 5M/10M

Elandphone Electronic Co.,Ltd

ADD: 5/F,B building,No.4 of North Area,Shang Xue Industry Park,Long Gang,ShenZhen,China.

Contact: Linda

E-mail: linda@elandphone.com

- Conductor Material: Pure Copper
- Housing Material: Aluminum Alloy + ABS
- Cable Jacket: PVC
- Color: Black
- Operating Indicator: Red LED: Power Status ;Blue LED: Working Status
- Compatibility:

Windows 11 / 10 / 8.1 / 8 / 7/macOS/Linux/VR Headsets and USB-C Devices

Package Contents:

1 × USB3.2 Active Extension Cable