

BOXIN ELECTRONIC CO.,LTD

Address: 1/F Ganju Yuan, Juyuan Rd, Qiuchang Town, Huiyang District, Huizhou, Guangdong, China

Contact Person: Lisa Zhao Email: lisa@boxinltd.com Mobile: 0086-18933266281

Web: www.boxinltd.com TEL: 0086-0752 -3558855 FAX:0086-0752-3558820

Price list

Item #	Photo	Specifications		Features and Function	Order Quantity	Price(USD) FOB SZ	Package	
BX-1120		Speaker:	30 mm Dynamic type	1. With microphone function. 2. Color optional.	3K	US\$2.87	Blister with card	
		Impedance:	32 ohms				Carton size:	66*26.5*35cm
		Sensitivity:	105dB±4dB				QTY/CTN:	50pcs
		Frequency:	50~20000Hz				N.W/G.W:	15kgs/16kgs
		Max input power:	100mW				Notes	
		Cord length:	1.8m ±5%					
		Connector:	3.5mm stereo plug*2					
BX-01		Speaker:	40 mm Dynamic type	1. Swivel design with shining paint on the shell. 2. Imitational protein earcap. 3. With microphone function(If MIC is not required, price will be - US\$0.3). 4. With microphone function and mute button. 5. Color optional.	1K	US\$6.00	Color box	19*17*9cm
		Impedance:	32 ohms		3K	US\$5.70	Carton size:	47.5*36.8*43
		Sensitivity:	105dB±4dB				QTY/CTN:	20pcs
		Frequency:	50~20000Hz				N.W/G.W:	5kg/6kg
		Max input power:	100mW		5k	US\$5.50		
		Cord length:	1.5m ±5%					
		Connector:	3.5mm stereo plug*2					
BX-02		Speaker:	40 mm Dynamic type	1. With microphone function. 2. Color optional.	3K	US\$4.70	Color box	19*17*9cm
		Impedance:	32 ohms				Carton size:	47.5*36.8*43
		Sensitivity:	105dB±4dB				QTY/CTN:	20pcs
		Frequency:	50~20000Hz				N.W/G.W:	5kg/6kg
		Max input power:	100mW					
		Cord length:	1.5m ±5%					

		Connector:	3.5mm stereo plug*2							
BX-40		Speaker:	40 mm Dynamic type	1. Swivel and foldable design. 2. Imitational protein earcap. 3. Color optional.	1K	US\$6.30	Color box	19*17*9cm		
		Impedance:	32 ohms				Carton size:	47.5*36.8*43		
		Sensitivity:	105dB±4dB				QTY/CTN:	20pcs		
		Frequency:	50~20000Hz		3K	US\$6.00	N.W/G.W:	6kg/7kg		
		Max input power:	100mW							
		Cord length:	1.2m ±5%		5k	US\$5.80				
		Connector:	3.5mm stereo plug*2							
BX-819MIC		Speaker:	40 mm Dynamic type	1. Swivel design with shining paint on the shell. 2. Imitational protein earcap. 3. With microphone function(If MIC is not required, price will be - US\$0.3). 4. With microphone function and mute button. 5.Color optional.	1K	US\$3.80	Color box	19*17*9cm		
		Impedance:	32 ohms				Carton size:	47.5*36.8*43		
		Sensitivity:	105dB±4dB				QTY/CTN:	20pcs		
		Frequency:	50~20000Hz		3K	US\$3.50	N.W/G.W:	5kg/6kg		
		Max input power:	100mW							
		Cord length:	1.5m ±5%		5k	US\$3.30				
		Connector:	3.5mm stereo plug*2							
BX-1142MIC		Speaker:	40 mm Dynamic type	1. Swivel and foldable design. 2. With microphone function. 3. Color optional.	1K	US\$4.10	Color box	19*17*9cm		
		Impedance:	32 ohms				Carton size:	47.5*36.8*43		
		Sensitivity:	105dB±4dB				QTY/CTN:	20pcs		
		Frequency:	50~20000Hz		3K	US\$3.80	N.W/G.W:	5kg/6kg		
		Max input power:	100mW							
		Cord length:	1.8m ±5%		5k	US\$3.60				
		Connector:	3.5mm stereo plug*2							
		Speaker:	30 mm Dynamic type				Color box	19*17*9cm		
		Impedance:	32 ohms				Carton size:	47.5*36.8*43		

BX-210MIC		Sensitivity:	105dB±4dB	1. With microphone function. 2. Color optional. 3. With volume control and mute button.	3K/5K	US\$2.90	QTY/CTN:	20pcs
		Frequency:	50~20000Hz				N.W/G.W:	5kg/6kg
		Max input power:	100mW					
		Cord length:	1.8m ±5%					
		Connector:	3.5mm stereo plug*1					
BX-216MIC		Speaker:	27 mm Dynamic type	1. With microphone function. 2. Color optional. 3. With volume control and mute button.	5k	US\$1.80	Color box	19*17*9cm
		Impedance:	32 ohms				Carton size:	47.5*36.8*43
		Sensitivity:	105dB±4dB				QTY/CTN:	20pcs
		Frequency:	50~20000Hz				N.W/G.W:	5kg/6kg
		Max input power:	100mW					
		Cord length:	1.8m ±5%					
		Connector:	3.5mm stereo plug*1					
BX-218MIC		Speaker:	30 mm Dynamic type	1. With microphone function. 2. Color optional.	5K	US\$2.70	Color box	19*17*9cm
		Impedance:	32 ohms				Carton size:	47.5*36.8*43
		Sensitivity:	105dB±4dB				QTY/CTN:	20pcs
		Frequency:	50~20000Hz				N.W/G.W:	5kg/6kg
		Max input power:	100mW					
		Cord length:	1.8m ±5%					
		Connector:	3.5mm stereo plug*2					

Remark:

1. All products are CE and RoHS compliant.
2. All above price is valid within 1 month.
3. Lead time is 30-35 days.
4. Payment term: 30% deposit, 70% before shipment after inspection.
5. Configurations can be customized.