



- Category
- SWITCH

SOCKET

WIRE HARNESS

BREAKER

FUSE HOLDER

FUSE

ENCODER

INDICATOR

POTENTIOMETER

CONNECTOR

WATERPROOF CONNECTOR

WATERPROOF PARTS

PCBA

NEW PRODUCT

Products Search

Search



OUR PRODUCT

Home ▶ Our Product ▶ AD19 SERIES INDICATORS ▶ AD19 SERIES INDICATORS

INDICATOR / SCREW TYPE

AD19 SERIES INDICATORS
Dia. 19mm Stainless Metal Indicators
with LED Illumination, Concave, Flat,
High & Tilted Round Heads

Stainless metal indicators dia. 19mm

LED lighted with voltage specified for DC or AC

Various color selection

Solder terminals or screw-stud for easy installing

Concave, flat, high or tilted knobs



PDF Download

Get Information

🖨️ Print this page


Feature

- Features
- Lamp Type: LED (AC & DC)
 - LED Rated Current: 15mA
 - Insulating Resistance: $\geq 1000M\Omega$
 - Dielectric Strength: 1000VAC
 - Operating Temperature: $-20^{\circ}C \sim +55^{\circ}C$
 - Lamp Life: 40,000 hours
 - Panel Thickness: 1-10mm
 - Protection Level: IP65
 - Nut Torque: 5-14Nm
 - Top Len Material: PC
 - M19 Bushing, Screw mounting
 - Good looking shape with concave, flat, high & tilted round heads


How to order

AD	19	S	C	10	R	12V		
INSTALL SIZE		BUSHING MATERIAL		HEAD SHAPE		TERMINAL	LED COLOR	VOLTAGE
19 19mm		S Stainless Steel		C Concave F Flat H High T Tilted		10 Screw Stud 2J Soldering		R Red G Green B Blue Y Amber W White 3V 6.3V 12V 24V 110V 220V



Item




AD19SC-2JY




AD19SF-10B



AD19SH-10G



AD19ST-2JR



BACK



5F., No.10, Lane 218, Sec. 2, Zhongxing Rd., Xindian Dist., New Taipei City 23146, R. O. C.
Tel: +886-2-29161263 Fax: +886-2-29117574 canal@c-components.com.tw

©2009 Canal Components Inc. All Rights Reserved