

Item	Data	
LCD Type	TFT	
Display color	16M	
Viewing Direction	ALL	
Operating temperature	-20~+70	
Storage temperature	-30~+80	
Module size(with capacitive touch panel)	50*69.2*3.75	
Module size (without capacitive touch panel)	50*69.2*2.3	
Active Area(W×H)	43.2*57.6	
Number of Dots	240(RGB)×320	
Power Supply Voltage	2.8V / 3.3V	
Backlight	4-LEDs (white)	
Brightness(LCM)	300	
Interface	MCU 8 bits	
Item	Data	
LCD Type	TFT	
Display color	16M	
Viewing Direction	ALL	
Operating temperature	-20~+70	

Storage temperature	-30~+80	
Module size(with capacitive touch panel)	50*69.2*3.75	
Module size (without capacitive touch panel)	50*69.2*2.3	
Active Area(W×H)	43.2*57.6	
Number of Dots	240(RGB)×320	
Power Supply Voltage	2.8V / 3.3V	
Backlight	4-LEDs (white)	
Brightness(LCM)	300	
Interface	MCU 8 bits	

Item	Data	
LCD Type	TFT	
Display color	16M	
Viewing Direction	ALL	
Operating temperature	-20~+70	
Storage temperature	-30~+80	
Module size(with capacitive touch panel)	50*69.2*3.75	
Module size (without capacitive touch panel)	50*69.2*2.3	
Active Area(W×H)	43.2*57.6	
Number of Dots	240(RGB)×320	
Power Supply Voltage	2.8V / 3.3V	

Backlight	4-LEDs (white)	
Brightness(LCM)	300	
Interface	MCU 8 bits	

--	--	--

Item	Data	
LCD Type	TFT	
Display color	16M	
Viewing Direction	ALL	
Operating temperature	-20~+70	
Storage temperature	-30~+80	
Module size(with capacitive touch panel)	50*69.2*3.75	
Module size (without capacitive touch panel)	50*69.2*2.3	
Active Area(W×H)	43.2*57.6	
Number of Dots	240(RGB)×320	
Power Supply Voltage	2.8V / 3.3V	
Backlight	4-LEDs (white)	
Brightness(LCM)	300	
Interface	MCU 8 bits	

--	--	--

Item	Data	
LCD Type	TFT	

Display color	16M	
Viewing Direction	ALL	
Operating temperature	-20~+70	
Storage temperature	-30~+80	
Module size(with capacitive touch panel)	50*69.2*3.75	
Module size (without capacitive touch panel)	50*69.2*2.3	
Active Area(W×H)	43.2*57.6	
Number of Dots	240(RGB)×320	
Power Supply Voltage	2.8V / 3.3V	
Backlight	4-LEDs (white)	
Brightness(LCM)	300	
Interface	MCU 8 bits	

Item	Data	
LCD Type	TFT	
Display color	16M	
Viewing Direction	ALL	
Operating temperature	-20~+70	
Storage temperature	-30~+80	
Module size(with capacitive touch panel)	50*69.2*3.75	
Module size (without capacitive touch panel)	50*69.2*2.3	

Active Area(W×H)	43.2*57.6	
Number of Dots	240(RGB)×320	
Power Supply Voltage	2.8V / 3.3V	
Backlight	4-LEDs (white)	
Brightness(LCM)	300	
Interface	MCU 8 bits	

--	--	--

Item	Data	
LCD Type	TFT	
Display color	16M	
Viewing Direction	ALL	
Operating temperature	-20~+70	
Storage temperature	-30~+80	
Module size(with capacitive touch panel)	50*69.2*3.75	
Module size (without capacitive touch panel)	50*69.2*2.3	
Active Area(W×H)	43.2*57.6	
Number of Dots	240(RGB)×320	
Power Supply Voltage	2.8V / 3.3V	
Backlight	4-LEDs (white)	
Brightness(LCM)	300	
Interface	MCU 8 bits	

